



Certificate of Analysis (COA)

Report Number: 25-166554
Report Date : 04/04/2025

1169 Warner Ave, Tustin, CA, 92780 Phone: 714-259-0384

Customer* : Cymbiotika LLC

Contact* :

5825 Oberlin Dr.
 Suite #5
 San Diego, CA, 92121

Samples Received : 03/24/2025
Start of Testing : 03/24/2025
PO Number : Unknown

Phone* : 855-983-8888

Sample Name : Cymbiotika Vitamin C Gel

Item # : Stability Initial

Lot # : 1122Y51556/D-1304

Lab # : 001

Test Code	Analysis - Method	Result	Spec
COL86	Coliform Count Petrifilm (AOAC 991.14)	<10 CFU/G	NA
NC	Total Aerobic Microbial Count (Modified USP 2021)	80 CFU/G	<10,000 CFU/G
NC	Yeast Count (USP 2021)	<10 CFU/G	<1,000 CFU/G
NC	Mold Count (USP 2021)	<10 CFU/G	<1,000 CFU/G
NC	Enterobacteriaceae MPN (Modified USP 2021)	<3 MPN/G	<10 CFU/G
PAC02	Package Compatibility SOP 3.07.076	Liquids in a sealed white pouch. The outer seal is intact. The inner seal is intact. No signs of deterioration.	N/A
STAC01	Stability Conditions	Initial	N/A
NC	Organoleptic Analysis Color	Orange	Orange
NC	Organoleptic Analysis Odor	Orange Vanilla	Orange Vanilla
NC	Organoleptic Analysis Appearance	Viscous Liquid	Viscous Liquid
USPC30	4 Method Bundle Modified USP 2021/2022 (APC, Sal, E.coli, Pseudomonas)	Completed	
NC	E. coli (Modified USP 2022)	Absent	Absent
NC	Salmonella species (Modified USP 2022)	Absent	Absent
NC	P. aeruginosa (USP 62)	Absent	Absent
NC	Staphylococcus aureus (Modified USP 2022)	Absent	Absent
BRI02	Brix USP 44		
SPG03	Density (Specific Gravity) USP	Specific gravity: 1.2552 Test Note: Density: 1.2515 g/ml	1.25-1.31
PH06	pH (USP)		
VIS03	Viscosity Brookfield		
VITC04	Vitamin C (as Ascorbic Acid) HPLC SOP 3.1.111	1615.63 mg/15ml	NLT 1000 mg/15ml

Customer :	Cymbiotika LLC	Report Number :	25-166554	Report Date :	04/04/2025
------------	----------------	-----------------	-----------	---------------	------------

Billing Code	Analysis - Method	Result	Spec
HMS35	Heavy Metal Screen 4 - ICPMS: As, Cd, Hg, Pb	Complete	
NC	Arsenic (As) ICP-MS	0.007 ppm	
NC	Cadmium (Cd) ICP-MS	0.007 ppm	
NC	Lead (Pb) ICP-MS	0.023 ppm	
NC	Mercury (Hg) ICP-MS	0.001 ppm	
ORG02	Organoleptic Analysis SOP 3.07.076	Normal	

Sample Temperature Upon Receipt : 25.0 deg C

Remarks :

Certified Group - Tustin is accredited to the ISO/IEC 17025:2017 standard and specializes in the testing of botanical ingredients, dietary supplements, and foods. Certified Group - Tustin is not an FDA drug registered facility, therefore any data or results provided by Certified Group - Tustin are not intended to fulfill any requirements under the drug cGMPs dictated in 21 CFR Parts 210 and 211.

For Questions or Comments Contact :
Customer Experience Team
714-259-0384 or
customerexperience_tustin@certifiedgroup.com

All results contained in the above report relate only to the items tested. All samples received in satisfactory condition unless noted otherwise. *The indicated information has been provided by the client to Certified Group - Tustin.

Approved By : Katerina Baldwin, Laboratory Directory

Signature : 