

MARINE ACCESSORIES CATALOG

PROUDLY SERVING THE MARINE INDUSTRY FOR OVER 45 YEARS

Our mission is to *provide* awesome products that help boaters pursue their passion.

By boaters we mean the anglers, the bait beasts, and the tournament true-bloods; the cruisers, the kayakers, and the all-day ray catchers; the skiers, the boarders, and the weekend warriors.

No matter where your water loyalties lie, we are here to fuel that passion with the innovation and quality of our trusted T-H MARINE® family of products.

So get outside, do what you love, and leave the fun-fueling to us.

- The T-H Marine Team



PERFORMANCE

PLATES, & LIDS

PLUMBING & DRAIN

TROLLING MOTOR ACCESSORIES

ROD ORGANIZATION

67 RIGGING

LED LIGHTING

BOATING & MARINE ACCESSORIES

FISHING ACCESSORIES

INDEX

BASS BOAT AT-A-GLANCE

AT-A-GLANCE

PONTOON BOAT AT-A-GLANCE

ORDERING INSTRUCTIONS



REGIONAL SALES REPRESENTATIVES

NORTHEAST & CANADA

Connecticut Maine Maryland Massachusetts New Hampshire New Jersey

New York Pennsylvania Rhode Island Vermont Virginia West Virginia

ATLANTIC MARKETING COMPANY

22 Bayview Ave., P.O. Box 293 Stonington, CT 06378

Phone: 860.535.8292 | **Fax:** 860.535.2960

amoffice@amconet.com | amconet.com

MIDWEST

Illinois Indiana lowa Kansas Michigan Minnesota

Missouri Nebraska North Dakota Ohio Oklahoma South Dakota Wisconsin

MIDWEST OUTDOOR MARKETING

5707 Osage Beach Parkway Osage Beach, MO 65065

Phone: 573.317.1103 | **Fax:** 573.317.1022

info@momarketing.com | momarketing.com

SOUTH

Alabama Arkansas Florida Georgia Kentucky

Louisiana Mississippi North Carolina South Carolina Tennessee Texas

WILLIAM F. MILLER & ASSOCIATES

2616 Grissom Drive Nashville, TN 37204

Phone: 615.298.4444 Fax: 615.269.4954

info@williamfmiller.com | williamfmiller.com

WEST

Arizona California Colorado Idaho Nevada New Mexico

Oregon Utah Washington Wyoming Montana British Columbia Canada Alaska Hawaii

WEST COAST SALES

1341 Distribution Way #20 Vista, CA 92081

Phone: 800.333.4163 | **Fax:** 760.734.4436

jsanders@westcoastsales.com | westcoastsales.com

INTERNATIONAL

BRUNGER EXPORT

4901 N.W. 17th Way, Suite 600 Fort Lauderdale, FL 33309


Phone: 954.928.1245 | **Fax:** 954.928.1644

info@brungerexport.com | brungerexport.com

2021-2022 New! PRODUCTS

TSP-7-M	Machined 4 Hole Transom Support Plate	17
RDL-1-DP	Rubber Draw Down Latch	27
DSPL-0310-2-DW-SMK-WS	Designer Series™ Port Light Vent Hatch - Dream White	29
DSPL-0310-2-PW-SMK-WS	Designer Series™ Port Light Vent Hatch - Polar White	29
ASA-1	Angled Scupper Valve - Black	41
ASA-2	Angled Scupper Valve - White	41
ASA-1SS	Angled Scupper Valve - Stainless Steel	41
TH-650SSC-DP	Thru Hull - Stainless Steel Cap - Straight 5/8"	48
TH-750SSC-DP	Thru Hull - Stainless Steel Cap - Straight 3/4"	48
TH-1000SSC-DP	Thru Hull - Stainless Steel Cap - Straight 1"	48
TH-1200SSC-DP	Thru Hull - Stainless Steel Cap - Straight 11/8"	48
TH-1500SSC-DP	Thru Hull - Stainless Steel Cap - Straight 11/2"	48
TH-6590SSC-DP	Thru Hull - Stainless Steel Cap - 90 Degree 5/8"	48
TH-7590SSC-DP	Thru Hull - Stainless Steel Cap - 90 Degree 3/4"	48
TH-1090SSC-DP	Thru Hull - Stainless Steel Cap - 90 Degree 1"	48
TH-1290SSC-CP	Thru Hull - Stainless Steel Cap - 90 Degree 1-1/8"	48
TH-1590SSC-DP	Thru Hull - Stainless Steel Cap - 90 Degree 1-1/2"	48
LED-39690-DP	LED Mini Spreader Light	82
LED-39691-DP	LED Mini Spreader Light	82
LED-6BL-B	6mm Bolt Light - Blue	99
LED-6BL-W	6mm Bolt Light - White	99
LED-6BL-G	6mm Bolt Light - Green	99
LED-11BL-RGBW-DP	11mm Bolt Light - RGBW	99
LED-11BL-B-DP	11mm Bolt Light - Blue	99
LED-11BL-W-DP	11mm Bolt Light - White	99
LED-11BL-A-DP	11mm Bolt Light - Amber	99
LED-11BL-G-DP	11mm Bolt Light - Green	99
LED-11BL-R-DP	11mm Bolt Light - Red	99
LCH-SS-XL	XL Tumbler Cupholder (No Pad)	127
LCH-SS-XL-P	XL Tumbler Cupholder (Molded TPR Pad)	127
DUSB-3-DP	Dual USB/USBC Charger	131
TB-1420-DP	Toggle bolt package	135
LED-GHBSS	LED Grab Handle - Blue	141







ATLAS® SERIES HYDRAULIC JACK PLATE

Hydraulic Rise: 5.75" Total Rise: 8.25" - 9.75" Weight Limit: 625 lbs HP: 300 max

POLISHED ALUMINIUM FINISH

Product Number	Setback
AHJ-4V-DP	4"
AHJ-6V-DP	6"
AHJ-8V-DP	8"
AHJ-10V-DP	10"
AHJ-12V-DP	12"
AHJ-14V-DP	14"

ANODIZED BLACK COATING

4"
6"
8"
10"
12"



ATLAS® HEAVY DUTY HYDRAULIC JACK PLATE

Hydraulic Rise: 5.75" Total Rise: 8.25" - 9.75" Weight Limit: 810 lbs HP: 450 max

POLISHED ALUMINUM FINISH

Product Number	Setback
AHJ-4VHD-DP	4"
AHJ-6VHD-DP	6"
AHJ-8VHD-DP	8"
AHJ-10VHD-DP	10"
AHJ-12VHD-DP	12"
AHJ-14VHD-DP	14"

ANODIZED BLACK COATING

Product Number	Setback
AHJ-4VHD-B-DP	4"
AHJ-6VHD-B-DP	6"
AHJ-8VHD-B-DP	8"
AHJ-10VHD-B-DP	10"
AHJ-12VHD-B-DP	12"

ATLAS® REPLACEMENT PARTS

Product Number	Description
AHJACT-3-DP	Replacement Actuator
AHJRELAYKIT-2-DP	Replacement Wiring Harness
AHJSWITCH-1-DP	Replacement Switch
AHJMTR-1-DP	Replacement Electric Motor (plastic)
AHJMTR-2-DP	Replacement Electric Motor (metal)

ALL JACK PLATES COME PRE-DRILLED FOR HOT SHOT™ HOLE SHOT PLATES, SHALLOW WATER ANCHORS, AND EMERGENCY RE-BOARDING LADDERS.

ATLAS® DIGITAL POSITION **GAUGE KIT**

- All Digital Readout
- Each Number Indicates 1/4" Rise
- Numbers from 0 to 20
- All ATLAS Jacks are Pre-drilled to fit

Product Number	Description	Dimensions
FAGK-1-DP	ATLAS [*] Gauge Kit - Black	Fits 4" & 8" Models
FAGK-2-DP	ATLAS [*] Gauge Kit - Black	Fits 6", 10" , 12" & 14" Models
FAGK-1SS-DP	ATLAS [*] Gauge Kit - Stainless Steel	Fits 4" & 8" Models
FAGK-2SS-DP	ATLAS* Gauge Kit - Stainless Steel	Fits 6", 10" , 12" & 14" Models



ATLAS® HOT SHOT™ **HOLE SHOT PLATES**

- Models to fit all ATLAS® Jacks
- Provides Improved Hole Shot
- Reduces Water Drag at Take Off

Product Number	Description
AHJHSP-4V-DP	Fits ATLAS* AHJ-4V-DP - 4"
AHJHSP-6V-DP	Fits ATLAS® AHJ-6V-DP - 6"
AHJHSP-8V-DP	Fits ATLAS' AHJ-8V-DP - 8"
AHJHSP-T-8V-DP	Fits ATLAS* AHJ-8V-DP - 8" - with transducer cut out
AHJHSP-10V-DP	Fits ATLAS" AHJ-10V-DP - 10"
AHJHSP-T-10V-DP	Fits ATLAS' AHJ-10V-DP - 10" - with transducer cut out
AHJHSP-12V-DP	Fits ATLAS® AHJ-12V-DP - 12"
AHJHSP-T-12V-DP	Fits ATLAS' AHJ-12V-DP - 12" - with transducer cut out
AHJHSP-14V-DP	Fits ATLAS' AHJ-14V-DP - 14"



Z-LOCK® HOLE SHOT PLATES

- Models to fit all Z-LOCK® Jacks
- Provides Improved Hole Shot
- Reduces Water Drag at Take Off

Product Number	Description	Dimensions
JPZHSP-6	Z-LOCK Hole Shot Plate	JPZ-6-DP
JPZHSP-8	Z-LOCK Hole Shot Plate	JPZ-8-DP
JPZHSP-10	Z-LOCK Hole Shot Plate	JPZ-10-DP





- Provides Maximum Strength
- Prevents Side Slippage and Movement
- Easily Adjusts Up or Down with Center Bolt
- 6061-T6 1/2" Aluminum Material for Strength
- Handles All V6 and V8 Outboards up to 300 HP
- Vertical Rise 5"

Product Number	Description	Dimensions
JPZ-4-DP	Z-LOCK Jack Plate	4"
JPZ-6-DP	Z-LOCK Jack Plate	6"
JPZ-8-DP	Z-LOCK Jack Plate	8"
JPZ-10-DP	Z-LOCK* Jack Plate	10"
JPZ-12-DP	Z-LOCK* Jack Plate	12"



ATLAS® MICRO JACKER®

- Perfect for Shallow Water Skiffs and Flat Boats
- Lightweight 23 lbs
- Smallest Footprint Available 14 5/8" x 11-1/2" H
- Fast Actuator 8 Seconds Top to Bottom
- 115 HP Max and 425 lbs Max
- Optional Clamp-on Motor Adapter

Product Number	Description
AHJM-4-DP	ATLAS" MICRO JACKER"
AHJM-CMA-DP	MICRO JACKER® Clamp-on Motor Adapter
ELCT0163	Replacement Actuator (Model #7342)
7014G	Replacement Wiring Harness

*ATLAS° Micro Jacker° Not Compatible With Any Gauge Kit



PRO HI-JACKER® JACK PLATES

- High Strength Aluminum 3/8" Thick
- One-Piece Design Top Adjust
- Locking Bars Allow One Wrench Adjust
- Maximum 175HP Outboards
- 4" Vertical Adjustment

Product Number	Description
JP-6PW-DP	Pro HI-JACKER Jack Plates - 6" setback (minimum)

To order visit thmarine.com or contact your local dealer

HI-JACKER® JACK PLATE

- 3/8" Aluminum Two Piece Design
- Dual Stainless Steel Adjustment Rods
- Maximum 150HP Outboards
- 5" Setback 4" Vertical Lift

Product Number	Description
JP-1A-DP	HI-JACKER* Fixed Jack Plate



HI-JACKER® FIXED JACK PLATE

- Solid Aluminum Extrusion
- 3 Engine Mount Holes 2 Transom Mount Holes
- Total Vertical lift of 5-1/2" 4" Setback

Product Number	Description
JP-4FA-DP	HI-JACKER* Fixed Jack Plate - Max 150HP
JP-4FAHD-DP	HI-JACKER* Fixed Jack Plate - Max 300HP



MINI JACKER®

- "Clamp Style" Small Outboard Jack Plate
- Cast Aluminum Bracket
- Marine Grade Wood Transom Block
- 4" Setback 3" Vertical
- Max Wt 150lbs Max HP-35

Product Number	Description
MJ-1-DP	MINI JACKER® - for Outboards Only



FINGERFLEX® Blinker Trim

Trim Control for Hydraulic Helms

- Operates Engine Trim and/or Jack Plates
- Fits Hydraulic, Cable, and Tilt Steering
- Easy Installation

Product Number	Description
FFBT-S-DP	Single Control Switch
FFBT-D-DP	Dual Control Switch



EMERGENCY RE-BOARDING LADDER

- Easily Rotates and Drops Down Into Ladder Position
- Meets NMMA Regs for Re-boarding Ladders
- Strong All-Aluminum Design
- Snaps Up Securely into Slot When not in Use
- Non-slip Material on Both Steps

EBL-1-DP	Re-boarding Ladder - Fits All Outboards - Universal
Product Number	Description



BOLT KIT FOR JACK PLATES

- For Mounting Outboards to Plate
- Kit Contains:

4 each 1/2" x 2-3/4" Stainless Steel Long Bolts 4 each 1/2" x lock nuts - Brass with Nylon Insert 8 each 1/2" flat washers - Stainless Steel

Product Number	Description
BK-1-DP	Jack Plate Bolt Kit - Fine Thread, Half Threaded - 1/2-20 x 2-3/4"
JP-4FAHD-DP	Jack Plate Bolt Kit - Fine Thread, Fully Threaded - 1/2-20 x 3"

T-H Marine Catalog $\,\mid\,$ Proudly serving the marine industry for over 45 years.

1:



TRANSOM TRIM CONTROL

- Puts Tilt & Trim Control Anywhere
- Weather Resistant Control Switches
- Can Also Operate Power Jack Plates

Product	Number

Description

TTC-1-DP Transom Trim Control - 50 AMP



STEERING WHEEL TRIM CONTROL

- Rugged Urethane Coiled Cord
- Weatherproof Rubber Booted Switches
- Mount Easily to Steering Wheel Spokes
- Not for Use with Hydraulic Steering

Product Number

Description

ST-1-DP

Steering Wheel Trim Control - 50AMP



FOOT TRIM® FLOOR MOUNTED TRIM CONTROL

- Foot Operated Tilt & Trim Control
- Pre-wired Matte Black Unit
- Weather Resistant Control Switches

n		_	_1		_	π.	Ν				L	_	
۳	m	റ	a		c	т.	rvi	ш	n	٦.			r
-	-	_	•	•	_	•	- 1	-		•	~	-	-

Description

HT-1-DP

FOOT TRIM® Floor Mounted Trim Control - 50AMP



TRIM HANDLE

- Puts Tilt & Trim Control Directly Onto Throttle Lever
- Weather Resistant 50 AMP Switches
- Fits pre-1979 OMC Control Handles

Description

EJT-1-DP

Trim Handle - 50 AMP



HOT FOOT FOOT THROTTLE

Number ONE Throttle on the Market for Over 20 Years

- Provides Added Safety & Performance
- All Cast Aluminum Stainless Steel Hardware
- Nylon & Teflon Bushings on all Critical Pivot Points
- Patented Idle Stop for FICHT & Optimax Engines
- Accepts All Engine Manufacturer Throttle Cables
- Cable not Included

Product Number	Description
HF-1-DP	Hot Foot® Universal Model - Fits All Marine Engines
HFS-1-DP	Hot Foot® Replacement Spring (all models)



HOT FOOT® PRO TOP LOAD FOOT THROTTLE

- Improved Safety & Throttle Control
- Topside Cable Connections
- Patented Idle Stop for FICHT & Optimax
- Stainless Steel Hardware with Teflon Brushings
- Cable not Included

Product Number	Description
HF-1T-DP*	Hot Foot® Fits Johnson, Evinrude, Mercury & Mariner
HF-1CT-DP	Hot Foot® Fits Honda, Yamaha, Chrysler & Suzuki
HFS-1-DP	Hot Foot® Replacement Spring (all models)

^{*}Compatible with the 3.8L V6 and 4.6L V8 Pro XS



HOT FOOT® SLIDE MOUNT

- Easy Adjustment of HOT FOOT[®]
- Stainless Steel Fasteners & Release Pin
- Allows 5" of Slide Adjustment

HFM-1-DP	Hot Foot® Slide Mount
Product Number	Description

T-H Marine Catalog | Proudly serving the marine industry for over 45 years.

1:



TRANSOM WEDGES

- Fits All Standard B.I.A. Bolt Patterns
- Full Contact Between Engine & Transom
- 2-1/4" W 11-1/4" L 1-1/16" to 3/16" Thickness
- Cast Aluminum

Product Number	Description	
TW-2-DP	Transom Wedges - 1 Pair - 5 Degree Negative Tuck	
TW-3-DP	Reverse Transom Wedge - 1 Pair - 5 Degree Positive Tilt	



CMC° WEDGES/SET BACK SPACERS

- 2 Degree Wedges Provide Extra Positive or Negative Trim
- Designed to be Stacked Together to Act as Set Back Spacers
- 1/2" x 4" x 11 1/4" Size

Product Number	Description
20122	2 Degree Reversible Transom Wedges



REPLACEMENT SKEGS

- Solid Cast Aluminum
- Welds to Lower Units
- Easily Cut to Shape

Product Number	Description	A	В	С	D
RS-1-DP	OMC V6	5-1/2"	6"	10-1/4"	9"
RS-2-DP	OMC V4	4-1/2"	5-3/4"	9-1/2"	10"
RS-3-DP	OMC 40-80HP	4"	4-1/4"	7-1/2"	7"
RS-4-DP	Mercury V6*	3-1/2"	6-1/2"	9-1/4"	10-1/2"

^{*}Mercury V6 Outboards and Mercruiser Stern Drives



TORQUE TAB

- Counters Torque Pressure on Wheel
- Easy to Install
- Cast Aluminum Stainless Hardware

Product Number	Description
TAB-1-DP	Torque Tab



SAF-T-STOP® IGNITION KILL SWITCHES

- Meets All Requirements of Emergency Stop Switches
- Coiled Lanyard
- Isolated Circuits on Dual Units to Prevent Feedback
- Mounts Anywhere Requires 1-1/2" Hole

Product Number	Description	
KS-1-DP	SAF-T-STOP [*] Ignition Kill Switch - Single Outboard	
KS-2-DP	SAF-T-STOP [*] Ignition Kill Switch - Single I/O	
KS-12	SAF-T-STOP* Ignition Kill Switch - Dual Outboard	
KS-22-DP	SAF-T-STOP* Ignition Kill Switch - Dual I/O	
L-4-DP	SAF-T-STOP Ignition Kill Switch - Replacement Lanyard	







TRANSOM SUPPORT PLATES

- Distributes Stress of Engine Bolts
- High Quality Cast Aluminum
- All Plates 3/8" Thick
- Call for Customizing Program

	Product Number	Description	A	В	С
	TSP-1-DP	Top Bolt Holes - Standard	15"	2"	13"
	TSP-2-DP	Lower Bolt Holes - Standard	12"	2"	10"
	TSP-7-DP	For Yamaha and Verado - 4 Bolt Holes	15-1/4"	3-3/4"	12-3/8"
v!	TSP-7-M	Machined 4 Hole Transom Support Plate	15"	4"	12-7/8"

Mercury vo Outboards and Mercruiser Stern Drives

16



TRANSOM WASHER PLATES

- Made of 3/8" 6061 T6 extruded alloy aluminum
- Eliminates bolts "biting" into transoms
- Distributes loads on high performance engines
- Hole center
 - Top plate 12 7/8"
 - Bottom plate 9 7/8"

Product Number	Description
20022	Top Washer Plate
20032	Bottom Washer Plate



CUSTOM WASHER PLATES

- Made of 3/8" 6061 T6 extruded alloy aluminum
- Top washer can be custom engraved with minimum order
- Up to 16 characters can be engraved

Product Number	Description
20000	Custom Washer Plates



POSITION INDICATOR GAUGE KIT

- Sealed and drip proof
- Mounts in the dash for safe and convenient height determination
- Indicator features an up and down toggle switch

Product Number	Description
6077	Position Indicator Gauge Kit





HYDRAULIC POWER-LIFT® TRANSOM JACKS

- Ideal for high speed positioning of outboard motor
- PL-65HS will raise V-6 300 HP in approx 8 secs
- PL-65 has been in the market since 1982
- Mounting hardware included

5.5" MODEL PL-65HS

Product Number	Description
65301	with gauge
65302	without gauge

5.5" MODEL PL-65*

Product Number	Description
65001	with gauge
65002	without gauge

6" MODEL PL-65*

Product Number	Description
65501	with gauge
65502	without gauge

10" MODEL PL-65-10HS

Product Number	Description
61301	with gauge
61302	without gauge

10" MODEL PL-65-10

Product Number	Description
61001	with gauge
61002	without gauge

^{*}The model PL-65 is rated V-6 and smaller motors. Not designed for V-8 Motors or racing applications.



MANUAL POWER-LIFT® TRANSOM JACKS

One-Piece Design

- Made of 6061 To extruded aluminum alloy
- Stainless steel fasteners for maximum strength and durability
- Centrally located adjustment screw for positive alignment
- 5" Vertical adjustment

Product Number	Description
61012	10" Set Back - Manual Model
65012	5 1/2" Set Back - Manual Model
65013	2" Set Back - Manual Model
65512	5 3/4" HD Manual Model



Two-Piece Design

• Adjustable manual has 5" of slot adjustment at the motor mounting bracket and 1/2" inches of adjustment at transom bracket

Product Number	Description
55012	5 1/2" Set Back
40012	4" Set Back



7" STATIC SET BACK PLATE

- Has 11/2" of adjustment at the transom bracket
- 1" of adjustment on the motor bracket
- Dimension from top of transom to top of motor side 3 1/2"

Product Number	Description
70012*	7" Static Set Back Plate



9" STATIC SET BACK PLATE

- 11/2" of adjustment at the transom bracket
- 1" of adjustment on the motor bracket
- Dimension from top of transom to top of motor side 3 1/2"

Product Number	Description
90012*	9" Static Set Back Plate



2 1/2" STATIC SET BACK PLATE

- 11/2" of adjustment at the transom bracket
- Most commonly used in conjunction with manual or hydraulic Power-Lift

Product Number	Description
5213*	2 1/2" Static Set Back Plate



5" VERTICAL EXTENSION

- Allows the motor to be mounted 5" higher than the standard mounting on transom
- A must for conversion from prop to jet drive

Product Number	Description
50012*	5" Vertical Extension

TRANSOM JACK SPECIFICATIONS

ltem	Description	HP Rating	Travel	Set Back	Operation	Dimensions
61002	PL-65-10	up to V-6**	5"	10"	12V Elec Hydraulic	18-1/8" W x 16 1/2" H
65002	PL-65	up to V-6**	5"	5 1/2"	12V Elec Hydraulic	18-1/8" W x 16 1/2" H
65213*	2-1/2" Set Back	up to V-6**	1-1/2"	2 1/2"	Static	15-1/8" W x 13-5/8" H
65012	ML-65	up to V-6**	5"	5 1/2"	Manual	18-1/8" W x 16 1/2" H
61012	ML-65-10	up to V-6**	5"	10"	Manual	18-1/8" W x 16 1/2" H
55012	2-PC	up to V-6	5"	5 1/2"	Manual	18-1/8" W x 15 1/2" H (Mounted)
40012	2-PC	up to V-6	5"	4"	Manual	18-1/8" W x 15 1/2" H (Mounted)
70012*	Static Set Back	up to V-6**	3 1/2"	7"	Static	18-1/8" W x 15 1/2" H (Mounted)
90012*	Static Set Back	up to V-6**	5 3/4"	9"	Static	18-1/8" W x 15 1/2" H (Mounted)
50012	5" Vertical Ext	up to V-6	5"	1/2"	Static	5"W x 20 1/2" H (Mounted)
65501	PL-65 HD	up to V-8/400HP	5"	6"	Hydraulic	18-1/8" W x 16 1/2" H
65502	PL-65 HD	up to V-8/400HP	5"	6"	Hydraulic	18-1/8" W x 16 1/2" H
65512	ML-65 HD	up to V-8/400HP	5"	6"	Manual	18-1/8" W x 15 1/2" H

NOTE: ML-65 and the 4" & 5 1/2" set back plates are rated V-6
*Mounting hardware included **Rated for 4.6L V-8 Pro XS

 $\textbf{T-H Marine Catalog} \hspace{0.1cm} | \hspace{0.1cm} \textbf{Proudly serving the marine industry for over 45 years.} \\$

ELECTRIC HYDRAULIC TILT N' TRIM

Pt-i30 Features

- Rated for 130 HP and Smaller Motors
- 6" Set Back to enhance boat stability and performance
- 20° of trim and a total of 90° of tilt and trim
- 1/2" 6061 T6 Extruded aluminum construction with SS fasteners
- Electric hydraulic actuator rated at 7853 lbs of thrust
- Four SS motor mounting bolts included


Product Number	Description
13001	with gauge
13002	without gauge



Pt-35 Features

- Rated for 35 HP and Smaller Motors
- 5 1/2" Set back to enhance boat stability and performance
- 84° of trim and tilt
- 1/4" 6061 T6 extruded aluminum construction with SS fasteners
- Electric hydraulic actuator rated at 7853 lbs of thrust
- Accommodates clamp-on/bolt-on motors without the need of an
- Weighs only 24 pounds

Product Number	Description
52100	Electric Hydraulic Tilt N' Trim



Note: The inside dimension of the motor mounting area of the PT-35 is 11". Before ordering, please make sure that the maximum width of the clamp mounting feet and/or mounting bolts of the motor that must fit into this area does not exceed the 11" limit. Refer to the transom view drawings. Mounting bolts are not included with the PT-35.



TRANSOM CLAMP **MOTOR ADAPTER**

- Made for quick and easy installation
- For installation of motors mounted with transom clamps

oduct Number	Description
022	Transom Clamp Motor Adapter



TRANSOM SPACER FOR PONTOON BOAT

The transom spacers are 1" thick allowing you to mount the PT-130 with the 1/2" to 3/4" lip around the transom

roduct Number	Description
3032	Transom Spacer for Pontoon Boat



CMC® BREAKAWAY UNIT

- Rated for outboard motors up to a maximum 130 HP
- Mounted between the boat transom and the outboard motor
- It allows small boats and motors to slide over submerged logs
- Designed to minimize damage to the outboard motor
- The unit is pre-drilled with the standard B.I.A hole pattern

Product Number	Description
13003	CMC° Breakaway Unit

NOTE: Designed for encounters while running at speeds of 5MPH in the forward direction

TILT N' TRIM SPECIFICATIONS

ltem	Description	HP Rating	Travel	Set Back	Operation	Material	Fasteners	Weight
13001	PT-130 With gauge	10HP to 130HP	90° Tilt & Trim	6"	12V Elec Hydraulic	Extruded 6061-T6 Alum	Stainless Steel	#40
13002	PT-130 w/o gauge	10HP to 130HP	90° Tilt & Trim	6"	12V Elec Hydraulic	Extruded 6061-T6 Alum	Stainless Steel	#39
52100	PT-35	35HP & Smaller	84° Tilt & Trim	5 1/2"	12V Elec Hydraulic	Extruded 6061-T6 Alum	Stainless Steel	#24

To order visit thmarine.com or contact your local dealer





ANCHOR HANDLE LOCKS

- Easy Grip "Two Finger" Handle
- For Lids up to 3/4" Thick
- Fits 2-3/8" to 2-1/2" Hole
- Waterproof "O" Ring Seals

Product Number	Description	Body Color	Handle Color
AL-1 -DP	Locking	Black	Black
AL-2-DP	Locking	White	White
ALC-1 -DP	Locking	Black	Chrome
ALCN-1-DP	Non-Locking	Black	Chrome
ALC-2-DP	Locking	White	Chrome
ALCN-2-DP	Non-Locking	White	
ALS-1	Anchor Lock Mounting Spacer	Black	
	•		

Cams/Zinc	Description	A (in)	B (in)	
CAM-ZA	Straight	2 - 1/4"		
CAM-ZCXL	Offset	3 1/4"	1"	
KEY-2	Replacement Key for ALL Models			



DECK LID SLAM LATCHES

- Web strap pull release with 32" strap
- Unit ships complete with striker
- Models to orient in 4 directions



Product Number	Description
DLSL-1N	Deck Lid Slam Latch - North
DLSL-1S	Deck Lid Slam Latch - South
DLSL-1E	Deck Lid Slam Latch - East
DLSL-1W	Deck Lid Slam Latch - West



NAUTICAL SLAM LATCHES

- Low Profile Oval Design
- UV Stable Corrosion Resistant
- Stainless Steel Striker Plate
- Fits 2" Round Hole

Product Number	Description	Color
NFSL-5-1-DP	1/16" to 7/8"	Black
NFSL-5-2-DP	1/16" to 7/8"	White



EARTH MAGNETIC LATCHES

- Powerful Magnetic Attraction
- Holds Lids and Doors Securely
- Encased in Plastic Won't Rust or Corrode

AGHL-2-DP	Earth Magnetic Latch - 1 pair
oduct Number	Description



RUBBER DRAW DOWN LATCH

- 304 Stainless Steel Catch and Pin
- Chemical and UV Resistant TPR Construction
- Includes Latch and Catch
- Textured Grip
- Direct Replacement

Product Number

New! RDL-1-DP

Rubber Draw Latch

Description



TECHNICAL DATA

MAX LOAD: 50LBS HOLE SIZE: 0.175" LENGTH: 3.75" WIDTH: 1.125" HEIGHT: 0.75"



26 т-н м



DESIGNER SERIES™ ACCESS HATCHES

- Cam Style Locks Hold Lid Securely
- Positive Lid Seal for Water Tight Fit
- Stainless Steel Hinges
- Height Above Deck 5/8"

HDSS-0714-"X"-DP HDSSL-0714-"X" 7-1/2" x 14-1/4" 4-5/8" x 11-1/4" 5-1/8" x 11-7/8" ✓ HDSS-1115-"X"-DP HDSSL-1115-"X" 11" x 15" 7-5/8" x 11-5/8" 8-1/4" x 12-1/8" ✓ HDSS-1119-"X"-DP HDSSL-1119-"X" 10-7/8" x 18-7/8" 7-5/8" x 15-1/2" 8-1/4" x 16-1/8" ✓ HDSS-1317-"X"-DP HDSSL-1317-"X" 12-7/8" x 16-7/8" 9-5/8" x 13-1/2" 10-1/8" x 14-1/8" ✓ HDSS-1324-"X"-DP HDSSL-1324-"X" 12-7/8" x 23-3/4" 9-5/8" x 20-1/2" 10-1/8" x 21-1/8" ✓	Non-Locking	Locking	Outside	Inside	Cut Out	CERTIFIED
HDSS-1119-"X"-DP HDSSL-1119-"X" 10-7/8"x 18-7/8" 7-5/8" x 15-1/2" 8-1/4" x 16-1/8"	HDSS-0714-"X"-DP	DP HDSSL-0714-"X"	7-1/2" x 14-1/4"	4-5/8" x 11-1/4"	5-1/8" x 11-7/8"	✓
HDSS-1317-"X"-DP HDSSL-1317-"X" 12-7/8"x 16-7/8" 9-5/8" x 13-1/2" 10-1/8"x 14-1/8" ✓	HDSS-1115-"X"-DP	P HDSSL-1115-"X"	11" x 15"	7-5/8" x 11-5/8"	8-1/4" x 12-1/8"	✓
	HDSS-1119-"X"-DP	P HDSSL-1119-"X"	10-7/8"x 18-7/8"	7-5/8" x 15-1/2"	8-1/4" x 16-1/8"	✓
HDSS-1324-"X"-DP HDSSL-1324-"X" 12-7/8" x 23-3/4" 9-5/8" x 20-1/2" 10-1/8" x 21-1/8" ✓	HDSS-1317-"X"-DP	P HDSSL-1317-"X"	12-7/8"x 16-7/8"	9-5/8" x 13-1/2"	10-1/8"x 14-1/8"	✓
	HDSS-1324-"X"-DP	OP HDSSL-1324-"X"	12-7/8"x 23-3/4"	9-5/8" x 20-1/2"	10-1/8"x 21-1/8"	✓
HDSS-1330-"X"-DP 12-7/8"x 29-3/4" 9-5/8"x 26-3/8" 10-1/8"x 27" ✓	HDSS-1330-"X"-DP	OP	12-7/8"x 29-3/4"	9-5/8"x 26-3/8"	10-1/8"x 27"	✓
HDSS-1620-"X" 16" x 20" 12-5/8"x16-5/8" 13-1/8" x 17" ✓	HDSS-1620-"X"		16" x 20"	12-5/8"x16-5/8"	13-1/8" x 17"	✓

Non-Locking w/ Deck Seal	Outside	Inside	Cut Out	CERTIFIED
HDSS-1119-1-DS	10-7/8"x 18-7/8"	7-5/8" x 15-1/2"	8-1/4" x 16-1/8"	✓
HDSS-1317-"X"-DS	12-7/8"x 16-7/8"	9-5/8" x 13-1/2"	10-1/8"x 14-1/8"	✓
HDSS-1324-"X"-DS	12-7/8"x 23-3/4"	9-5/8" x 20-1/2"	10-1/8"x 21-1/8"	✓
HDSS-1330-1-DS	12-7/8"x 29-3/4"	9-5/8"x 26-3/8"	10-1/8"x 27"	✓

Non-Locking w/ Deck Seal	Outside	Inside	Cut Out	CERTIFIED
HDSS-1013-"X"-REM	10" x 13"	6-3/4" x 9-3/4"	7-1/8" x 10-1/8"	✓
HDSS-1119-"X"-REM	10-7/8"x 18-7/8"	7-5/8" x 15-1/2"	8-1/4" x 16-1/8"	✓
HDSS-1317-"X"-REM	12-7/8"x 16-7/8"	9-5/8" x 13-1/2"	10-1/8"x 14-1/8"	✓
HDSS-1324-"X"-REM	12-7/8"x 23-3/4"	9-5/8" x 20-1/2"	10-1/8"x 21-1/8"	✓

"X" denotes color code: 1=black 2=polar white 3=sand shell 7=light gray



DESIGNER SERIES™ VERTICAL ACCESS HATCHES

- Vertical access door with vent
- Slam Latch for Easy Opening and Closing
- Slotted Vent for Air Flow
- Stainless or Molded Latches Available

Part Number	Outside	Inside	Cut Out
HDSS-1620-"X"-"X"LV	16" x 20"	16" x 20"	13-1/8" x 17"
HDSS-1620-"X"-"X"V	16" x 20"	16" x 20"	13-1/8" x 17"

"X" denotes color code: 2 = polar white 3 = Sand



DESIGNER SERIES™ PORT LIGHT VENT HATCH

- Meets USCG regulation
 - Easy open turn knobs, fully sealed when closed
- Built in screen for worry free ventilation
- Right size for smaller heads

Part Number	Description	CERTIFIED
New! DSPL-0310-2-DW-SMK-WS	Dream White - Smoke Lens w/ Screen	✓
New! DSPL-0310-2-PW-SMK-WS	Polar White - Smoke Lens w/ Screen	✓



DESIGNER SERIES™ GLOVE BOXES

- Cam Lock Holds lid securely
- Positive Lid Seal for Water Tight
- Stainless Steel Hinges
- Push Button Lock with Lift Tab

Part Number	Description	Outside	Inside	Cut Out	CERTIFIED
GDSS4-0714-"X"-DP	Non-Locking	7-1/2"W x 14"L	4-5/8" W x 11-1/4"L	5-1/2"W x 12"L	✓
GDSLPB4-0714-"X"	Locking	5-1/2" Deep	5" Deep		√

"X" denotes color code: 1 = black 2 = polar white



DESIGNER SERIES™ TACKLE CENTERS

Locking versions available

Locking versions available			
Product Number	Description	CERTIFIED	
TDSS-0714-2T-"X"	7" x 14" Tackle Center - Includes (2) 3600 Trays - 10" Deep	✓	
TDSS-1115-3T-"X"	11" x 15" Tackle Center - Includes (3) 3600 Trays - 10" Deep	✓	
TDSS-1317-4T-"X"	13" x 17" Tackle Center - Includes (4) 3600 Trays - 10" Deep	✓	

"X" denotes color code: 1 = black 2 = polar white



SURE-SEAL® TACKLE TRAY BOXES

- Vacuum Formed Tackle Centers
- Includes SURE-SEAL Hatch
- Popular Plano Style Trays

Product Number	Description
TBOX-1115-3T-"X"-DP	Box with 11" x 15" Hatch - Includes (3) Trays - 9" Deep

"X" denotes color code: 1P = black 2P = polar white 3P = Sand Shell



SURE-SEAL® ACCESS HATCHES

- Easy Access to Horizontal or Vertical Storage
- Watertight, Dual seals Lid and Frame
- 180 Degree Door Opening

Non-Locking	Locking	Outside	Inside	Cut Out
HAT-1115-"X"-DP	HATL-1115-"X"-DP	10-3/4" x 15"	7-3/8" x 11-1/4"	8-3/4" x 12-5/8"
HAT-1317-"X"-DP	HATL-1317-"X"-DP	12-7/8" x 16-7/8"	9-5/8" x 13-1/2"	10-1/8" x 14-1/8"

"X" denotes color code: 1=black 2=polar white 3=sand shell



LID & HATCH SUPPORT SPRINGS

- Stainless Steel Spring
- Supports 10 to 20 lb. Lids

Product Number	Description	Supports	Dimensions
LS-2-DP	Molded Nylon Ends	10lbs	7/16" x 8-1/2" L
LS-2C-DP	LS-2 w/Restraint Cable	10lbs	7/16" x 8-1/2" L
LS-3-DP	Offset Stainless Steel	10lbs	7/16" x 8-1/2" L
HS-1	Molded Nylon Ends	20lbs	5/8" x 12" L



LL-1



LLR-1

LID LIFTS

- Bottom Cup Prevents Water from Entering Box
- Large 3-Finger Opening on LLR's
- Easy to Install

Product Number	Outside	Hole Size
LL-1	2-3/4" x 2-3/4"	2-1/8"
LLR-1	3-1/2" x 2-1/4"	2ea 1-1/2"



DOOR RESTRAINT STRAPS

- Restrains Doors, Hatches & Lids
- PVC Coated Stainless Steel Cable
- Stainless Steel "Eye" Ends
- Supports up to 250lbs, 750lbs for Heavy Duty

Heavy Duty	Length
	4"
	5"
	7"
	9"
DRS-1HD	13"
DRS-16HD	16"
	20"
	DRS-1HD



SURE-SEAL® VERSATUBE® LOW PROFILE COMPARTMENT

- Deck Plate Storage Compartment
- Larger 5" Diameter for More Room
- Quick Open, Quarter-Turn Lid

Product Number	Description
VTLP-8-1	8" Deep - Black
VTLP-8-2	8" Deep - White

T-H Marine Catalog | Proudly serving the marine industry for over 45 years.

SURE-SEAL® OVAL DECK PLATES

- Covers the Space of Two Deck Plates
- Watertight Pry-Out Lid Overlaps Frame
- Quick & Easy Access to Valves, Batteries or Fire Extinguishers

Product Number	Outside	Inside	Cut Out
DPOVAL-6D-"X"-DP	15-3/8" x 8-1/3"	13-1/8" x 6-1/8"	14-1/8" x 7-1/8"

"X" denotes color code: 1 = Black 2 = polar white 3 = Sand



DESIGNER SERIES™ SCREW DOWN DECK PLATES

- Tough Non-Corrosive Poly Material
- Textured Top-Smooth Tapered Edges

Black	White	Description	Dimensions
DSSDP-1-1-DP	DSSDP-1-2-DP	6"	4-1/2"
DSSDP-2-1-DP	DSSDP-2-2-DP	8"	6-1/4"



SCREW DOWN DECK PLATES

Black	Off-White	Fish White	Outside Dimensions
SDP-1-DP	SDP-1W-DP	SDP-1FW-DP	5-5/8"
SDP-2-DP	SDP-2W-DP	SDP-2FW-DP	8"
SDP-3-DP		SDP-3FW-DP	10"



QUICK RELEASE DECK PLATE

- Cam Hatch Holds Secure
- Gripper in Lid Prevents Rotation
- Easy Opening and Closing

Non-Locking	Outside	Inside	Cut Out
DPCAM-6-"X"-DP	8"	5-1/8"	6-1/4"
DPCAM-8-"X"-DP	10"	7-1/8"	8-1/4"

"X" denotes color code: 1 = black 2 = polar white 3 = Sand Shell



LOW PROFILE TWIST-OUT **DECK PLATES**

- Quick Twist-Out Lid
- Smooth Low Profile Lid Overlaps Frame
- "O" Ring for Watertight Design

Textured	Smooth	Description	Outside	Cut Out
DPSLP-4-"X"-DP	DPSLP-4S-"X"-DP	4"	5-5/8"	4-1/2"
DPSLP-5-"X"-DP	DPSLP-5S-"X"-DP	5"	6-7/8"	5-1/2"
DPSLP-6-"X"-DP		6"	8"	6-1/4"
DPSLP-8-"X"-DP		8"	10"	8-1/4

"X" denotes color code: 1 = black 2 = polar white 3 = Sand Shell (available in select products)




SURE-SEAL® DECK PLATES

- Watertight Lid Overlaps FramePositive "O" Ring Seal
- Total UV & Chemical Stability

Screw-Out Style	Pry-Out Style	Outside	Inside	Cut Out	
DPS-4-"X"-DP		5-3/4"	4"	4-1/2"	
DPS-6-"X"-DP	DPP-6-"X"-DP	8"	6"	6-1/4"	

"X" denotes color code: 1 = black 2 = polar white 3 = Sand Shell Java = Light Tan (select products)

T-H Marine Catalog | Proudly serving the marine industry for over 45 years.





PRO-AIR SYSTEM® LIVEWELL AERATION

- Dual Outlets Can Aerate Two Livewells at Once
- 12 Volt DC Pump
- Fine Mesh Screen or Air Stones
- Pump Capacity Approx. 30 Gals

Product Number	Description
PAS-1-DP	Complete Kit - With Air Stones
PAS-2	PAS-1 - No Switch
PAP-1 -DP	Pump Only
T-1	System Tubing - 500' Roll - 1/8"



MAX-AIR® LIVEWELL VENTURI

- Injects Air into Livewell
- Fits 3/4" Hose

Product Number	Description
MAV-2	MAX-AIR* Venturi Fitting Only
MAV-2K-DP	MAX-AIR* Venturi Kit with Face Plate
MAV-2KT-DP	MAX-AIR' Venturi with Face Plate and 6' Tubing
MAV-FACEPLATE	Replacement Face Plate



WATER SCOOP

- Provides Fresh Water to Livewells While Underway
- Pressure Relief Holes Prevent Overpowering Pumps
- Can Be Used with Standard Aerator Pump

Product Number	Description
WS-1	Water Scoop




AUTOMATIC AERATOR CONTROL

- Fully Adjustable Timer
- 10 Amp, Fully Waterproof
- Requires 3" Round or 2-1/2" Square Hole
- Auto Spray (On) Time ~ 45 Seconds
- Auto Delay (Off) Time ~ 45 Seconds (min) 5-1/2 min (max)

Product Number	Description
AAC-1-DP	Automatic Aerator Control



EZ-BLK-1-DP



EZ-PUMP™

- UV Stable and Poly Material
- Easy Installation No Drilling or Running Hoses
- Prevents Livewell System Air Lock

Product Number	Length	Intake	Size	Color
EZ-BLK-1-DP	4-3/4"	1" to 3-1/2"	Long	Black
EZ-WHT-1DP	4-3/4"	1" to 3-1/2"	Long	White
EZ-SND-1	4-3/4"	1" to 3-1/2"	Long	Sand
EZ-BLK-2-DP	3-3/8"	1" to 2-1/2"	Medium	Black
EZ-WHT-2-DP	3-3/8"	1" to 2-1/2"	Medium	White




BAIT TANK PLUMBING KIT

- Complete Kit for Plumbing Fixed or Portable Tanks
- Detailed Installation Instructions Included
- Kit Contains:

ODT-190	90° Overflow Drain Tube, 12"
TH-1202-B	1-1/8" Thru-Hull Drain Fitting
AHV-2	Aerator Spray Head for Current
TEE-3/4	Tee Fitting to Connect Both Heads

BWK-2-DP	Complete Baitwell Kit
Product Number	Description



AERATOR PUMP BRACKET

- Molded Aerator Pump Support
- 1-1/8" Pump Mounting Hole

Product Number	Description
PB-90	Right Angle Bracket



AERATOR SPRAY HEAD/ WASH DOWN COMBO

- Adapts from hose fitting to spray head
- Multi-Directional
- Manual Shut-Off Valve

Product Number	Descrip
AHVWD-90-DP	Black
AHVWD-92-DP	White



WASH DOWN FITTINGS

- Injection Molded Rust Proof
- Standard Garden Hose Threads
- Protective Cap with Retainer
- Flange is 2-1/4" dia. Fits 1-1/4" Hole
- Fits 3/4" Hose

Product Number	Fits	Color
WDV-1-DP	Straight with Shut-off Valve	Black
WDV-1CP-DP	Straight with Shut-off Valve	Chrome
WDV-90-DP	90 Degree with Shut-off Valve	Black
WD-1	Straight without Shut -off Valve	Black
WD-1CP-DP	Straight without Shut-off Valve	Chrome

See page 137-138 for Hoses and Wash Down Stations



CHROME PLATED FITTING

• Strong Plating Process Strengthens Parts

DIRECTIONAL LIVEWELL

For Above Waterline Use

Straight	90 Degree	Extended Length	Description	Hose Size
TH-750CP-DP	TH-7590CP-DP		Thru-Hull	3/4"
TH-1200CP-DP	TH-1290CP-DP	TH-1200XLCP-DP	Thru-Hull	1-1/8"
	TH-1890CP-DP		Thru-Hull Short	1-1/8"
TH-1500CP-DP	TH-1590CP-DP	TH-1500XLCP-DP	Thru-Hull	1-1/2"
RFTH-2BCP-DP			Scupper Thru Hull	1-1/2"
RF-1CP-DP			Rigging Flange	

See Page 48 for dimensions. Recommended use of silicone sealant or neoprene gasket only.





TH-DFR-7592

Allows Full Flow from Pump

FILL FITTING

90 Degree Design

 Product Number
 Description

 TH-DFR-1292
 1/8" Barb - White

 TH-DFR-7592
 3/4" Barb - White

Provides Directional Current



DIRECTIONAL FLOW AERATOR HEADS

- Creates Circular Current
- Max Wall Thickness 5/8"

Product Number	Description	Hose Dia
DAH-90	Directional Flow Head, 90 Degrees	3/4"
DAH-45	Directional Flow Head, 45 Degrees	3/4"
DAHI-118	Adjustable Flow Head	
DAHIK-118-DP	Adjustable Flow Head with Fitting	1-1/8"
DAHIK-750-DP	Adjustable Flow Head with Fitting	3/4"
APD-190FT	Fitting for DAHI-118	3/4"
TH-1890T-DP	Fitting for DAHI-118	1-1/8"




AERATOR SPRAY HEADS

Product Number	Description	Shut-Off	Barb	Hole Size	Thread Length
AH-90	Double Nut - Black	No	3/4"	1-1/16	5/8"
AH-92	Fixed Flange - White	No	3/4"	1-1/16	5/8"
AHV-1-DP	Fixed Flange - Black	Yes	3/4"	1-1/16	5/8"
AHV-90-DP	Adjustable Flow/ Valve - Black	Yes	3/4"	1-1/16	3/4"
AHV-92-DP	Adjustable Flow/ Valve - White	Yes	3/4"	1-1/16	5/8"

COCKPIT DRAINS

- Tapered or Flat Head Designs
- Flush Fit Drop-in Screens
- 90 Degree & White Only

Product Number	Style	Head	A	В	С	D
TH-1992	Open Drain	Tapered	1-1/2"	2-3/8"	3"	1"
TH-1992S	Removable Screen	Tapered	1-1/2"	2-3/8"	3"	1"
TH-1992BH	Drain No Screen	Flat	1-1/2"	2-3/8"	3"	1"
TH-1992BHS	Drain No Screen	Flat	1-1/2"	2-3/8"	3"	1"
TH-1992R	Debris Bar Insert	Tapered	1-1/2"	2-3/8"	3"	1"
TH-1992FH	Open Drain	Flat	1-1/2"	2-3/8"	3"	1"
TH-1992FHS	Removable Screen	Flat	1-1/2"	2-3/8"	3"	1"
TH-1992FHR	Debris Bar Insert	Flat	1-1/2"	2-3/8"	3"	1"



38



DECK DRAIN THRU-HULLS WITH GRILLE

Product Number	Description
TH-1502G-B	Straight - White
TH-1592G-B	90 Degree - White
FG-150	Grill for 1-1/2" Thru Hull



FLOW-MAX® BALL SCUPPERS

- Twist-Off Feature for Clearing Debris
- Retrofits all Hole Patterns
- Stainless Steel Lock for Safety
- Seal Slotted to fit Over 1-1/4" Motorwell Tube

Product Number	Description	Size
FMS-1-0-DP	FLOW-MAX® Ball Scupper - Clear	3" dia. x 2-1/2" H



COCKPIT SCUPPER DRAINS

- Check Ball Inside Prevents Water Backup
- Top Screen Removable for Cleaning

Product Number	Description	Color	Hose Dia
CSD-92-DP	90 Degree Outlet	White	1-1/2"
CSD-92WO	90 Degree Outlet w/o Check Ball	White	1-1/2"
CSD-90	90 Degree Outlet	Oyster	1-1/2"



INLINE SCUPPER

- Prevents Backwash
- Chemical Resistant

Product Number	Description	Hose Size
ILS-750-DP	Double Barb Inline Scupper - Black	3/4"
ILS-1200-DP	Double Barb Inline Scupper - Black	1-1/8"
ILS-1500-DP	Double Barb Inline Scupper - Black	1-1/2"



LARGE RECTANGULAR SCUPPER

- Quickly Drains Decks
- For Decks Above Waterline
- Maximum Drainage for Larger Boats
- Easily Clears Debris

Product Number	Description	Dimensions
LRS-2-DP	Regular Scupper - White	2" x 5-1/2"



DUCKBILL SCUPPERS

- Tough Thermoplastic FlapperSeals Tight Under Water Pressure
- Easy to Install Over Drain Tubes
- 1-13/16" ID and 2-3/4" OD

	Duckbill - Black/White
Product Number	Description



FLUSH MOUNT SCUPPER ADAPTERS

- Mounts Over 1" to 1-1/4" Drain Tubes
- Grooved Inside to Fit Over Drain Flange

Product Number	Color
SA-1-DP	Black/Black Flapper
SA-2-DP	White/White Flapper
SA-2B-DP	White/Black Flapper
SA-3	Sand/Sand Flapper



ANGLED SCUPPER VALVE

- 316 Cast Stainless Steel and Nylon Versions
- TPR Flapper
- Angled design keeps the flapper closed
- Mounts over existing Transom Thru Hulls

	Product Number	Description
w!	ASA-1	Black nylon
w!	ASA-2	White nylor
a el	A C A -1C C	Ctainless st

n ring w/ black flapper on ring w/ white flapper Stainless steel ring w/ black flapper



PUSH-TOGETHER SCUPPERS

- Mating Rib Design Snaps TogetherOutside Flange Diameter 2-15/16"
- Install in 1-7/8"

Product Number	Description	Hull Thickness	Color
RFS-1	Push-Together Scupper	1-1/2" to 3-5/8"	Black
RFS-2-DP	Push-Together Scupper	1-1/2" to 3-5/8"	White

T-H Marine Catalog | Proudly serving the marine industry for over 45 years.



RECESSED THREADED THRU-HULL SCUPPERS

• Fits Hulls Up to 3-1/2" Thick (XS Models Fit 1-3/8" Hulls)

Description	Color
Fits 1-1/2" or 2" Hose	White/Black Flapper
Fits 1-1/2" or 2" Hose	Chrome/Black Flapper
Fits 1-1/2" or 2" Hose	Black Short Thread
Fits 1-1/2" or 2" Hose	White Short Thread
	Fits 1-1/2" or 2" Hose Fits 1-1/2" or 2" Hose Fits 1-1/2" or 2" Hose



FLEX FLANGE THRU-HULL DRAIN

- Unique Flexible Flange
- 1-1/2" Hose Barb
- Easily Connects to Scuppers

Product Number	Description
TH-1502FF-DP	Flex Flange Drain 1-1/2"



SPLASH WELL DRAINS

- Push Together for Secure Fit
- Flexible to Prevent Breakage

Black	White	Fish White	Chrome	Max Thickness	Hole
SWD-1-DP	SDW-1W-DP			1-7/8" to 3-1/8"	1"
SWD-3	SDW-3W-DP		SDW-3WCP	2-3/4" to 4-1/2"	1-1/4"
	SDW-4W		SWD-4WCP	1/2" to 3"	1-1/4"
SWD-5		SWD-5-FW		2-3/4" to 12"	1-1/4"



ALL PURPOSE DRAINS/ HATCH DRAINS

- Low Profile Flat or Concave Head for Complete Drainage
- Requires 1-3/8" Hole

Black	White	Description	A	В	С	D
APD-1-DP	APD-2-DP	Straight - Concave	1-3/4"		3/4"	2"
APD-1F		Straight - Flat	1-3/4"		3/4"	2"
APD-190-DP	APD-290-DP	90° - Concave	1-3/4"	1/2"	3/4"	2"
APD-190F	APD-290F-DP	90° - Flat	1-7/8"	7/8"	3/4"	2.25"
APD-118		Straight - Concave	1-3/4"		1-1/8"	2"
PP-118-DP		Plug for All Parts Above				



IMPACT & PUSH-IN DRAINS

- Low Profile Head for Complete Drainage
- Easily Push Into Place

Product Number	Description	Dia	Length	Color
PD-1	Push-In Drain	3/8"	1-1/16"	Black
PD-2	Push-In Drain	3/8"	1-1/16"	White
IPD-580	Impact-Drain	5/8"	1/2"	Black
IPD-582	Impact-Drain	5/8"	1/2"	White
IPD-1000	Impact-Drain	1"	3/4"	Black
IPD-1000-5	Impact-Drain	1"	5-1/8"	Black
IPD-1002	Impact-Drain	1"	3/4"	White
DBAS-1W	Push-In Drain	3/8"	1-1/2"	White
DBBS-1G	Push-In Drain	3/8"	1-1/2"	Gray



SEAT PEDESTAL DRAINS

- Marine Grade Vinyl Slide On
- Requires 1/4" Tubing

Product Number	Description	Fits
SPD-1	Seat Pedestal Drain	1-1/4" Pedestal



FLOOR DRAIN LID PULLS

- Combination Drain with Lid Pull
- 5-1/4" Dia Fits 3-3/4" Hole
- Perfect for Ski Lockers & Hatches

Product Number	Description
FDP-4WS	Floor Drain/Pull - Off White, Sand



FLOOR DRAINS

• Drain with Flange for Secure Fit

Black	White	OD Dia	Cut Out
FD-2-DP	FD-2W-DP	4-1/8"	2-1/4"
FD-4-DP	FD-4W-DP	5-1/4"	3-3/4"

T-H Marine Catalog | Proudly serving the marine industry for over 45 years.

To order visit thmarine.com or contact your local dealer

LOUVERED VENT COVERS

Product Number	Outside Dia	Cut Out	Color
LV-1-DP	5-1/4"	3-3/4"	Black
LV-1FW-DP	5-1/4"	3-3/4"	White



OVERFLOW DRAINS WITH FILTER

- Filter Prevents Baitfish or Debris from Passing Thru
- Thru-Hull Style Overflow Fits 1-1/2" Hose

Product Number	Description	
TH-1502F-B	Overflow Drain - Straight, White	
TH-1592F-B	Overflow Drain - 90 Degree, White	
FF-150	Overflow Drain - Filter Only	



PUSH-IN PLUG FOR DRAINS

- Stops Water in Livewell or Baitwell Drains
- Double rings for Positive Seal
- Marine Grade Molded Vinyl

Product Number	Description	
PP-150-DP	Push-In Plug for 1-1/2" Thru-Hull Drains	
PP-118-DP	Push-In Plug for 1-1/8" Thru-Hull and All Purpose Drains	
PP-125	Push-In Plug for 1-1/4" Thru-Hull Drains	



DRAIN PLUGS

- Screw-In Plug Stays Attached
- Tough Nylon Material "O" Ring Seal
- Flange 1-1/2" x 2" Fits 1" Hole

Product Number	Description	Color
DP-1-DP	Drain Plug	Black
DP-2-DP	Drain Plug	White
DP-1FS	Drain Plug - Flexible Stem	Black



GARBOARD DRAIN PLUG & BASE

- 9/16" Plug, Fits 1" Hole
- Salt Water & UV Resistant

Product Number	Description
GDP-1-CB-DP	Garboard Drain Plug & Base



AERATOR FILTER

- Protects Pumps From Debris
- Screws On Over Pump Intake Fitting
- Available with Snap-On Mount

Product Number	Description	Fits Fittings
AF-1-DP	Aerator Filter	3/4" or 1-1/8"



BAITWELL FILTER WITH MOUNT

- Fits Over Bait Well Drains
- Mounts Behind Drain Fitting

BWF-1-DP	Baitwell Filter - Fits 1-1/2" Thru-Hull
Product Number	Description



STAINLESS STEEL WIRE MESH STRAINERS

- Protects Pump from Debris or Bait Fish
- Formed Wire Mesh Molded PVC Threaded Base

Product Number	Description	Threads
AS-1-DP	Aerator Pump Intake	3/4" - 14
AS-2-DP	TH-1, 1XL, 90, 92 Thru-Hulls	1" - 8



MINIATURE STAINLESS AERATOR SCREEN

- Pushes Snug Into Thru-Hull Fittings
- For Recirculated Systems or Drains
- Easily Removed for Cleaning

Product Number	Description
ASM-5-DP	Fits 1-1/8" Thru-Hull Fittings & All APD's



THRU-HULL STRAINER MOUNTS

- Threaded to Fit AS-1 Stainless Screen
- Flange Allows Flush Fit No Outside Nut
- Fits 3/4" Hose

Product Number	Description	A	В
THSM-1-DP	Fitting Mount	1-3/4"	4"
THSM-1XL	Long Fitting	3"	4-1/2"
THSM-1KIT-DP	Mount & Screen	1-3/4"	4"
AS-1-DP	Screen Only		

44

4

OVERFLOW DRAIN TUBES

Push-In Tubes

Product Number	Description	
ODT-1-DP*	Fits All T-H Marine 1-1/8" Thru Hulls - Straight - 12" L	
ODT-190-DP	Fits All T-H Marine 1-1/8" Thru Hulls - 90 Degree - 12" L	
ODTS-1-DP	Filter Screen for ODT-1 & ODT-190	
ODT-2-DP**	Fits All T-H Marine 1-1/2" Thru Hulls - Straight - 18" L w/screen	
ODT-290-DP**	Fits All T-H Marine 1-1/2" Thru Hulls - 90 Degree - 18" L w/screen	
ODTS-2-DP	Filer Screen for ODT-2 & ODT-290	

Screw In Tubes

Product Number	Description	
ODT-1-12TW*	Fits 1-1/8" Threaded Drain - Straight - 12" L	
ODT-1-12GSTW-DP	Fits 1-1/8" Threaded Drain - with Top Screen Glued - 12" L	
ODT-2T**	Fits 1-1/2" Threaded Drain - with Screen - Straight - 18" L	
ODT-2T-0.5MAV	1/2" Short Drain Tube - Drilled Cap - For pressurized live wells	

^{*} available in custom sizing up to 18" ** available in custom sizing up to 24"

Threaded Drains

Product Number	Description	Fitting
TH-1200T-DP	Thru-Hull Drain - 1-1/8" Barb	Straight
TH-1200XL-DP	Thru-Hull Drain - 1-1/8" Barb	Extra Log
TH-1290T	Thru-Hull Drain - 1-1/8" Barb	90 Degrees
TH-1890T-DP	Thru-Hull Drain - 1-1/8" Barb	Short 90 Degree
TH-1502T	Thru-Hull Drain - 1-1/2" Barb	Straight - White
TH-1592T	Thru-Hull Drain - 1-1/2" Barb	90 Degree - White



LIVEWELL OVERFLOW TUBE/ **UTILITY STORAGE CLIPS**

- Two sizes to fit 7/8" or 1-1/2" Tubes
- Mounts Anywhere Holds Securely Holds Nav Light Poles, Overflow Tubes, Etc

Product Number	Description	Fitting
ULC-1	Utility Storage Clips	ODT-1 or any 7/8" Tube
UC-1	Utility Storage Clips	ODT-2 or any 1-1/2" Tube
RUSC-1	Rubber Utility Storage Clips	ODT-1 or any 7/8" Tube



AERATOR FILTER DOMES

- Protects Pumps From Debris
- Twist-Off to Clean
- Mounts Behind Standard Thru-Hulls

Product Number	Description	Hole ID	Application
AFD-2-DP	Aerator Filter Dome	1"	3/4" Thru-Hull or Pump



CEACAP™ BULKHEAD PASS THRU FITTING

- Watertight Seal for Cables, Tubing or Wires
- Self-Attaching No hardware Needed
- Turn Down Washer Included




Product Number	Slot Size	Hole Size	Flange Size	Color
TH-CC-1-DP	1/4"	3/4"	1-1/4"	Black
TH-CC-2-DP	1/4"	3/4"	1-1/4"	White
TH-CCL-1-DP	9/32"	1"	1-1/2"	Black
TH-CCL-2-DP	9/32"	1"	1-1/2"	White



OVERFLOW FITTINGS WITH FILTERS

- Prevents Drain Clogs
- Twist-Off to Clean
- Fits 1-1/2" ID Hose



Product Number	Description	Size
TH-1500AFD	Overflow Fitting	Straight
TH-1500XSFAFD	Overflow Fitting	Straight Short
TH-1590AFD	Overflow Fitting	90 Degree
PP-150-DP	Push Plug for Overflow	




THRU-HULL WASHER/GASKETS


- Water Tight Seals for Thru-HullsEliminates Need for Messy Sealant
- Gaskets Compress Flat/Almost Invisible

Product Number	Description	Size
THW-750	Closed Cell Neoprene Foam	3/4"
THW-1200	Closed Cell Neoprene Foam	1-1/8"
THW-1500	Closed Cell Neoprene Foam	1-1/2"















TH-1290SSC

THRU-HULL FITTINGS

- Sized to fit all marine hoses
- 90 degree features head & pass-around nut

Straight Fitting

Black	White	A	В	С	D	E
TH-650-DP	TH-652-DP	1-3/8"	3-3/8"	1-3/4"	5/8"	1"
TH-750-DP	TH-752-DP	1-3/8"	3-1/16"	1-3/4"	3/4"	1"
TH-1000	TH-1002-DP	1-7/8"	3-1/2"	1-5/8"	1"	1-3/8"
TH-1200-DP	TH-1202-DP	1-7/8"	3-1/2"	1-3/4"	1-1/8"	1-3/8"
TH-1500-DP	TH01502-DP	2-7/8"	3-1/2"	1-5/8"	1-1/2"	2"
TH-1500XS	TH-1502XS-DP	2-7/8"	2-3/4"	1"	1-1/2"	2"
TH-750XL-DP	TH-752XL-DP	1-3/8"	4-1/2"	3"	3/4"	1"
TH-1200XL-DP	TH-1202XL-DP	1-7/8"	5-3/8"	3-3/8"	1-1/8"	1-3/8"
TH-1500XL-DP	TH-1502XL-DP	2-7/8"	5-3/8"	1-3/4"	1-1/2"	2"

90 Degree Fitting

Black	White	A	В	С	D	E
TH-7590-DP	TH-652-DP	1-3/8"	2-1/2"	1"	3/4"	1"
TH-1290-DP	TH-752-DP	1-7/8"	3-1/2"	1-1/8"	1-1/8"	1-3/8"
TH-1890	TH-1002-DP	1-7/8"	2-1/4"	3/4"	1-1/8"	1-3/8"
TH-1590-DP	TH-1202-DP	2-7/8"	4-1/4"	1-5/8"	1-1/2"	2"

STAINLESS STEEL CAP **THRU-HULL FITTINGS**

- Sized to fit all marine hoses
- 90 degree features head & pass-around nut

Straight Fitting

	Stainless Steel	A	В	С	D	Е
New!	TH-650SSC-DP	1.89"	3.4"	3.14"	5/8"	1.31"
New!	TH-750SSC-DP	1.89"	3.4"	3.14"	3/4"	1.31"
New!	TH-1000SSC-DP	1.89"	3.4"	3.14"	1"	1.31"
New!	TH-1200SSC-DP	1.89"	3.4"	3.14"	1-1/8"	1.31"
New!	TH-1500SSC-DP	2.36	4"	3.72"	1-1/2"	1.59"

90 Degree Fitting

	Stainless Steel	A	В	С	D	E
New!	TH-7590SSC-DP	1.89"	3.4"	1.6"	5/8"	1.31"
New!	TH-1090SSC-DP	1.89"	3.5"	1.8"	3/4"	1.31"
New!	TH-1290SSC-CP	1.89"	3.7"	1.8"	1"	1.31"
New!	TH-1590SSC-DP	1.89"	3.8"	1.8"	1-1/8"	1.31"
New!	TH-6590SSC	1.89"	4.3"	1.8"	1-1/2"	1.59"



SEACOCK REMOTE OPERATION ARM


- Operate Seacock from Deck
- Stainless Steel Arm

Operation Arm

Operation Ai	111
Product Number	Length
SEACOCK-14	14"
SEACOCK-15.5	15.5"
SEACOCK-18.5	18.5"
SEACOCK-20	20"
SEACOCK-28	28"
SEACOCK-36	36"
SEACOCK-40	40"
SEACOCK-48	48"

Brackets

Bracket	Length	Description
SCB-118	11.75"	Single 1" Hole, 3 Mnt. Holes
SCB-237	6.75"	Single Bracket
SCB-527	4"	Single Bracket
SCB-528	6.25"	Bracket -Dual Hole
SCB-535	8.5"	Bracket -Dual Hole
SCB-555	8.75"	Bracket -Dual Hole
SCB-660	23.25"	Bracket -Dual Hole
SCBG-1	1" Round R	ubber Grommet 3/4" Inside Dia



APD-190F & APD-290F

- Flat Head
- Total Drainage
- Requires No Sump

	~
and	FAM HA
UIL	411
	an lin

• Spanner Head

TH-75905 & TH-1292S

• Low Clearance



TH-90 & TH-92

• Double Nut • 90 Degree

SPECIALTY THRU-HULL FITTINGS

Black	White	A	В	С	D	Е
TH-1XL-B		1-5/8"	3-1/8"	3-1/4"	3/4"	1"
TH-3S		1-1/2"	2"	1"	3/4"	1"
TH-90-DP	TH-92-DP	1-5/8"	2-5/8"	7/8"	3/4"	1"
TH-90XL-B		1-7/8"	4-1/2"	3"	3/4"	1"
TH-7590S-DP		1-5/8"	2-5/8"	7/8"	3/4"	1"
	TH-1292S	2-3/8"	3-1/4"	7/8"	1-1/8"	1-3/8"
	TH-1502SN	2-7/8"	3-3/4"	3/4"	1-1/2"	1-7/8"
APD-190F	APD-290F	1-7/8"	2-3/8"	3/4"	3/4"	1-3/8"



TH-1XL-B

- Fixed Flange
- Outside Nut



- Flat Head
- Total Drainage
- Requires No Sump



TH-90XL-B

- Fixed Flange
- 90 Degree



TH-1502S2

- Tight Clearance
- Two Piece Fitting
- With or w/o Jam Nut

PLUMBING FITTINGS

Product Number	Description	Color	Hose ID	Threads
FA-3/4	Female Adapter - Straight	Gray	3/4"	3/4" - 14
FA-90	Female Adapter - 90 Degree	White	3/4"	3/4" - 14



90 DEGREE ELBOWS

Product Number	Hose ID
ELL-3/8	3/8"
ELL- 3/4-DP	3/4"
ELL-118-DP	1-1/8"
ELL-112-DP	1-1/2"



TEE-REDUCING

Product Number	Color	Hose ID		
TEE-150-DP	Black	1-1/2"	3/4"	1-1/2"
TEE-250-DP	Black	1-1/8"	3/4"	1-1/8"
TEE-350-DP	Black	1-1/2"	1-1/8"	1-1/2"



TEES

Product Number	Description	Hose ID	Color
TEE-3/8	TEE - 3 way	3/8"	Black
TEE-5/8	TEE - 3 way	5/8"	Black
TEE-3/4-DP	TEE - 3 way	3/4"	Black
TEE-118-DP	TEE - 3 way	1-1/8"	Black
TEE-112-DP	TEE - 3 way	1-1/2"	Black



Y-FITTING

Product Number	Size	Color
Y-118-DP	Y - Fitting - 3 way - 1/1" Hose	Black
Y-750-DP	Y - Fitting - 3 way - 3/4" Hose	Black
Y-112-DP	Y - Fitting - 3 way - 1-1/2" Hose	Black



"T" FITTINGS

Product Number	Description
MS-3TT34	"T" Fitting - 3 way 3/4" FNPT
MS-3TT100	"T" Fitting - 3 way 1" FNPT
MS-3TT112	"T" Fitting - 3 way 1-1/2" FNPT

ADAPTER FITTINGS



- Converts from Pipe Threads to Hose BarbsTough Glass Filler Polymers

Product Number	Description
MS-3A100	Adapter Fitting - 1" MPT to 1" Barb
MS-3A112	Adapter Fitting - 1-1/2" MPT to 1-1/2" Barb
MS-3A34	Adapter Fitting - 3/4" MPT x 3/4" Barb
MS-FPT38	Straight drain fitting, 3/8" hose barb fits T-H stainless steel cup holders

NIPPLE FITTINGS



- Connects Sea Cocks to Manifolds
- Male National Pipe Threads on Each End


Product Number	Description
MS-3M100	Nipple Fitting - 1" MPT to 1" MPT



90 DEGREE ELBOW FITTINGS

Product Number	Description
MS-3EL1234	Elbow Fitting - 1/2" MPT to 3/4" Hose Barb
MS-3EL34	Elbow Fitting - 3/4" MPT to 3/4" Hose Barb
MS-3EL100	Elbow Fitting - 1" MPT to 1" Hose Barb
MS-3EL112	Elbow Fitting - 1-1/2" MPT to 1-1/2" Hose Barb







G-FORCE® TROLL JACKET®

Heavy Duty Cable Cover

- Wraps, velcros, and secures motor cables
- Eliminates the need for zip ties
- Protective & stylish
- US Patent Pending

Product Number

GFTJ-1-DP

TROLL JACKET®

Description



G-FORCE® TROLL PERFECT®

Trolling Motor Control Enhancer

Provides adjustable tension to control the effects of motor steering torque, high waves, heavy current, and excessive foot pedal play.

Provide torque
Moto
Product
GFTP-A
GFTP-A
GFTP-A

MotorGuide Product Number Description GFTP-MG-BK-DP Black GFTP-MG-R-DP Red GFTP-MG-LG-DP Lime Green GFTP-MGX-BK-DP X3/X5, Black GFTP-MGX-R-DP X3/X5, Red GFTP-MGX-LG-DP X3/X5, Lime Green

Minn Kota

Product Number

GFTP-MK-BK-DP

Black

GFTP-MK-R-DP

GFTP-MK-LG-DP

Lime Green

Blue



G-FORCE® GRASS GOAT™

Trolling Motor Weed Control

- Keeps your trolling motor clear of debris
- Stainless steel cutting-blade
- Reduces strain on batteries and heat on trolling motor

Product Number Description

GFGG-MG-DP MotorGuide

GFGG-MKS-DP Minn Kota (small)

GFGG-MKL-DP Minn Kota (large)



G-FORCE® ELIMINATOR™ PROP NUT

- Built to make your trolling motor perform better, longer, and quieter.
- Patented design stabilizes the prop by providing a larger contact point.
- Reduces temperature for longer battery and trolling motor life.



MotorGuide
MotorGuide Tour Pro
Minn Kota 80+
Minn Kota 75+
Garmin Force
Lowrance Ghost

	Black	Blue	Silver	Red	White
	GFEL-MG-BK-DP	GFEL-MG-BU-DP	GFEL-MG-C-DP	GFEL-MG-R-DP	
)	GFEL-MGT-BK-DP			GFEL-MGT-R-DP	
	GFEL-MK-BK-DP	GFEL-MK-BU-DP	GFEL-MK-C-DP	GFEL-MK-R-DP	GFEL-MK-W-DP
	GFEL-MKS-BK-DP	GFEL-MKS-BU-DP	GFEL-MKS-C-DP	GFEL-MKS-R-DP	
	GFEL-GF-BK-DP			GFEL-GF-R-DP	
	GFEL-LG-BK-DP			GFEL-LG-R-DP	



G-FORCE® SILENCER™ Trolling Motor Vibration Pads

- Extends life of trolling motor
- Reduces noise and vibration
- Eliminates metal to metal contact

Product Number	Description
GFES-RED-DP	G-FORCE® Silencer™ - Red
GFES-BLK-DP	G-FORCE® Silencer™ - Black



G-FORCE® HANDLE Patented Trolling Motor Replacement Lift & Release Cord

- Stops cord & handle breakage
- Full grip cushioned handle 42" Stainless steel cable - Nylon jacket
- Fits most trolling motors
- Hook & loop restraint strap





G-FORCE® EQUALIZER™ Trolling Motor Lift Assist

- Reduce lift weight by 50% +
- For MotorGuide trolling motor
- Sold in a pair

Product Number	Description
GFEQ-MG-BK-DP	G-FORCE® Equalizer™ - Black
GFEQ-MG-BU-DP	G-FORCE® Equalizer™ - Blue
GFEQ-MG-R-DP	G-FORCE® Equalizer™ - Red



RMC-109

G-FORCE® TROLL TAMER®

- Locks trolling motor to deck to prevent damage
- Fits most Minn Kota & MotorGuide units
- All stainless steel, no rust or corrosion

Description	Fits	Motor to Deck
Foot Controlled	MotorGuide 109 & X5	5" to 8"
Foot Controlled	Minn Kota - Maxxum	5" to 8"
Foot Controlled	Minn Kota - Fortrex Minn Kota - Ultrex Lowrance - Ghost	5" to 8"
Foot Controlled	Motorguide Tour Pro	One size fits all
Foot Controlled	Minn Kota - Maxxum	3-1/2" to 5"
Foot Controlled	Minn Kota - Maxxum	2-3/4" to 4-1/2"
Wireless	Minn Kota Terranova Riptide & Auto Pilot MotorGuide Xi5	5" to 8"
Wireless	Minn Kota Terranova Riptide & Auto Pilot MotorGuide Xi5	8" to 12"
	Foot Controlled Foot Controlled Foot Controlled Foot Controlled Foot Controlled Foot Controlled Wireless	Foot Controlled MotorGuide 109 & X5 Foot Controlled Minn Kota - Maxxum Minn Kota - Fortrex Minn Kota - Ultrex Lowrance - Ghost Foot Controlled Motorguide Tour Pro Foot Controlled Minn Kota - Maxxum Foot Controlled Minn Kota - Maxxum Wireless Minn Kota Terranova Riptide & Auto Pilot Minn Kota Terranova Riptide & Auto Pilot Mireless Riptide & Auto Pilot

56

To order visit thmarine.com or contact your local dealer

T-H Marine Catalog | Proudly serving the marine industry for over 45 years.



TROLLING MOTOR TERMINAL BLOCK

Product Number

Description

TMTB-1

Trolling Motor Hardwired Terminal Block - Black PolyPro.



LANE BLASTER™ LED Trolling Motor Headlight

- Mounts directly to trolling motor mount
- Waterproof IP68 Rated LED Headlight
- Shockproof
- 50,000 Hour Life
- Corrosion proof aluminum and stainless steel
- 10W Single LED, 1000 Lumens

Product Number

Description

LED-TMHL-DP

Trolling Motor Headlight - Black Housing

Endorsed by Pro Angler



TROLLING MOTOR MOUNT

- Cast aluminum bracket Marine wood mounting block
- Designed for clamp-on type electric trolling motors

Trolling Motor Mount

Product Number

Description

TMM-1-DP

Important: Maximum trolling motor thrust of 36 pounds. Motor must be removed and stowed before operating boat or trailering. Not designed for outboards of any horsepower.



TROLLING MOTOR CIRCUIT BREAKER KIT

- Protect trolling motor from damage
- 3' of 8-Gauge wire to battery
- 50 AMP Circuit Breaker

• Works with 12 or 24 Volt Motors

Product Number

Description

CBBK-1-DP

Trolling Motor Circuit Breaker Kit



BOUNCE BUSTER COASTER

- Protects decks from bounce buster damage
- Fits Minn Kota bow mount stabilizer rods
- Stand-Off model fits into deep carpet with pad
- Protects carpeted decks from damage

Product Number Description

BBC-1-DP Bounce Buster Coaster

BBC-1-DF

Bounce Buster Coaster (with Stand-Off)



SURE FOOT® TROLLING MOTOR SWITCHES

- Foot control switch for electric Trolling Motors
- Rated to 50 AMPS D.C
- 15" Tilt Angle for ease of operation


Product Number	Description
FCS-2-DP	Trolling Motor Switch with Flip Lever for "ON"
FCS-1-DP	Trolling Motor Switch with Flip Lever for "ON" (with cover)

T-H Marine Catalog | Proudly serving the marine industry for over 45 years.

To order visit thmarine.com or contact your local dealer







ROD TAMER® ROD STRAPS

- Holds Rods Securely Will Not Snag HooksNon-Corrosive Molded Ends and Hooks

Gunwale Mount


- Retracts Into Gunwale When Not in Use
- Requires 3/4" Hole

Deck Mount

• Strap Ends Mount Directly to Deck



Product Number	Description
RHDN-1	12" Gunwale Mount, Small Hook
RHDN-2	18" Gunwale Mount, Small Hook
RHD-1-DP	12" Gunwale Mount, Holds up to 3 Rods
RHD-2-DP	18" Gunwale Mount, Holds up to 6 Rods
RT-14-DP	14" Deck Mount, Holds up to 4 Rods
RT-18-DP	18" Deck Mount, Holds up to 7 Rods



ROD STORAGE HOLDERS

- Mounts Horizontally or Vertically
- Foam Insert Holds Rod Securely
- Holds up to 6 Rods

Product Number	Description
FRH-1P-DP	Foam Rod Holder - Packaged Pair





ROD TUBES

- Rod Tubes Available in Oval and Round Shapes
- Various Mounting Flange Available
- Vinyl Caps Available to Fit All Tubes

Product Number	Description	Dia	Hole Dim	Max Length
TEO-2.50-1-"X"	Med. Oval Rod Tube w/Black Flange	2.3"	2-1/2"	80"
TEO-2.50-2-"X"	Med. Oval Rod Tube w/White Flange	2.3"	2-1/2"	80"
TEO-2.50-3-"X"	Med. Oval Rod Tube w/Sand Flange	2.3"	2-1/2"	80"
TEO-3.00-1-"X"	Lg. Oval Rod Tube w/Black Flange	3"	3"	80"
TEO-3.00-2-"X"	Lg. Oval Rod Tube w/White Flange	3"	3"	80"
TEO-3.00-3-"X"	Lg. Oval Rod Tube w/Sand Flange	3"	3"	80"



Product Number	Description
TE-1GT-"X"	Round 2.250" Dia. Tube w/Black Flange
TE-1FWGT-"X"	Round 2.250" Dia. Tube w/Black Flange
TE-1SGT-"X"	Round 2.250" Dia. Tube w/Black Flange

[&]quot;X" = Length of Tune Desired in Inches Add "WCI" = With Cap Included





Product Number	Description	Dia	Hole Dim	Length
GT-1.375-"X"	Small	1.375"	1-3/8"	43"
GT-1.700-"X"	Medium	1.70"	1-3/4"	60"
GT-2.250-"X"	Large	2.25"	2-1/4"	80"
VCAP-1.697	Medium Vinyl Cap	1-11/16"		
VCAP-2.125	Large Vinyl Cap	2-1/8"		

X = Length of Tube Desired in Inches



ROD TUBE ENDS

- Tapered Inside to Protect Rod Tips
- Opening is 1-7/8", Requires 2" Hole

Product Number	Description	Color	Fits
TE-1	Tube End	Black	GT-2.250
TE-1W	Tube End	Oyster	GT-2.250
TE-1FW	Tube End	Fish White	GT-2.250
TE-1S	Tube End	Sand	GT-2.250
PH-3	2-1/2" Pedestal Holder	Black	GT-2.60

ROD GROMMETS

- Flexible Marine Vinyl
- Protects Rod Tips Or Butts
- Also Great for Boat Hooks, Gaffs, etc.

Black	White	Fish White	O.D.	Max Hole
UG-1-DP	UG-1W	UG-1FW-DP	3-3/8"	2-3/8"
UG-2-DP	UG-2W-DP	UG-2FW-DP	2-3/4"	1-3/4"
UG-3-DP	UG-3W	UG-3FW-DP	4"	3"

DP = Packaged Pair



PEDESTAL BASE PLUG

- Seals Pedestal Base when Seat is Removed
- Fits 1.77" Bases
- Slide Pin for Easy Removal
- Molded Material Won't Rust or Corrode

Black	Description
PBP-1-DP	Pedestal Base Plug



MOLDED ROD RACKS

- Rugged One-Piece Poly UV Stable to Resist Fading
- Knife, Pliers & Lure Slots

Black	Description	Color	Amount
RHRM-2B-DP	Molded Rod Racks	Black	2 Rods
RHRM-2W-DP	Molded Rod Racks	White	2 Rods
RHRM-3B-DP	Molded Rod Racks	Black	3 Rods
RHRM-3W-DP	Molded Rod Racks	White	3 Rods



ROD HOLDER DRAIN CAPS

- Molded Marine Vinyl Drain CapAccepts 3/8" Tubing (Not Included)

Product Number	Description
RHBD-1-DP	All T-H Rod Holders
RHBD-2SS	Most Stainless Steel Rod Holders
RHBD-2SST	Most Stainless Steel Rod Holders w/Tee



ROD RACKS

- UV Stabilized Polypro Tubes with Reel SlotsKnife and Pliers Holders on all racks
- Stainless Steel Mounting Hardware

Black	Color
RHRB-3B	Black
RHRFW-3FW	Fish White



RH-1-DP

ROD HOLDERS

- One-Piece Design for Easy Installation
- Rod Index in Bottom of All Models
- Fits 1-7/8" Hole

Black	White	Off White	Description	Length
RH-1-DP	RH-1FW-DP		Angled 30°	8-3/4"
RH-2-DP	RH-2FW-DP		Flat Top	8-3/4"
	RH-3FW	RH-3W	No Standoffs	11-7/8"
RHSF-3B		RHSF-3W-DP	Fixed Standoffs	11-7/8"
RH-4-DP			Angled, Oval Head (Fits 2" hole)	8-1/8"



UTILITY FLANGES

- Great for running wiring, hoses, fuel lines or plumbing
- Prevents damage to stringers and bulkheads
- Protects hoses and wires

Black	White	Sand	Size (ID)
PH-2			1-3/4"
		PH-3S	2-1/2"
TE-1	TE-1W	TE-1S	2-1/4"



ZIPPERED RIGGING SLEEVES

- Zips On & Off to protect cables and hoses
- Rugged sunbrella Weather & UV Resistant
- Ends are secured with cable ties

Product Number	Description	Size & Color
ZRS-1-DP	Zippered Rigging Sleeve	48" Black



T-H FLEX™ SLEEVING

- Lightweight sleeving Protects wire, cables and hoses
- Braided from high temperature yarns
- Expands up to four times its normal diameter

OEM#	Distributor #	Spool Size	Diameter
FLXB-50		500'	1/2"
FLXB-75		500'	3/4"
FLXB-125		500'	1-1/4"
FLXB-150		500'	1-1/2"
FLXB-150FR		500'	1-1/2"
	FLX-25-DP	100'	1/4"
	FLX-50-DP	100'	1/2"
	FLX-75-DP	100'	3/4"
	FLX-125-DP	50'	1-1/4"
	FLX-150-DP	50'	1-1/2"
	FLX-200-DP	50'	2"



RIGGING FLANGE WITH FUEL HOSE **PORT & RIGGING FLANGE HOSE UNION**

- Completes professional rigging installation
- Complies with ABYC-NMMA Specs
- Split design of Union allows installation on Pre-Rigged boats
- Fuel Hose Ports ID = 3/4"
- Install with 2" ID T-H Marine Rigging Hose



Black	White	Description
RFHU-1-DP	RFHU-2	Rigging Flange Hose Union
RFFHP-1-DP	RFFHP-2	Rigging Flange with Fuel Hose Port

^{*}Typical Installation shown. Fuel Hose not included.



TRI-SHAPE RIGGING FLANGE

- Hose fits over flange and into base
- Designed to prevent water leaks
- Fits 2" Hole

Product Number	Description
RFT-1-DP	Rigging Flange Only
RFT-1KIT	Triangular Rigging Flange Kit



RIGGING HOSES & FLANGES

- Protects cables, hoses and wiring from elements
- Molded polypropylene flange threaded to retain hose
- Vinyl cap provides closure for the engine end of hose




1.25" - 1.5" Diameter

Gray Black Description 1-1/4" Hose 60' Roll RFHR-1-125 1-1/2" Hose 60' Roll RFHR-3-150



RFT-1





2.5" Diameter

2" Diameter

Black	White	Gray	Description	
RF-2.5-1-DP			2.5" Flange	compatible
RFH-2.5-1			2.5" Hose	
RF-2.5Y-1	RF-2.5Y-2		2.5" Flange	compatible
RFH-HD-2.5-DP	RFH-2HD2.5-DP	RFH-3HD-2.5-DP	2.5" Hose, 50' Roll	

To order visit thmarine.com or contact your local dealer

Description 2" Flange

2" Angled Flange

2" Tri-Shape Flange

2" Hose, 50' Roll

2" Flange Hose Union 2" Flange + Fuel Hose Port



RIGGING HOSE KIT

- Protects cables, hoses, and wiring from elements
- Molded polypropylene threaded flange to retain hose
- Kit includes rigging hose and flange

Product Number	Description
RFK-1-DP	4' Rigging Hose and 2" Flange - Black
RFK-2-DP	4' Rigging Hose and 2" Flange - White
RFK-2.5Y-1-DP	4' Long, 2.5" Diameter Rigging Hose - Black
RFK-2.5Y-2-DP	4' Long, 2.5" Diameter Rigging Hose - White
RFK-2.5Y-3-DP	4' Long, 2.5" Diameter Rigging Hose - Gray
RFK-1CP-DP	Chrome 2" Rigging Flange & 4' Black Hose
	•



OETIKER® STEPLESS® EAR HOSE CLAMPS



- Forms a full 360 degree circle Tongue and groove interlock design Fast Clamping with tool
- No leaks around hose
- Stainless Steel
- 100 each per bag





Product Number	Size	Included in Kit	Retail 10-Pack
16700001	5.8 - 7.0 mm	Υ	16700001X-DP
16700004	7.8 - 9.5 mm	Υ	16700004X-DP
16700006	8.8 - 10.5 mm (3/8)	Υ	16700006X-DP
16700007	9.6 - 11.3 mm	Υ	16700007X-DP
16700010	10.8 - 13.3mm	Υ	16700010X-DP
16700011	11.0 - 13.8 mm		
16700012	11.5 - 14.0 mm	Υ	16700012X-DP
16700013	12.0 - 14.5 mm	Υ	16700013X-DP
16700016	13.2 - 15.7 mm	Υ	16700016X-DP
16700017	14.5 - 17.0 mm (5/8)	Υ	16700017X-DP
16700020	15.3 - 18.5 mm	Υ	16700020X-DP
16700024	17.8 - 21.0 mm (3/4)	Υ	16700024X-DP
16700031	22.4 - 25.6 mm (1)	Υ	16700031X-DP
16700037	26.9 - 30.1 mm (1-1/8")	Υ	16700037X-DP
16700040	28.4 - 31.6 mm	Υ	16700040X-DP
16705000	34.9 - 38.1 mm (1-1/2)		
16705989	37.8 - 41.0 mm	Υ	16705989X-DP
14100396	Standard Jaw Pincer Pliers	Υ	



OETIKER® STEPLESS® EAR CLAMP KIT

- Complete with crimping toolContains 10 ea. of the 15 most needed sizes

Product Number	Description
8500000	Stepless® Clamp Rigging Kit (pliers included)

OETIKER® HOSE CLAMPS



Standard Jaw Pincer

- Clamp On Quick & Secure Single Ear All stainless steel
- Full size range for all marine hose

Product Number	Description	Nominal Size
15500070	101R	26/64"
15500003	133R	1/2"
15500006	140R	35/64"
15500007	145R	9/16"
15500008	157R	5/8"
15500009	170R	11/16"
15500010	185R	23/32"
15500011	198R	3/4"
15500012	210R	13/16"
15500015	256R	1" (3/4")
15500016	271R	1-1/16"
15500022	361R	1-7/16" (1-1/8")
15500023	376R	1-15/32"
15500031	485R	1-7/8"

OETIKER® CLAMP INSTALLATION TOOLS

Product Number	Description
14100396	Standard Jaw Pincers (formerly 14100118)



STAINLESS STEEL HOSE CLAMPS (PAIR)

Product Number	Description
HC-4-DP	7/32" to 5/8"
HC-6-DP	3/4" to 7/8"
HC-8-DP	7/16" to 1"
HC-10-DP	7/16" to 1-1/16"
HC-12-DP	7/16" to 1-1/4"
HC-16-DP	11/16" to 1-1/2"
HC-24-DP	1" to 2"
HC-28-DP	1-1/4" to 2-1/4"

T-H Marine Catalog | Proudly serving the marine industry for over 45 years.



BULKHEAD STRAIN RELIEF HOSE KIT

- Distributes strain from bends in hose
- Water tight
- Great for hydraulic steering hose
- Flange is 2-3/4" Dia. & Requires 1-1/4" Installation hole

Product Number	Description	
BSR-1-FH	Bulkhead Strain Relief for .250 OD to .485 OD Fuel Hose	
BSR-1K-DP	Bulkhead Strain Relief Hose Kit	
BSR-1K-CB-DP	Bulkhead Strain Relief - Chrome Brass Base	

*Must Be Installed Prior to Attaching End Fittings




FLAPPER SCUPPER REPAIR KIT

- Repairs Most Scuppers
- Kit Contains:
 - 2 each 1-5/8" & 1-7/8" Flappers
- Keepers and Stainless Fasteners

	 Flapper Scupper Repair Kit - Black
Product Number	Description






NYLON CABLE TIES

100 Pack	1000 Pack	Description	Length
004B-C-DP	004B-M-DP	Cable Tie	4"
055B-C-DP & 055B	005B-M-DP	Cable Tie	5-5/8"
007B-C-DP	007B-M-DP	Heavy Duty Cable Tie	7-1/2"
075B-RAD-C-DP	075B-RAD-M-DP	Radiused Cable Tie	7-1/2"
008B-C-DP	008B-M-DP	Cable Tie	8"
011B-C-DP	011B-M-DP	Cable Tie	11"
014B-C-DP	014B-M-DP	Cable Tie	14"
145B-C-DP		Screw Mount Cable Tie	14"









WIRE COVER

- Covers wire pass-thru holes
- Provides a finished look for wiring

Product Number	Description	
DWC-1-DP	Decorative Wire Cover	



VENT HOSE FLANGES

- Fits 3" or 4" I.D. wire supported vent hose
- Barbs prevent hose from slipping off

Black	Sand	Description
VHF-3	VHF-3WS	Vent Hose Flange, 3"
VHF-3	VHF-4WS	Vent Hose Flange, 4"



CABLE BOOT GROMMETS

- Protects cables, hoses and wires from chafing
- Flange fits into pass-thru hole
- Cable boot snaps into grommet

Product Number	Fits
CBG-2-DP	CB-2
CBG-1-DP	CB-1
CBG-4-DP	CB-4



CHAFING RING INSERT

- Installs over the base flange of T-H Marine cable boots
- Reinforces cable boot and provides clean trim (color and sized matched with T-H Marine cable boots)

Product Number	Fits
CRI-1-DP	2.375" Chafing Ring Insert - Black
CRI-1FW-DP	2.375" Chafing Ring Insert - Fish White



CHROME PLATED PASS THRU DECK SEAL

- Provides water tight seal with transom
- Prevents wire/hose chaffing
- Two piece design allows installation around hose

Product Number	Description	Size
CDS-MCP-DP	Pass Thru Deck Seal	Straight
CDS-MCP716	Pass Thru Deck Seal	7/16" Predrilled Hole



T-TOP ROD PASS-THROUGH GROMMET SET

- Concentric ring design locks the assembly securely
- Chafe guard for wire runs

Product Number	Outside	Inside	Length
TTRP-2-DP	3"	1.625"	2"



REINFORCING RINGS FOR CABLE BOOTS

Product Number	Description
CBR-1-DP	CB-1
CBR-2-DP	CB-2
CBR-4-DP	CB-4





CABLE BOOTS

- Finishes & Protects pass thru hole for wires & cables
- Rugged marine vinyl resists UV, Gasoline and Oil
- Cable tie snugs around wires and cables

Black	White	Fish White	Size
CB-2-DP	CB-2W-DP	CB-2FW	2" Boot
CB-1-DP	CB-1W-DP	CB-1FW-DP	3" Boot
CB-4-DP	CB-4W-DP	CB-4FW	4-1/2" Boot
CBO-1			3" x 6" Oval Boot
CBO-4			6" x 9" Oval Boot



ROPE GROMMETS

- Fits 3" hole
- Molded Poly
- Flange Diameter 3-7/8"

Product Number	Description
RG-1	Black



UTILITY GROMMETS

- Protects items passing thru-bulkheads, braces or stringers
- Marine grade flexible vinyl

Black	White	Fish White	Outside	Hole Size
UG-1-DP	UG-1W	UG-1FW-DP	3-3/8"	2-3/8"
UG-2-DP	UG-2W-DP	UG-2FW-DP	2-3/4"	1-3/4"
UG-3-DP	UG-3W	UG-3FW-DP	4"	3"



OVAL GROMMET

• Provides protection for cables and wiring

Product Number	Description
OG-1-DP	3.83" x 2.32"
OGL-1	3" x 9"



WIRE HARNESS HANGER

- Keeps wires safe and secure
- Unique arms creates superior contact with adhesives and glues
- Screw holes pre-drilled for strong installation
- Available tape version for convenient installation

Product Number	Description
WHH-1	Black Nylon
WHH-1T	Black Nylon- W/ PSA Tape



OBLONG ANGLED CABLE COVER

- Great for routing cables or wires
- UV Weather resistant
- Covers steering cables or other rigging components
- Easy installation

Product Number	Description
OACC-1	Oblong Angled Cable Cover







GEN 1 - UNDERWATER LED

- 12 Super bright high output LED's
- Built in thermal overheat protection
- Mounting hole diameter: 1/4"
- Dimensions: 3-7/8" x 7/8"



Product Number	Housing	LED
LED-33258-DP	Bronze	0
LED-33259-DP	Bronze	•
LED-33260-DP	Bronze	•
LED-32539-DP	Stainless Steel	•
LED-32540-DP	Stainless Steel	•
LED-32711-DP	Stainless Steel	0
LED-32712-DP	Stainless Steel	0 •
LED-32713-DP	Stainless Steel	• •
LED-32714-RGBW-DP	Stainless Steel	RGBW



BLUE WATER® LED AFTERBURNER UNDERWATER LIGHT

Dimensions: 3.65" round x .75" thick

Product Number

. .

LEDBW-700-2-B-DP

LED

LEDBW-700-2-R-DP

LEDBW-700-2-G-DP

LEDBW-700-2-RGB-DP

LEDBW-700-2-W-DP

RGB O



PREMIUM LED

- Six high intensity LED's
- Stainless steel bezel no rust

Product Number LED-39060-DP LED

LED-39061-DP

-DP

LED-39062-DP

MINI UNDERWATER LED LIGHT

- Cast 316 Stainless Steel
- Glass lens
- Auto-sensing, no controller required
- Change LED colors by continuous powering
- IP68 rated


Product Number Housing LED

LED-32484-DP Stainless Steel RGBW

LED-32485-DP Stainless Steel

LED-34287-DP Stainless Steel

2-wire RGB can be wired directly to toggle switch. Full spectrum of colors scroll automatically at start. Simple off/on again pauses on selected color.





HIGH INTENSITY LED

- 6 Super bright LED's
 Stainless steel hardware included
 Surface size 3.5" x 1/5"
- H -1.2" with mounting spacer
- H 0.7" spacer w/out spacer

Product Number	LED
LED-51866-DP	0
LED-51867-DP	•
LED-51868-DP	•
IED 22404 DCDW DD	DCDW/



STAINLESS STEEL LED

- 316 Stainless steel bezel
- Six bright LED's
- No high heat

Product Number	LED
LED-51900-DP	0
LED-51901-DP	•
LED-32696-RGBW-DP	RGBW



EXTREME LED

- 20% Brighter than our standard LED
- Fully waterproof
- Polarity and thermal protection

Product Number LED-SM171COB-W-DP

LED-SM172COB-B-DP

LED 0

LED-SM173COB-G-DP



STAINLESS STEEL OVAL LED

- Waterproof IP68 Rated Size 5.7" x 1.7"
- Six (6) super bright LED diodes

Product Number

LED-SM7815-W-DP LED-SM7815-B-DP LED-SM7815-G-DP

LED-SM7815-RGB-DP

RGB

LED







OVAL RECESSED SPREADER LED

Powder coated aluminum case

Recessed mounting

5-7/8"L x 1-3/4"W x 1-5/8"D

Product Number

LED-39120-DP

LED-39122-DP

White Black

Housing



RECESSED FLUSH MOUNT LED

Powder coated aluminum

Wide 145 degree angle light spread

4 Watts

IP67 Rating

4-7/8"L x 1-3/4"W x 1-5/8" D

Product Number

LED-51913-DP White

LED-51905-DP

Black

Housing



LED MINI SPREADER

2" Docking Light

Die-Cast Aluminum body

1000 Lumens

IP68 Rated

Draws 1.3A at 12V

Product Number

New! LED-39690-DP

White

New! LED-39691-DP

Black

Housing



LED SUPER SPREADER LIGHT

• 1W LED Lights

• Die-cast aluminum, powder coated

Optical grade PMMA lens

• IP67 rating

• Voltage 10-30V DC

Product Number

LED-39901-DP

Housing White



LED SIDE DOCKING LIGHT

Low profile design

• Extreme output LED lighting for docking at night

Product Number

Housing

LED-319DL-DP Stainless Steel



LED DOCKING LIGHT

High intensity

• 3 LED Light for low light profile

 Connects to deutsch connector housing

Product Number

Housing

LED-4093DL-PLG -DP Stainless Steel

BLUE WATER® LED CYBERLITE



- 1,100 Lumens
- 12W
- Spot or Flood
- IP68
- 9-32V DC
- 3.25" x 3.5'

Housing

LEDBW-901-2-W-DP White LEDBW-901-2-BLK-DP Black

Flood Housing

LEDBW-901-2-W-FLD-DP LEDBW-901-2-BLK-FLD-DP Black



BLUE WATER® LED CYBER 400S

• 4,100 Lumens

• 30° High intensity hybrid beam

IP68

9-32V DC

• 3.2" x 3.8"

LEDBW-908-2-BLK-DP

LEDBW-908-2-GLD-DP LEDBW-908-2-R-DP

LEDBW-908-2-SVR-DP

Silver

Trim Color

Black

Gold

Red

To order visit thmarine.com or contact your local dealer

Spot





LED LIGHTING KIT FOR BOATS

Kit includes:

- (3) 4" Slim Line LED Utility Lights
- (4) 12" Flex Strip LED Lights • (2) 24" Flex Strip Lights
- **Product Number** LED-BTKIT-WHT



LED

0







OVAL COURTESY LIGHT/ ROCK LIGHT KITS

- Extreme high output lights
- Waterproof and shockproof
- 6 Pack kits are available in single or two colors



6 Pack Kit Includes

• 6 LED Lights 1 Switch

6 Flat Rubber

Mounting Gaskets

24 Mounting Screws

12 Bolts

6-LED KITS

Product Number	Housing	LED
LED-33255-2KT-DP	Black	0
LED-33256-2KT-DP	Black	•
LED-33257-2KT-DP	Black	•
LED-33308-2KT-DP	Black	•
LED-33309-2KT-DP	Black	•
LED-32651-2KT-RGB-DP	White	RGB

2 Pack Kit Includes

• 2 LED Lights 1 Switch

2 Flat Rubber

Mounting Gaskets 8 Mounting Screws

4 Bolts

2-LED KITS

Product Number	Housing	LED
LED-33255-6KT-DP	Black	0
LED-33256-6KT-DP	Black	•
LED-33257-6KT-DP	Black	•
LED-33308-6KT-DP	Black	•
LED-33309-6KT-DP	Black	•
LED-32650-6KT-RGB-DP	White	RGB
LED-32651-6KT-RGB-DP	Black	RGB
LED-RKRW-6KT-DP	Black	● (4) ○ (2)
LED-RKBW-6KT-DP	Black	● (4) ○ (2)
LED-RKGW-6KT-DP	Black	(4) ○ (2)



Product Number Housing

LED-RGBRL-HRN

LED-SCRL-HRN

RGB Rock Light Harness

Single Color Rock Light Harness





*WIRELESS *FLUSH MOUNT LED-RGBCONT-1-DP LED-RGBCONT-2F-DP

RGB PONTOON LIGHT KIT

- Control RGB Lights with your choice of controller
- IP68 Fully waterproof
- Includes: RGB Controller, RGB Light Strips, Mounting Channels, Hardware & Instructions

Product Number

LED-PBDK20RGB-FC-DP LED-PBDK25RGB-FC-DP LED-PBDK20RGB-DP LED-PBDK25RGB-DP

Description

20' - Flush Mount Controller

25' - Flush Mount Controller

20' - Wireless Controller

25' - Wireless Controller



BLUE PONTOON LIGHT KIT •

- IP68 Fully waterproof and submersible
- Includes: (2) 20' or 25' LED Light Strips, Waterproof Wiring Harness, & Mounting Channels

Product Number

LED-PBDK20B-DP LED-PBDK25RGB-FC-DP Description

20' Pontoon Light Kit

25' Pontoon Light Kit (Blue)



LED MODULE STRING LIGHT KIT

- IP68 Waterproof and submersible
- Includes: (2) 25' LED Module Strings, 24 3-LED modules per string
- Strings Include: Additional 20' of wire pigtail to route control to switch

Product Number

Description

LED-34160-DP

LED Modual String Light Kit (blue)



GEN-1 RGBW LED CONTROLLER •

- Flush mount multi-color LED light controller
- Requires 3/4" hole for routing
- 4 Channel 20 different modes 5 speed settings

Product Number

Description

LED-RGBCONT-2F-DP

GEN-1 - RGB LED Light Controller



LED-RGBCONT-3F-DP



LED-RGBCONT-4R-DP

RGBW LED LIGHT CONTROLLER •

- Touch screen technology
- Illuminated power button
- Controls RGBW light color and intensity

Description

• Water resistant

Product Number

LED-RGBCONT-3F-DP **LED-RGBCONT-4R-DP** RGBW LED Touch Screen Light Controller

RGBW LED Touch Screen Light Controller







WIRELESS RF CONTROLLER

- Wireless RF remote for RGB changing lights
- IP68 Fully waterproof
- 43 Dynamic Color Modes
- 30 Static Color Modes

Product Number

Description

LED-RGBCONT-1-DP

RGB LED Light Controller






LED FLEX STRIP LIGHT

- Moisture & Water Resistant
- Strong 3M mounting tape on back
- Available in 1'ft, 2'ft, 4'ft & 6'ft strips
- IP-65 Rated

Product Number	Length	LED
LED-51946-DP	12"	0
LED-51947-DP	12"	•
LED-51948-DP	12"	•
LED-51949-DP	12"	•
LED-51950-DP	24"	0
LED-51951-DP	24"	•
LED-51952-DP	24"	•
LED-51959-DP	24"	• 0
LED-51965-DP	24"	•
LED-51953-DP	48"	0
LED-51954-DP	48"	•
LED-51955-DP	48"	•
LED-51966-DP	48"	•
LED-51956-DP	72"	0
LED-51957-DP	72"	•
LED-51963-DP	72"	• 0
LED-RLC	Mounting Ch	nannel - No Tape - 6' ft
LED-RLC-WT	Mounting Ch	nannel - With Tape - 6' f





LED FLAT ROPE LIGHTS

- Bright LED continuous rope light IP67 Fully waterproof Silicone sleeve only Lengths from 14ft to 28ft
- Mounting channel has 3M high tenacity tape

Product Number	Length	LED
LED-SM14-B-DP	14"	•
LED-SM20-B-DP	20"	•
LED-SM22-B-DP	22'	•
LED-SM24-B-DP	24'	•
LED-SM26-B-DP	26'	•
LED-SM28-B-DP	28'	•
LED-SM14-W-DP	14'	0
LED-SM20-W-DP	20'	0
LED-SM28-W-DP	28'	0
LED-SMSLC-6WT*	Flat Rope Lig	ht Mounting Channel - 6ft

*Not compatible with RGB rope lights



LED FLAT ROPE LIGHTS - RGB

- Bright LED RGB continuous rope light
- IP68 Fully waterproof Silicone sleeve with silicone gel fill
- 12V DC, 7.2 Watts per Meter, 0.6 Amps per Meter
- 423 Lumens per meter

Product Number	Length	LED
LED-SM16-RGB-DP	5m/16'	RGB
LED-SM20-RGB-DP	6m/20'	RGB
LED-SM25-RGB-DP	7.5m/25'	RGB
LED-RGBCONT-1-DP	RGB Control	ler (IP68) with Remote Control
LED-RGBCONT-2F-DP	RGB Controller (IP68) with Remote Control	
LED-RGBCONT-3F-DP	RGBW LED Touch Screen Light Controller	
LED-SMSLC50-4WT-DP	Flat Rope Light Mounting Channel - 4ft	
LED-SMSLC-RGBW-4WT	RGBW Flat Rope Light Mounting Channel - 4ft	

LED FLEX STRIP LIGHT WITH TRACK

• Includes low profile and easy to mount track



Battery Operated	Length	LED	White PCB Strip	Black PCB Strip	Length	LED
LED-39308-DP*	2x18"	0		LED-33279-DP	4"	0
LED-39310-DP*	2x18"	•		LED-33280-DP	4"	•
LED-39312-DP*	2x18"	•	LED-39330-DP		4"	•
			LED-39331-DP	LED-33282-DP	4"	•
			LED-39320-DP	LED-33275-DP	6"	0
			LED-39321-DP	LED-33276-DP	6"	•
				LED-33276-DP	6"	•
				LED-33278-DP	6"	• 0
			LED-33267-DP	LED-33271-DP	12"	•
			LED-33268-DP	LED-33272-DP	12"	0
			LED-33269-DP	LED-33273-DP	12"	•
			LED-33270-DP	LED-33274-DP	12"	•



LED FLEX STRIP LIGHTS Battery Operated

- Water resistant battery box
- Uses three (3) AA batteries
- 18" Strips available in (3) colors

Product Number	Length	Colo
LED-39275-DP	18"	0
LED-39276-DP	18"	•
LED-39277-DP	18"	•



FLEXIBLE LED LIGHT BAR

- Flexible silicon housing, mount on curved surfaces
- 100% waterproof

Product Number	Length	LEDs	Color
LED-39685-DP	10.34"	9	0
LED-39686-DP	10.34"	9	•
LED-39687-DP	12.93"	12	0
LED-39688-DP	12.93"	12	•



LED MODULE POD LIGHT STRINGS

- 100% waterproof
- Three super bright LEDs per pod

Length	Color	
20'	0	
20'	•	
20'	•	
20'	•	
	20' 20' 20'	20' O 20' • 20' •



MOUNTING TRACK & TRACK ENDS

- For use with T-H Marine LED Flex Strip Lights
- Track available in clear, black & white
- Adhesive strip for mounting

Product Number	Description	Color
LED-39532-DP	Flex Light Track Ends - 100 pack	White
LED-39533-DP	Flex Light Track Ends - 100 pack	Black
LED-39536-DP	Poly-Carb Flex Light Track with Adhesive - 6' Long	Clear
LED-39537-DP	Poly-Carb Flex Light Track with Adhesive - 6' Long	Black
LED-39538-DP	Poly-Carb Flex Light Track with Adhesive - 6' Long	White

T-H Marine Catalog | Proudly serving the marine industry for over 45 years.





LED FRONT MOUNT LIGHT

- Front mount makes for easy installation
- Bright 3-element LED Bulb
- Stainless steel screws, neoprene gasket, and butt splices
- 10" Wire leads, Mounting Hole: 3/4", Lens Diameter: 2-3/4"

LED-FML-BTS Front Mount Light, Blue



STAINLESS LED PUCK LIGHTS

- Polished stainless steel bezel
- Available in three colors White, Blue and Red

Product Number	Dia	Colo
LED-51827-DP	3"	0
LED-51828-DP	3"	•
LED-51897-DP	3"	•
LED-51831-DP	4"	0
LED-51832-DP	4"	•



LED SURFACE MOUNT DOME LIGHT

- On/Off Rocker switch of bezel
- Super flux (P4) Type LEDs

Product Number	Dia	Color
LED-51829-DP	4"	0
LED-51830-DP	4"	•0





RECESSED LED PUCK LIGHTS

- Epoxy to resist water, corrosion and vibration
- Requires 2" Diameter Hole
- Black, White & Chrome Bezel come with each light
- 6 LEDs per Light

Product Number	Dia	Color
LED-51847-DP	3"	0
LED-51848-DP	3"	•
LED-51849-DP	3"	•
LED-32658-RGBW-DP	3"	RGBW



PUSH-IN LED UTILITY LIGHT

- Stainless steel bezel
- Simple Push-In Installation
- Fits into a 3/4" hole

Product Number	Dia	Color
LED-51977-DP	1-1/8"	0
LED-51978-DP	1-1/8"	•
LED-39113-FB-RGB	1-1/8"	RGB
LED-39115-FB-RGBW	1-1/8"	RGBW



MINI LED DUAL MOUNT

• 3 Bright LEDs

Very low amp draw

Dimensions: 2-1/8"L x 5/8"H x 1/2"W

Stainless steel fasteners included

Product Number

LED-51880-DP

LED-51898-DP

Color



PUSH-IN LED COCKPIT LIGHT

• White RGB (69500-RGB)

• Lumens 2.58

Wattage RGB 0.6WVoltage 12V

3/4" hole

Product Number LED-14044-RGB-DP Color RGB



AUTOMATIC LED LID LIGHT

- Automatic On/Off LED light when lid is raised or lowered
- Stainless steel ball switch

LED-39540-DP	
Product Number	Colo



LIVEWELL/COURTESY LIGHTS

- Waterproof
- Neoprene scaling gasket includedBright 3-Element LED Bulb

Product Number	O Dia	Hole	Color
LWL-1P-LED-DP	1-7/8"	1"	0
LWL-1P-LED-B-DP			•
LWLM-1P-LED-DP	1"	5/8"	0
LWLM-1P-LED-BLUE	1"	5/8"	•



FLUSH HEAD LED LIVEWELL LIGHTS

- Great for livewell illumination Waterproof
- Requires 1" Hole
- 1 LED with diffuser lens
- Pigtail connection 12V

Product Number	Dia	Color
LED-51874-DP	1-1/4"	0
LED-51875-DP	1-1/4"	•



LED COMPANION WAY LIGHTS

- Opaque PC lens produces warm glow
- Sealed in epoxy to resist water, corrosion & vibration

Product Number	Bezel	Colo
LED-51816-DP	Black	0
LED-51818-DP	White	•
LED-51819-DP	White	0
LED-51820-DP	Chrome	•
LED-51822-DP	Chrome	0
LED-51892-DP	Black	•
LED-51895-DP	Black	•



LED OVAL LIGHTS WITH **PUSH-IN BUTTON LENS**

- Built in switch push in for "On/Off"Flange Overall 5" x 3-1/8"
- Oval Hole 3-1/4" x 2-1/8"

Product Number	Bezel	Color
LED-OCL-1	Black	0
LED-OCL-2	White	0
LED-OCL-1K-DP	Black	0
LED-OCL-2K-DP	White	0
Incandescent LED	Bezel	Color
OCL-1	Black	0
OCL-2	White	0
Mounting Ring	Bezel	
OCLR-1	Black	
OCLR-2	White	



LED COURTESY COMPANION WAY LIGHTS

- LED Square 2.25" x 2.25"
- Frosted PC lens 3 LEDS
- Hardware included

Bezel	Colo
White	0
Black	0
White	0
Black	0
	RGB
	White Black White

^{*}Hidden Fasteners **Hardware not included, no cover





LED COURTESY/ACCENT LIGHT

- Great for hatches, storage, compartment, etc
- Illuminate entries & steps

Product Number	Bezel	Color
LED-39024-DP	Chrome	0
LED-39027	Black	0
LED-39034-DP	Chrome	0
LED-32665-RGBW-DP	No Bezel	0



LED MINI ACCENT LIGHT

- Versatile accent LED light
- Stainless Steel Bezel
- Two bright LEDs

Product Number	Color
LED-39216-DP	0
LED-39216-DP	•
LED-39218-DP	0
LED-39224-DP	•
LED-32667-RGBW-DP	RGBW



LED OBLONG COURTESY LIGHTS

- Great for accent lighting, step, task, compartment, etc
- 1.25" W x 3" L
- Sealed with epoxy to resist water corrosion & vibration



Product Number LED-51823-DP LED-51824-DP LED-51825-DP 0 LED-32661-RGBW-DP **RGBW**



LED UTILITY STRIP LIGHT - SLIM LINE

- Great for lighting or decorating interior and exterior of boats, RVs, etc
- Low amp draw
- 100% Waterproof

Product Number	Length	# of Lights	Color
LED-51800-DP	4"	6	0
LED-51801-DP	4"	6	•
LED-51803-DP	4"	6	•
LED-32670-RGBW-DP	4"	6	RGBW
LED-51805-DP	6"	12	0
LED-51806-DP	6"	12	•
LED-32674-RGBW-DP	6"	12	RGBW
LED-51810-DP	8"	18	0
LED-51811-DP	8"	18	•
LED-32675-RGBW-DP	8"	18	RGBW
Battami On avatad	Lanath	# of Limber	Color
Battery Operated	Length	# of Lights	Color
LED-39672-DP	4"	6	•



LED RAIL LIGHTS

- Light rotates to direct where desired
- Low amp draw
- Powder coated aluminum

Product Number	Length	# of Lights	Color
LED-51857-DP	6"	12	0
LED-51858-DP	4"	24	0



STAINLESS STEEL INDIRECT LED

- IP67 Compliant, interior and exterior
- Lumens 50, 12v DC Amps: 45mA
- 1"W x 1"H x 1/2"D, Mounting hole 5/16"

Product Number	Color
LED-33240-DP	0
LED-33242-DP	•
LED-33320-DP	•
LED-32648-RGB-DP	RGB



LED ROUND COMPANION LIGHT

- Chrome cover with accent slit
- Waterproof
- Provides ambient lighting

Product Number

LED-39100-DP LED-39101-DP

LED-32660-RGBW-DP

RGB

Color

0



SINGLE LED MODULE LIGHT

- IP68 Waterproof
- Low power 12V DC, 0.2 Watts/0.017 Amps per LED
- Dimensions: 1.56"L x 1.11"W x 0.34"H

Color **Product Number** LED-34190-DP



TRIPLE LED STORAGE LIGHT

- Low power 12V DC
- Dimensions: 4-1/8"L x 1-5/16"W x 3/8"H
- Ignition protected

Product Number Color 0

LED-SM361PLG



TRIPLE LED MODULE LIGHT

• IP68 - Fully waterproof

Low power 12V DC

0.2 Watts / 0.017 Amps per LED

Dim: 3.21"L x 0.52"W x 0.42" H

Contains three LEDs





QUAD LED MODULE LIGHT

• IP68 - Fully waterproof

Low power 12V DC

0.2 Watts / 0.017 Amps per LED

Contains four LEDs

Color **Product Number** LED-34185-DP 0



LED LOW PROFILE ROUND DOME

Aluminum housing round dome

Powder coated white

Touch switch 100%/50%/25%

Product Number LED-39857-DP

○(6) **•**(6)

Color

LED-39859-DP ○(6) •(6)



LED LOW PROFILE DOME LIGHT

• Mounting Diameter 3/4"

Lumens - 250

• 12v DC Amps: 410mA

6.75" dia. x 1.13"

IP67

Stainless Steel Bezel

Product Number LED-33249-DP

LED-33250-DP

Color

0

0

LED-33251-DP 0



LED DOME LIGHT - ROUND

Dome light for indirect lighting

Dimmable

Push button light setting

White Bezel

LED-32628-DP

Color 0



OVAL COURTESY LIGHT

• Narrow beam pattern

Operates on 12V DC

18 AWG wire

0.2W power consumption

Weatherproof design - IP65

Product Number

LED-71000-DP

LED-72000-DP

0

Color



LED DOME LIGHT - OBLONG

• Dome light for indirect lighting

Push button light setting

Dimmable

Product Number LED-32636-DP

Size

6mm

Product Number

New! LED-6BL-B-DP

New! LED-6BL-W-DP

New! LED-6BL-G-DP

0



BOLT LIGHT

Powdercoated Aluminum Housing

Impact resistant Polycarbonate Lens

Tinned Marine Wire

IP65 Rated

Product Number Color New! LED-11BL-RGBW-DP

ED-11BL-B-DP New! LED-11BL-W-DP

Product Number New! LED-11BL-A-DP

New! LED-11BL-G-DP 11mm New! LED-11BL-R-DP 11mm



MOTION ACTIVATED LED DOME LIGHT

Dome light for indirect lighting

• Dimmable

Product Number

LED-32638-DP 0

Color



OVAL COURTESY LIGHT/ ROCK LIGHT

Extreme high output lights

Waterproof and shockproof

• 3"W x 1.625"H

Product Number LED-33255-DP LED-33256-DP LED-33257-DP


Bezel Color Black Black

Black

LED-33308-DP

Product Number

Black LED-32650-RGB-DP Black LED-32651-RGB-DP White





LED-BNAVC-1



LED COMBINATION BOW **NAVIGATION LIGHT**

Flush Mount

- 316 Stainless steel housing
- 2 Nautical mile USCG Certification
- Meets ABYC-16

Product Number	Description	Dimensions	Housing
LED-34185-DP	Bow Nav Light	2-3/8"L x 2-1/16"W x 7/8" H	SS
LED-BNAVC-2C-DP	Low Profile Combination	2-3/8"L x 1-7/8"W x 2-1/8"H	SS
LED-BNAVC-1BK-DP	Bow Nav Light	2-3/8"L x 2-1/16"W x 7/8" H	Black
LED-LPBNAV-1-DP	Low Profile Combination	2-3/8"L x 1-7/8"W x 1" H	SS



LED LOW PROFILE ROUND DOME

Pole Mount

Stamped stainless steel pole

2 Nautical mile USCG Certification

Standard Nav Light plug-in base

Meets ABYC-16

Product Number LED-NAV-34197-DP LED-NAV-34198-DP

LED-NAV-39498-DP

Length

20" - Angled 20" - Straight 12" - Straight

12" - Angled LED-NAV-39499-DP





LED SINGLE SIDE BOW **NAVIGATION LIGHTS**

Tear Shape/Low Profile

316 Stainless steel housing

Meets ABYC-16

Mounts horizontally

• 2 Nautical mile USCG Certification

Product Number Length

LED-BNAVS-1 2-3/8"L x 1-7/8" x 7/8"H



LED SINGLE SIDE BOW **NAVIGATION LIGHTS Bullet Shape/Smallest Footprint**

- 316 Stainless housing
 - 2-1/4"L x 1"W x 11/16"H
- Meets ABYC-16, 1 Nautical Mile USCG Certification

Product Number

LED-LPNAV-1-DP

Horizontal Deck Mount

Mountina

LED-LPNAV-2-DP LED-LPNAV-3-DP Vertical Angled Gunnel Mount (Shark-Eye)

Vertical Straight Mount (Console/T-Top)



LED SINGLE SIDE BOW **NAVIGATION LIGHTS**

Compact Shark-Eye

• 316 Stainless housing

2 Nautical Mile USCG Certification

Housing Stainless Steel

Meets ABYC-16

LED-BNAVSSEYE-1

Product Number



LED SINGLE SIDE BOW NAVIGATION LIGHTS Traditional Shark-Eye

2 Nautical mile USCG Certification

Meets ABYC-16 NMMA Type accepted

Stainless steel base

Dimensions 7-1/2" L x 2-1/4"W

Product Number

SEL-1LED-DP SEL-1-DP

Incandescent - 1NM

Description

LED - 2NM



LED FLEX STRIP BOW LIGHT

- Ideal for kayaks & small boats for visibility
- Not tested for USCG certification
- Waterproof battery pack (optional)

Length Power Option **Product Number** LED-52000-DP 12V (3) AA Batteries

LED-39306-DP



24" SNAP FLEX NAVIGATION LIGHT

- UV Stable fiberglass shaft
- 2 Nautical Mile USCG Certification
- Meets ABYC-16
- Nylon base

Product Number	Descri
----------------	--------

LED-NAY-50621-DP Snap Flex Navigatioin Light



LED STERN LIGHT - FIXED LENGTHS

- Low amp draw
- USCG Certified

Product Number	Length	Product Number	Length
LED-NAV-39503-DP	24"	LED-NAV-39759-DP	5"
LED-NAV-39507-DP	36"	LED-NAV-34222-DP	60"
LED-NAV-39509-DP	48"		



LED STERN LIGHT - ADJUSTABLE LENGTH

- Low amp draw
- Fits standard light base
- USCG Certified

Product Number

LED-NAV-39757-DP

LED-NAV-39513-DP 40"- 72"

Length

28"- 48"



LED FOLDING STERN LIGHT

Aluminum Pole/Plastic or Stainless Base

- 2 Nautical mile USCG Certification
- Low amp draw

Product Number	Base	Length	Mount
LED-NAV-39758-DP	Plastic	10-1/2"	3 hole
LED-NAV-34228-DP	Plastic	24"	2 hole
LED-NAV-34228-SB	Stainless	24"	2 hole
LED-NAV-34233		36"	



LED FOLDING STERN LIGHT

Fiberglass Pole/Stainless Base

- 2 Nautical mile USCG Certification
- Meets ABYC-16
- 3/16" stainless base
- Mounts on 1-1/4" square tubing
- Mounts on 3/4" round tubing
- **Product Number**

LED-BTSL-24-DP

LED-BTSL-36-DP

24" 36"

Length







FLEXIBLE POLE STERN LIGHT

- Meets ABYC-16
- Patent Pending design
- UV stable fiberglass flexible pole
- Fits standard light base
- Includes 3 locking collar options
- 2 Nautical mile USCG Certification

Product Number	Length
LED-NAV-USL-48-DP	48"
LED-NAV-USL-54-DP	54"
LED-NAV-USL-60-DP	60"



SNAP FLEX STERN LIGHT

- Patent Pending design
- UV stable fiberglass
- Spring-Loaded locking RC/ACAM
- 2 Nautical mile USCG Certification



Product Number	Length
LED-NAVSFSL-48-DP	48"
LED-NAVSFSL-60-DP	60"
LED-NAVSFK-60-DP*	48"
LED-NAVSFK-60-DP*	60"
LED-NAVSFSB-DP	Base

*Includes Base



LED-NAV-39522-DP

NAV LIGHT BASES - 2 PRONG

- Pre-Wired pigtail wiring harness
- Rubber or tethered cover keeps inside base clean

J.			

LED-NAV-39522-DP LED-NAV-39524-DP LED-NAV-39525-DP LED-NAV-39526-DP

LED-NAV-39762-DP

Product Number

Description

Nylon Low Profile - 2 Prong Nylon Low Profile - 2 Prong

Stamped SS - Round Swivel Top - Nylon

Base with Cover - Zamack 2 Prong



LED-NAV-39524-DP







LED-NAV-39762-DP





LED LIGHTED CUP HOLDER Stainless Steel Rim

Robust UV stable molded housing

Corrosion resistant

316 stainless steel rim

• Wired for 12V applications

Product Number

LED-LCH-BU-DP

LED-LCH-G-DP

LED-LCH-R-DP

LED-LCH-W-DP

0



LED LIGHTED CUP HOLDER No Step Stainless Steel

304 stainless steel

Corrosion resistant

Mounts in 3-5/8" hole

• Wired for 12V applications

Product Number LED-LCHSS-NS-B-DP Color

RGB

0

LED-LCHSS-NS-RGB-DP

LED-LCHSS-NS-W-DP



LED LIGHTED CUP HOLDER

No Step Stainless Steel with Insert

Rubber insert secures beverage

Mounts in standard 3-5/8" Hole

Hole & nipple for routing drainage

Padded bottom

Wired for 12V applications

Patent Pending

Product Number

LED-LCHSS-NSRI-B

LED-LCHSS-NSRI-G-DP

LED-LCHSS-NSRI-R-DP

LED-LCHSS-NSRI-RGB-DP

RGB LED-LCHSS-NSRI-W-DP



LED CUP HOLDER ACCENT RING

• Fits 3-1/4" to 3-1/2" Diameter

Color

• Ring contains 18 LEDs LED-SMCHR-B-DP

LED-SMCHR-R-DP

Color



LED CUP HOLDER INSERT

• Add color to your cup holder

Eliminates rattle when in motion

Product Number

LED-CHI-W-DP 0

LED-CHI-B-DP

LED-CHI-R-DP

LED-CHI-G-DP

LED-CHI-RGB-DP

RGB

Color



LED SPEAKER ACCENT RING

• Light up your boat speakers Ring contains 30 LEDs

5" Diameter

6.5" Diameter

LED-SMSKR-5B-DP LED-SMSKR-B-DP

LED-SMSKR-R-DP

LED-SMSKR-5G-DP

LED-SMSKR-RGB-DP RGB

BLUEWATERLED®

LIGHT KITS



COMPARTMENT BOAT KIT

LEDBW-105-"X"-DP

(2) 30 LED/20" Light Strips for Rod Lockers
(4) 15 LED/10" Light Strips for Compartments
(2) 4 LED Submersible for Livewells
(1) 4 LED Submersible for Cooler



PRO BOAT KIT

LEDBW-120-"X"-DP

(2) 30 LED/20" Light Strips for Rod Lockers
(1) 30 LED/20" Light Strips for Battery Locker
(4) 15 LED/10" Light Strips for Compartments
(2) 18 LED/12" Light Strips for Front Deck
(2) 12 LED/8" Light Strips for Rear Deck
(2) 4 LED Submersible for Livewells
(1) 4 LED Submersible for Cooler



TOTAL BOAT KIT

LEDBW-107-2-"X"-DP

(2) 30 LED/20" Light Strips for Rod Lockers
(1) 30 LED/20" Light Strips for Battery Locker
(4) 15 LED/10" Light Strips for Compartments
(2) 18 LED/12" Light Strips for Front Deck
(2) 12 LED/8" Light Strips for Rear Deck


(2) 4 LED Submersible for Livewells (1) 4 LED Submersible for Cooler (2) 60 LED/40" Light Strips for Trailer Lighting



ROD LOCKER KIT

LEDBW-108-"X"-DP

(2) 30 LED/20" Light Strips for Rod Lockers



ELITE LID KIT

LEDBW-109-"X"-DP

(2) 60 LED/40" Light Strips for Trailer Lighting



ELITE LID LIGHT

LEDBW-109-1-"X"-DP

(1) 60 LED/40" Light Strips (1) Surface Mount Push-Button Switch



FRONT & REAR DECK KIT

LEDBW-98-4-"X"-DP

(2) 18 LED/12" Light Strips (2) 12 LED/8" Light Strips



FRONT DECK KIT

LEDBW-98-1-"X"-DP

(2) 18 LED/12" Light Strips



ULTIMATE DECK KIT

LEDBW-107-"X"-DP

(8) 30 LED/20" Light Strips (1) Dimmer Control



NIGHT BLASTER DECK KIT

LEDBW-106-"X"-DP

(2) 30 LED/20" Light Strips (4) 15 LED/10" Light Strips (1) Waterproof Push-Button Switch



EXTREME PRO X6 DECK KIT

LEDBW-80-2-"X"-DP

(6) Extreme Pro Deck Lights

LEDBW-81-"X"-DP (2) Extreme Pro Deck Lights

EXTREME PRO X2 DECK KIT



EXTREME PRO DECK LIGHT

LEDBW-82-2-"X"-DP

(1) Extreme Pro Deck Light



EXTREME PRO X2 MOTORGLOW

LEDBW-81-2-"X"-DP

(2) Extreme Pro Deck Lights



SMALL SPACE LIGHT PAIR

LEDBW-403-"X"-DP

(2) Tri-Beam with 3M™ Industrial Waterproof Adhesive Backing

BLUEWATERLED® BOATING APPLICATIONS



LIVEWELL/COOLER LIGHT PAIR

LEDBW-402-"X"-DP

(2) Quad-Beam with 3M™ Industrial Waterproof Adhesive Backing



BOW LIGHTING KIT

LEDBW-100-"X"-DP

(1) 15 LED/10" Red Light Strip (1) 15 LED/10" Green Light Strip Male Connectors & T-Tap Connectors




HIGH OUTPUT BLACKLIGHT KIT


LEDBW-101-UV-DP

(2) 60 LED/40" High Output UV Light Strips (1) Mini-Rocker on/off Power Switch (1) 10'-18/2 Gauge Installation Wire Male Connectors & T-Tap Connectors





Replace "X" with color code above. See website or call for different color combinations and their part numbers.



LOW IMPACT BLACKLIGHT KIT

LEDBW-103-UV-DP

(2) 60 LED/40" Low Output UV Light Strips (1) Mini-Rocker on/off Power Switch (1) 10'-18/2 gauge Installation Wire Male Connectors & T-Tap Connectors



HIGH OR LOW BLACKLIGHT STRIPS

LEDBW-102-UV-DP LEDBW-104-UV-DP

(1) 60 LED/40" High or Low Output **UV Light Strip**



TRAILER REVERSE LIGHT STRIPS

LEDBW-112-W-DP

(2) 30 LED/20" Light Strips Male Connectors & T-Tap Connectors



TRAILER KIT

LEDBW-111-"X"-DP

(2) 60 LED/40" Light Strips Male Connectors & T-Tap Connectors



PRO TRAILER KIT

LEDBW-111-1-"X"-DP

(2) 60 LED/40" Light Strips (1) Waterproof Push-Button Switch Male Connectors & T-Tap Connectors 20' of wire



ULTIMATE TRAILER KIT

LEDBW-110-"X"-DP

(4) 60 LED/40" Light Strips (2) 30 LED/20" Light Strips (1) Waterproof Push-Button Switch 40' of wire Submersible



TRAILER CUTOUT STEP LIGHT

LEDBW-113-"X"-DP

(2) 30 LED/20" Light Strips Male Connectors & T-Tap Connectors



POWER POLE LIGHTING KIT

LEDBW-121-"X"-DP

(2) 45 LED/30" Light Strips (1) Waterproof Push-Button Switch Male Connectors & T-Tap Connectors 10' of 18/2 wire



LEDBW-700-2-"X"-DP

AFTERBURNER UNDERWATER LIGHT

Dimensions: 3.65" round x .75" thick 60W // IP Rating: IP68 // Stainless Steel



CENTER CONSOLE KIT

LEDBW-152-"X"-DP


(4) Tri-Beam with 3M™ Adhesive Backing (1) Waterproof Switch



DELUXE SALT WATER DECK KIT

LEDBW-151-"X"-DP

(6) 60 LED/40" Light Strips (1) Dimmer Control



ULTIMATE SALT WATER DECK KIT

LEDBW-150-"X"-DP

(4) 60 LED/40" Light Strips

BLUEWATERLED RUGGED APPLICATIONS





CYBERLITE LIGHTING SYSTEM

1,100 Lumens / 12W IP 68 / 9-32V DC / 3.25" x 3.5"

Product Number	Description
LEDBW-901-2-BLK-DP	Black Spot
LEDBW-901-2-BLK-FLD-DP	Black Flood
LEDBW-901-2-W-DP	White Spot
LEDBW-901-2-W-FLD-DP	White Flood









CYBER 400S LIGHTING SYSTEM

4,100 Lumens / 30° High Intensity Hybrid Beam IP 68 / 9-32V DC / 3.2" x 3.8" / 40W

Product Number	Description
LEDBW-908-2-B-DP	Blue
LEDBW-908-2-BLK-DP	Black
LEDBW-908-2-GLD-DP	Gold
LEDBW-908-2-R-DP	Red
LEDBW-908-2-SVR-DP	Silver



CYBER HP7

Lightbar / 2,590 Lumens / 30W IP 68 / 9-32V DC / 7.3" x 3" x 1.75

Product Number	Descriptio
LEDBW-HP-7-BLK-DP	Black
LEDBW-HP-7-CAMO-DP	Camo
LEDBW-HP-7-W-DP	White



CYBER HP10

Lightbar / 4,300 Lumens / 50W IP 68 / 9-32V DC / 10.5" x 3" x 1.75

Product Number	Descripti
LEDBW-HP-10-BLK-DP	Black
LEDBW-HP-10-CAMO-DP	Camo
LEDBW-HP-10-W-DP	White



CYBER HP13

Lightbar / 5,160 Lumens / 60W IP 68 / 9-32V DC / 13" x 3" x 1.75

Product Number	Description
LEDBW-HP-13-BLK-DP	Black
LEDBW-HP-13-CAMO-DP	Camo
LEDBW-HP-13-W-DP	White



CYBER HP20

Lightbar / 5,160 Lumens / 60W IP 68 / 9-32V DC / 19" x 3" x 1.75

Product Number	Description
LEDBW-HP-20-BLK-DP	Black
LEDBW-HP-20-CAMO-DP	Camo
LEDBW-HP-20-W-DP	White



CYBER HP25

Lightbar / 9,600 Lumens / 120W IP 68 / 9-32V DC / 25" x 3" x 1.75

Product Number	Description
LEDBW-HP-25-BLK-DP	Black
LEDBW-HP-25-CAMO-DP	Camo
LEDBW-HP-25-W-DP	White



CYBER HP30

Lightbar / 12,000 Lumens / 150W IP 68 / 9-32V DC / 31" x 3" x 1.75

Product Number	Description
LEDBW-HP-30-BLK-DP	Black
LEDBW-HP-30-CAMO-DP	Camo
LEDBW-HP-30-W-DP	White



CYBER HP40

Lightbar / 13,500 Lumens / 180W IP 68 / 9-32V DC / 37" x 3" x 1.75

Product Number	Description
LEDBW-HP-40-BLK-DP	Black
LEDBW-HP-40-CAMO-DP	Camo
LEDBW-HP-40-W-DP	White




CYBER ANGLE MOUNTING BRACKETS

1.5" / 1.625" / 1.75" / 2" / 2.25" / 2.5" / 3"

LEDBW-917-BAM-S-DP (single)
LEDBW-917-BAM-P-DP (pair)

110





UNDERCARRIAGE LIGHTING

LEDBW-303-"X"-DP

- (2) 60 LED/40" Light Strips
- (1) 30 LED/20" Light Strips (1) Surface Mount Push-Button
- (1) Fuse Holder with 3 amp fuse



TONNEAU COVER LIGHTING

LEDBW-605-"X"-DP

(1) Powder-Coated Steel Tonneau Cover Bracket with attached 60 LED/40" Light Strip T-tap Connectors 10' of Positive/Negative Wire



TRUCK BED LIGHTING

LEDBW-601-"X"-DP

(2) 30 LED/20" Light Strips (1) Waterproof Push-Button Switch Mounting Bases & Cable Ties T-tap & Male Connectors 10' of Positive/Negative Wire



EXTREME TRUCK BED LIGHTING

LEDBW-602-"X"-DP

(3) 30 LED/20" Light Strips
(1) Waterproof Push-Button Switch
Mounting Bases & Cable Ties
T-tap & Male Connectors
10' of Positive/Negative Wire



TRUCK BED BLASTER

LEDBW-603-"X"-DP

(2) 60 LED/40" Light Strips (1) Waterproof Push-Button Switch Mounting Bases & Cable Ties T-tap & Male Connectors 10' of Positive/Negative Wire




TRUCK TOPPER LIGHTING

LEDBW-604-"X"-DP

(1) 60 LED/40" Light Strips (1) Waterproof Push-Button Switch Mounting Bases & Cable Ties T-tap & Male Connectors 10' of Positive/Negative Wire

BLUEWATERLED SPECIALTY APPLICATIONS



STANDARD UTILITYTRAILER LIGHTING

LEDBW-122-"X"-DP

(8) 12 LED/8" Light Strips (1) Waterproof Push-Button Switch



PREMIUM UTILITY TRAILER LIGHTING

LEDBW-123-"X"-DP

(8) 15 LED/10" Light Strips (1) Waterproof Push-Button Switch



EXTREME **UTILITY TRAILER LIGHTING**

LEDBW-171-"X"-DP

(6) 15 LED/10" Light Strips (for sides)
(2) 15 LED/10" Light Strips (for front)
(6) 30 LED/20" Light Strips
(1) Waterproof Push-Button Switch



BLUE

-B-









-0-




RED

-R-



WHITE -W-

Replace "X" with color code above. See website or call for different color combinations and their part numbers.



STANDARD STAR BUS LIGHTING

LEDBW-1000-"X"-DP

(4) 10' Light Strips (5) Tri-Beam Pairs



DELUXE STAR BUS LIGHTING

LEDBW-1001-"X"-DP

(4) 10' Light Strips

(5) Tri-Beam Pairs (2) 30 LED/20" Light Strips (1) W60 LED/40" Light Strips



STAR BUS **AWNING LIGHTING**

LEDBW-1002-"X"-DP

(4) 235" Light Strips with 3M™ Industrial Waterproof Adhesive Backing



MOTORCYCLE LIGHTING

LEDBW-301-"X"-DP

(2) 12 LED/8" Light Strips (4) 9 LED/6" Light Strips 20' of Installation Wire & Ties



EXTREME MOTORCYCLE LIGHTING

LEDBW-302-"X"-DP

(2) 15 LED/10" Light Strips (2) 12 LED/8" Light Strips (6) 9 LED/6" Light Strips 20' of Installation Wire & Ties



STANDARD KAYAK LIGHTING

LEDBW-400-2-"X"-DP

STANDARD

GOLF CART KIT

LEDBW-600-"X"-DP

(4) 15 LED/10" Light Strips (1) Waterproof Push Button Switch T-taps and Male Connectors

(6) 12 LED/8" Light Strips (1) Waterproof Push Button Switch



PREMIUM KAYAK LIGHTING

LEDBW-106-2-"X"-DP

(4) 15 LED/10" Light Strips
(2) 30 LED/20" Light Strips
(1) Waterproof Push Button Switch



EXTREME KAYAK LIGHTING

LEDBW-401-"X"-DP

(2) 60 LED/40" High Output UV Lights

(1) Red/Green Bow Strips
(2) 15 LED/10" Light Strips
(2) Green Small-Space Lights
(1) 10' Wire with T-taps and Male Connectors



HOUSEBOAT PATIO LIGHTING

LEDBW-353-"X"-DP

(2) 10' Light Strips (1) Dimmer Control



HOUSEBOAT PATIO PLUS

LEDBW-354-"X"-DP

(3) 10' Light Strips (1) Dimmer Control

BLUEWATERLED SPECIALTY APPLICATIONS



HOUSEBOAT PARTY TOP DECK LIGHTING

LEDBW-355-"X"-DP

(5) 10' Light Strips (1) Dimmer Control



PONTOON AWNING LIGHTING LEDBW-351-"X"-DP

(2) 30 LED/20" Light Strips



UTILITY TRUCK LIGHTING 4 TOOL BOXES

LEDBW-508-"X"-DP

(4) 15 LED/10" Light Strips (2) Waterproof Push Button Switch (1) 25' of Wire



PONTOON INTERIOR DECK LIGHTING

LEDBW-352-"X"-DP

(2) 60 LED/40" Light Strips (4) 30 LED/20" Light Strips (1) Dimmer Control



ENCLOSED TRAILER LIGHTING

LEDBW-160-DP

(4) 30 LED/20" Light Strips (1) Waterproof Push Button Switch



FLOOR LIGHTING

LEDBW-350-"X"-DP

(8) 30 LED/20" Light Strips (1) Mini-Rocker Switch 20' of 18/2 (Pos/Neg) Installation Wire Inline Fuse Holder with 3 Amp Fuse



OVERLAND TRAILER LIGHTING

LEDBW-175-2-"X"-DP

(6) 15 LED/10" Light Strips (2) Waterproof Push Button Switch



UTILITY TRUCK LIGHTING 6 TOOL BOXES

LEDBW-506-"X"-DP

(4) 15 LED/10" Light Strips (2) 30 LED/20" Light Strips (2) Waterproof Push Button Switch (1) 25' of Wire



UTILITY TRUCK LIGHTING 8 TOOL BOXES

LEDBW-308-"X"-DP

(6) 15 LED/10" Light Strips (2) 30 LED/20" Light Strips (2) Waterproof Push Button Switch (1) 25' of Wire



BLUEW/ATERLED INSTALLATION APPLICATIONS



INDIVIDUAL LIGHT STRIPS



Product Number

LEDBW-118-"X"-DP

LEDBW-117-"X"-DP





Description











LEDBW-114-"X"-DP 15 LED/10" Light Strips 18 LED/12" Light Strips LEDBW-115-"X"-DP LEDBW-116-"X"-DP 30 LED/20" Light Strips

12 LED/8" Light Strips

60 LED/40" Light Strips

Custom length available: CL-LED



INSTALLATION KIT

LEDBW-501-DP

(20) T-Tap Connectors (20) Male Plug-Ins (10) Mounting Bases (10) Cable Ties (1) 20' +/- Wire



DIMMER ON/OFF CONTROL

LEDBW-200-2-DP Waterproof / 12 Volts DC / Up to 5 amps



PUSH BUTTON SWITCH

LEDBW-203-DP

3M[™] Industrial Waterproof Adhesive Backing



MINI ROCKER ON/OFF SWITCH

LEDBW-202-DP

Simple to Install / Plugin Style Rear Connection 13/16" Diameter Mounting Hole Female Plug-In Connectors Included



QUICK WIRE SPLICE (10 PACK)

LEDBW-502-DP

Wire splice for 22/18 Gauge Wire makes wire splicing a quick and easy process.



T-TAP & MALE CONNECTORS

LEDBW-503-DP 10 Pack LEDBW-504-DP 100 Pack



MALE CONNECTOR (100 PACK)

LEDBW-505-DP



LED CONNECTION WIRE

LEDBW-506-DP

18/2 Shielded (25 feet)



INLINE FUSE HOLDER

LEDBW-500-DP


3 amp fuse included



CYBER WIRING HARNESS/SWITCH

LEDBW-915-DP Single LEDBW-916-DP Dual









LB-ADAPTER/1-DP

LOC-R-BAR® BOAT SECURITY SYSTEM

- Strong adjustable stainless steel bar prevents theft
 - Locks rod locker boxes securely
- Unique alarm padlock alerts for intruders

Product Number	Description
LB-LRBS113S	LOC-R-BAR® Complete Alarm System
LB-LCK110DBA	LOC-R-BAR® Alarm Padlock Only
LB-ADAPTER/1A-DP	LOC-R-BAR® Front Compartment Adapter
LB-SET-BKS-03A-03B	Set of Mounting Brackets

Note: Shown with optional compartment adapter. Cannot be used on aluminum boats.



BANSHEE® ALARM PADLOCK

- Great for trailer couplers, gear boxes, rod lockers, etc.
- Vibration activated as alarm increases
- Can be de-activated for trailering

Product Number	Description
LB-TLRLCK-DP	BANSHEE® Alarm Padlock



TWO-WAY BOAT ALARM SYSTEM™

- Alerts you up to 3000 yards when activated
- Two way remote alerts with sound, light & vibration
- Shock sensor with sensitivity adjustment

Product Number	Description
TWA-1-DP	Two Way Alarm System - Complete Set
TWAR-1-DP	Two Way Alarm - Additional Remote Control Unit



Z-LAUNCH™ Watercraft Launch Cord

- All stainless hardware
- Expands to more than 2x the length
- Unlike rope, will not jerk your watercraft
- Great for ramps with "no power" laws

Product Number	Length	Boat Type
ZL-10-DP	10'	Boats to 16'
ZL-15-DP	15'	Boats to 17' to 22'
ZL-20-DP	20'	Boats 23' to 35'







QUICK FLUSH®

- Snaps On Quickly flushes salt or sand from outboard
- Slide valve stays on engine "O" Ring Sealed
- Kit Includes: Slide valve, Quick connect, Rubber Washer
- Inspection stream hole in valve

Product Number	Description
QF-1K-DP	Johnson - Evinrude*
QF-2K-DP	Merc/Yamaha/Other



MOTOR STIK®

- Fits over trim rams
- Supports your outboard while trailering
- Takes the pressure off of hydraulic system
- Most outboards 150hp and up

MSS-1-DP	Outboard Motor Support (pair)
Product Number	Description



EVINRUDE G2 MOTOR SUPPORT



- Protects Evinrude G2 motor and boat transom while trailering Protects boat steering system and releases pressure on engine
- hydraulic system

Product Number	Width	Base Width	Length
MS-EG2-DP	7.5"	12"	18"



FOLDING DRINK HOLDER

- Opening measures 3.75" across
- Stainless steel mounting hardware

Product Number	Description
LCH-52012-DP	White
LCH-52016-DP	Black



CUP HOLDER

- Resistant to UV, breakage and chemicals
- Short cup holder has drain holes on bottom
- Large cup holder accepts 3/8" ID hose for drainage

Product Number	Color
LCH-1-DP	Black
LCH-1W-DP	White
LCH-1WS-DP	Sand



STAINLESS STEEL CUP HOLDER

- Top quality 304 stainless steelRequires 3-5/8" hole
- Drain fits 3-5/8" hose

Product Number	Description	
LCH-1SS-DP		
MS-FPT38	Straight drain fitting, 3/8" hose barb fits T-H SS cup holders	



REMOVABLE CUP HOLDER

- Locking plastic insert for molded cup holder
- Patent Pending
- Easily removable for cleaning
- No drain hose needed

Product Number	Description
LCH-1RC-DP	Removable Cup Holder
LCH-1SSRC-DP	Removable Cup Holder with Stainless Steel Rim



STAINLESS STEEL NO STEP CUP HOLDER

- Top quality 304 stainless steel
- No step, straight side design for larger beverage containers
- Peel and stick mounting gasket
- Mounts in standard 3-5/8" hole
- Includes drain hole and nipple for routing drainage

Product Number	Description	
LCH-1SS-NS-DP	Stainless Steel No Step Cup Holder	
LCH-SSNS-RI-DP	Stainless Steel No Step Cup Holder with Rubber Insert	



MOLDED DRINK HOLDERS WITH STAINLESS STEEL RIM

- Robust plastic drink holder with built-in drainage hole and nipple
- Corrosion resistant 316 stainless steel rim for a sleek finished look
- Installs in a standard 3.625" cutout
- Stepped cup to accommodate various drink sizes
- Depth (4") Rim Dia. (4-1/8") Hole Cut (3-5/8")

Product Number	Description
LCH-1SR-DP	Molded Drink Holder with Fixed SS Rim



PREMIUM FLEXIBLE CUP HOLDER DRINK STABILIZER

- Soft and flexible molded inserts
- Fits snugly into drink holders to stabilize drinks of different sizes
- Prevent rattling sounds and drink spillage

Product Number	Fits
LCH-DKS-2	Stainless Steel Cup Holders



XL TUMBLER CUP HOLDER

- Made from 304 grade stainless steel
- Comes with threaded hose fitting and; can be bought with no pad, or a molded TPR pad
- Threaded hose fitting fits 3/8" barb adapter
- Fits 4 1/8" hole saw cutout

Product Number

New! LCH-SS-XL

New! LCH-SS-XL-P

Description

XL tumbler cupholder (no pad)

XL tumbler cupholder (with molded TPR pad)



- A: Height 5.375"
- B: Width Outside of Rim 4.547"
- C: Width Under Rim 4.0625"
- D: Width Bottom 2.875"
- E: Width Inside Rim 4.000"



126



2 PIECE KEYED FENDER HOLDER STAINLESS STEEL

- 316 cast stainless steel, high polished
- Easy to install
- Keyed feature to hold securely in place
- Moves from one side of the boat to the other using same mounting plate


Product Number	Description
FH-SSC-DP	2 Piece keyed fender holder



2 PIECE KEYED FENDER HOLDER NYLON 2PK

- Keyed feature to hold securely in place
- Easy moves from one side of the boat to the other
 - Packaged as a pair

	Product Number	Description
	QRFH-1-DP	2 Piece keyed fender holder - 2 pk, black
QRFH-2-DP		2 Piece keyed fender holder - 2 pk, white
	QRFH-7-DP	2 Piece keyed fender holder - 2 pk, gray
	QRFH-7-DP	



PONTOON FENDER HANGER CLIPS

- Easily snaps onto pontoon rails
- Convenient way to attach docking fenders
- Stylish gray composite material
- Adjustable mount or fixed tie-down mounts available

Product Number	Description
PFAC-1-DP	Adjustable Tie-Down Clip - Gray
PFH-1G	Fixed Tie-Down Clip - Gray



MOLDED NYLON CLEATS

- 1/2" Black
' Black
'Black
,



PONTOON DOOR STOPS

- Molded anti-rattle stop
- Fits up to 1-1/4" square tubing

Gray	Black	Туре	Hinge
DS-1R-DP	DS-1RB	W/ribs	Right
DS-1L-DP	DS-1LB	W/ribs	Left
DS-2R	DS-2RB	No ribs	Right
DS-2L	DS-2LB	No ribs	Left



PONTOON RAIL SHIMS

- Uniformly raises rails off of the deck
- Unique slotted design for easy installation

Gray	Black	Tan	Thickness
SPA-250G	SPA-250B		1/4"
SPA-375G	SPA-375B		3/8"
SPA-500G	SPA-500B	SPA-500LB	1/2"



PONTOON SPLASH GUARD DEFLECTOR

- Prevents water from entering floor
- Fits between deck boards
- Tough Poly Extrusion
- 5 Foot Length

Product Number	Description
PDSD-1	Pontoon Splash Guard Deflector



PONTOON FINGER GUARD

Product Number	Color
PFPG-1B	Black
PFPG-1G	Gray
PFPG-1LB	Light Brown

T-H Marine Catalog



PONTOON GATE HOLDERS

- Holds gates in open position
- Fits up to 1-1/4" square tubing

Product Number	Description
GH-1G	Gray

*Not designed as a safety or load bearing device



GATE/DOOR STOP

- Prevents gates from swinging open while at anchor Easy to install, Includes mounting hardware


Product Number	Description
GS-1-DP	Gate Stop







SR-1



RUB RAIL FITTINGS

- Non-corrosive molded ends
- Available in Black

Product Number	Description
EC-150N	For 1-1/2" Wide Aluminum Molding w/Vinyl Insert
ECR-1-DP	For 1-1/2" Wide Rubber Molding w/Insert
ECR-2-DP	For 1-1/3" Wide Rubber Molding w/Insert
SR-1-DP	Butt Splice for 1-1/4" to 1-1/2" Rub Rail. 2-1/4" Long
ECMW-2	End Cap Motor Well for 1-3/4" Wide Molding
TEC-1	Trim End Cap - 1/2" to 5/8" Trim
TEC-1L	Trim End Cap - Left - 1/2" to 5/8" Trim
TEC-1R	Trim End Cap - Right - 1/2" to 5/8" Trim
TTEC-1	End Cap - 1" W x 1-1/4" L x 3/8" T
SMEC-1	End Cap - 1-1/4" W x 1-3/8" x 5/16" T



ECMW-2











PONTOON GATE LATCH

- Entire unit installs on gate only
- Molded nylon for strength no rattle
- Operates on right or left hinged gates
- Fits 1", 1-1/8" & 1-1/4" square tubing

Product Number	Description
GL-1-DP	Black
GL-2-DP	Gray

*Not designed as a safety or load bearing device



DUAL USB OUTLET

- Dual Ports: 5V @ 1Amp and 5V @ 2.1Amp (DUSB-1, DUSB-2)
 Replacement for standard USB outlets
- Dual USB outlet with blue LED



	Product Number	Description
	DUSB-1-DP	Dual USB Outlet (ignition protected)
	DUSB-2-DP	Dual USB Outlet
w!	DUSB-3-DP	PD3.0-TypeC and QC3.0 Quick Charging



THROTTLE CONTROL MOUNT

- Solid .090 aluminum
- Great for aluminum boats

Product Number	Description
TCM-1-DP	Throttle Control Mount



STEERING CONSOLE MOUNT

- .090 Welded Aluminum
- Wood reinforced wheel mount area
- Adjustable height 10" to 20"

Product Number	Description
SCM-2-DP	Steering Console Mount



FUEL CONTAINER HOLD-DOWN KIT

- Securely holds portable fuel tanks up to 62" circumference
- Quick release buckles for quick & easy removal
- Kits Includes: (2) 62" Poly Strap, (4) Footman Loops w/ hardware

Product Number	Description
FCH-1-DP	Fuel Container Hold-Down Complete Kit



COOLER MOUNTING KITS

- Secures any size cooler to deck
- Recessed fasteners allow full in-corner mounting
- Nylon bungee straps stainless steel center hook
- Kit includes: (4) Corner brackets, (2) Bungee straps

Product Number	Description
CMK-1-DP	Complete Cooler Mounting Kit
STRAP-12BWS	Single Cooler Mount Bungee Straps



SUCTION CUP LEVER TIE DOWN

- Spring locking D hook
- Quick locking and releasing lever

Product Number	Description
TD-54778-DP	Suction Cup Lever Tie Down - 4 pack



ALL PURPOSE HOLDING STRAP KITS

- Tough 62" polypropylene strap secure any loose article
- Quick release buckle makes removal a snap
- Two footman loops and stainless hardware included

Product Number	Description
APS-1-DP	Kit w/Plastic Buckle & 2 Molded Footman Loops
BSK-1SS-DP	Kit w/Stainless Steel Buckle & 2 Molded Footman Loops



PROP SPOT™ SPARE PROP RETAINER

- Secures spare propeller in any location
- Holds any size propeller and its thrust washers
- Tough graphite retaining rod

Product Number	Description
PRR-1	Prop Spot [™] Rod Only



PADDLE KEEPER

- Unique concept for paddle storage
- Holds paddle either vertical, horizontal or overhead

Product Number	Description
PK-1-DP	Paddle Keeper



WINDSHIELD FASTENER

• Makes installing and removing the windshield simple

Product Number	Description
WSH-1	Windshield Fastener - Wing Nut Head
WSH-1F	Windshield Fastener - Flush Mount Slotted Head
WSH-1PR-DP	Windshield Holder Clips (pair)



BATTERY HOLDER TRAY FOR OPTIMA® BATTERIES

- Shaped inserts fit both z[®] D27M & D32M Series
- Rugged poly tray with 8 mounting slots
- Poly strap with stainless steel buckle
- Resistant to UV and corrosion

Product Number	Description
NBH-31-SSC-OPT	Battery Tray for Optima® Batteries
NBHIOPT-31	Battery Tray Insert Only



24/27 SERIES COMBO BATTERY TRAY

- Holds either 24 or 27 series deep cycle batteries
- Rugged poly tray with 8 mounting slots
- Poly strap with guick release buckle
- Resistant to UV and corrosion

Product Number	Description
NBHC-247P-DP	24/27 Series Combo Battery Tray
NBHC-247P-20B	24/27 Series Combo Battery Tray - 20 pack - Bulk



BATTERY HOLDER REPLACEMENT STRAPS

Product Number	Description
BS-1-DP	Replacement Strap w/poly Buckle
BS-1-42SS-DP	Replacement Strap w/SS Buckle - 42"
BS-1-54SS-DP	Replacement Strap w/SS Buckle - 54"
BSK-1SS	Replacement Strap w/SS Buckle, 2 SS Footman Loops

To order visit thmarine.com or contact your local dealer



DUAL BATTERY HOLDER TRAY

- Holds Two Series 27 Deep Cycle Batteries
- Patented poly strap with quick release buckle
- Meets NMMA & ABYC specs for battery retention

Product Number	Description	Outside Dim	Inside Dim
DBH-27P-DP	Plastic Buckle	14-1/2"	12-3/4"
DBH-27-SC-DP	SS Buckle	14-1/2"	12-3/4"



BATTERY HOLDER TRAY

Stainless Steel Buckle

- Quality 316 stainless buckle
- Meets all NMMA & ABYC Specs
- Recessed mounts no tabs

	ı				
Product Number	Series	Length (Inside)	Width (Inside)	Width (Outside)	Height
NBH-24-SSC-DP	24	10-5/8"	7"	8"	1'
NBH-27-SSC-DP	27	12-1/2"	7"	8-1/2"	1'
NBH-31-SSC-DP	29/31	13"	7"	8-1/8"	1'
BS-1-42SS-DP	Replace	ment Strap	w/Stainless Steel	Buckle	
		I			

Product Number	Stainless Rods	Series	Length (Inside)	Width (Inside)	Width (Outside)
NBH-24P-DP	NBH-24S	24	10-5/8"	7"	8"
NBH-27P-DP	NBH-27S	27	12-1/2"	7"	8-1/2"
NBH-31P-DP	NBH-31S	29/31	13"	8"	8-1/8"
BS-1-DP		Replace	ement Strap	w/Poly Buckle	



FRAME TOP BATTERY TRAY

Frame Top Holds Batteries Securely

- Top frame encompasses entire battery perimeter
- Thick base holds heaviest batteries
- Recessed fasteners

Product Number	Fits Series	Inside Dim	Outside Dim
BHF-27S-DP	27	6-7/8"W x 12" L	7-1/2" W x 14-1/4" L







BUNGEE/SHOCK CORDS

- Parts needed to construct custom straps for any application
- Parts offered separately or can be purchased as a custom part

Straps	Description	Size	Color	
BCORD-14B	Bungee/Shock Cord	1/4" x 500'	Black	
BCORD-14BW	Bungee/Shock Cord	1/4" x 500'	Black & White	
PCORD-14B	Polyurethane Cord	1/4" x 280'	Black	
	ı			
Hooks	Description	Size	Color	
RTHOOK-1	Hook	For 1/4"	Black	
RTSM-1	Screw Mount	For 1/4"	Black	
Eyes	Description	Size	Color	
EYE-1	Molded Eye Strap	1/2" ID	Black	
EYESS-1	Stainless Steel Eye	3/8" ID	Stainless	





BIMINI TOP STRAP

- Universal strap 96" Length
- Stainless steel hardware

Product Number	Description
TD-55130-DP	Black Strap
TD-55132-DP	White Strap



STAINLESS TOGGLE BOLT

- 304 Stainless Steel Toggle
- High Impact Polystrene Straps & Handgrip
- Nylon Sliding Collar
- Great for Tables, Seat Bases, Trolling Motors
- For use in areas where access is limited
- Available in bulk or 6-Pack

Product Number

Description

TB-1420-DP

Max load: 600lbs, Mounting depth: 0.375" - 3.625", Hole size: 0.5"



LIGHT CLIPS

- Secure and stow navigation lights
- Fits all standard 7/8" navigation light poles

Product Number	Description	
RUSC-1	Rubber Light Clips - Black	





HYDRA[®] **BATTERY TERMINAL MULTIPLIER**

- Easily manage individual connections at the battery
 Lead-free, marine-grade zinc construction
- Zinc terminal provides improved conductivity
- Resistance to corrosion with stainless steel connections
- Color-coded insulated wing nuts
- 3 Way and 5 Way options available

HYBT-320-DP	Kit contains one pair of HYDRA® 3-Way, one cover, and 6 nuts
Product Number	Description



HYDRA® COVER

- Provides protection for HYDRA® Battery Terminal Multiplyer
- Prevents battery arcing
- PVC material made for wet/harsh environments

Product Number	Description
HYBT-3C-DP	HYDRA® 3-Way Battery Terminal Cover (shown above)
HYBT-5C-DP	HYDRA® 5-Way Battery Terminal Cover
IIIDI-3C-DF	THERA 3-YVay Battery Terminal Cover





HYDRA® CABLE EXTENDER

- Extend the length of your cables
- Stainless steel hardware, 5/16-18 stud
- Simple design that solves electrical rigging problems

HCE-K-DP HYDRA® Ca	ble Extender



WASH DOWN STATION & HOSE

- 1/2" Coiled poly hose
- UV & Chemical Resistant
- Non-Corrosive hose fittings & nozzle
- Station includes storage tube & screw-out cover

Product Number	Description	
WDSB-"X"-"Y"-DP	Wash Down Station w/15' Blue Hose & Choice of Color & Nozzle	
WDSW-"X"-"Y" Wash Down Station w/15' White Hose & Choice of Color & No		
WDH-15B-"Y"-DP	Wash Down Hose Only - 15' Blue Hose & Choice of Nozzle	
WDH-25B-"Y"	Wash Down Hose Only - 25' Blue Hose & Choice of Nozzle	
WDH-15W-"Y"	Wash Down Hose Only - 15' White Hose & Choice of Nozzle	
WDH-25W-"Y"	Wash Down Hose Only - 25' White Hose & Choice of Nozzle	
WDN-1-DP	Nozzle Only - Pistol Grip Style	
WDN-2	Nozzle Only - Straight Style	
WDHBR-15B-B-DP	Wash Down Hose Only - 15' Blue Hose & Pistol Grip Nozzle	

[&]quot;X" Denotes color code: 1=Black 2=White

[&]quot;Y" Denotes nozzle type: B=Pistol grip C=Straight





WASH DOWN HOSE HOLDER STATION

- Surface mount affixes anywhere on deck
- Complete 25" wash down hose and nozzle
- Comes with 5' of supply hose to attach to wash down fitting

Product Number	Description
WDHH-25B-C-DP	Hose Holder with Blue Hose & Nozzle
WDHH-25W-C-DP	Hose Holder with White Hose & Nozzle













FSG-10XL FSGG2-11XL

FUEL SPLASH GUARDS

Product Number	Fill Type	Width	Length	Hole Size
FSG-1XL	Vent or Round	4-1/4"	7-5/8"	2"
FSG-2	Round Fill	4-1/4"	6-1/8"	2"
FSG-2XL	Round Fill	4-1/4"	7-5/8"	2"
FSG-3	Fits Perko #139	4-1/4"	6-1/8"	2"
FSG-3XL	Fits Perko #139	4-1/4"	7-5/8"	2"
FSG-8C	Round Carbon Fill System	6-5/8"	5-1/4"	2"
FSG-10XL	Round Fill	4"	7-1/2"	2-1/4"
FSGG2-11		6-1/8"	4-13/16"	1-1/4"
FSGG2-11XL		4-5/8"	7-1/2"	





PROP MASTER® PROP MASTER® PROPELLER WRENCH PROPELLER STOP



	1
Product Number	Description
PMW-1-DP	Propeller Wrench

- Fits all 1-1/16" Prop Nuts (40HP+)
- Rugged nylon resists stripping
- 9/16" Garboard drain socket
- Non-Corrosive in salt environment



roduct Number	Description
MPS-1-DP	Propeller Stop

- Simple to use
- Securely holds prop while changing



STEER STOP® STEERING LOCK

- Locks hydraulic steering when trailering
- Clips onto hydraulic steering rams
- Keeps engine straight and prevents damage to transom

Product Number	Description
SS-3-DP	STEER STOP Steering Lock Set - 4"



ANCHOR MASTER® Anchor Retrieval System

- Use boat's power to raise anchor
- Slip ring onto anchor line attach buoy line
- Run boat into current away from anchor set
- Buoy provides resistance Anchor raises
- 12" Buoy Stainless ring & snap Rope

Product Number	Description	Rope Type
AR-1-DP*	Complete ANCHOR MASTER® System	Poly
AR-1N-DP*	Complete ANCHOR MASTER® System	Tw Nylon
AR-0-DP	ANCHOR MASTER® Without Buoy	Poly
AR0-1-DP	Stainless Steel Ring Only	

^{*} Handles 20lb Fluke Style Anchor



MARINE GRADE VINYL CAP

- Protects bolt & screw threads
- Large sizes fit rod tubes

Product Number	Description	Length
VCAP-1.687	1-11/16"	1-1/2"
VCAP-2.125	2-1/8"	1-1/2"
VCAP-2.25	2-1/4"	1-1/2"
VCAP-2.625	2-5/8"	1-1/2"



AQUA CLIPS®

- Holds items securely
- Rugged poly & stainless steel spring resists sun & salt
- Fits standard 7/8" rail

Product Number	Description
AUC-2	White - Bulk Each
AUC-9	Blue - Bulk Each
AUC-2PR-DP	White - Packaged - 1 Pair
AUC-9PR-DP	Blue - Packaged - 1 Pair



GRAB HANDLES

- Molded, UV resistant grab handles
- Stainless Steel accent rings
- Soft overmold on firm handle

Product Number	Description
GHB-1-SS-DP	Soft Molded Grab Handle - Black
GHB-1G-SS	Soft Molded Grab Handle - Graphite Gray



- Molded UV Resistant
- Textured for sure grip
- Hidden fasteners

roduct Number	Description
HB-1-DP	Black
HB-1FW-DP	Fish White



LED GRAB HANDLE

- Fits standard T-H Marine Grab Handle footprint
- Coating is TRP rubber over a poly-blended structure
- Blue LED light
- Passed 400# pull test

Product Number

Description New! LED-GHBSS-B

LED Grab Handle - Blue



PEDAL PADDLE

- Keeps your trolling motor pedal accessible
- Takes the work out of controlling your boat
- Adjustable for maximum comfort

Product Number	Description
PEDP-1-DP	Pedal Paddle




MinnKota Trolling Motor HDWR0458 8x7/8 Phillips Oval Head SS Screw (4x)



Motorguide Trolling Motor HDWR0675 1/2 - 20 x 1-1/4" Phillips Flat Machine Screw (3x)







G-JUICE Freshwater & Saltwater

- Approved for use with THE OXYGENATOR®
- Non-toxic to humans, pets, and aquatic life
- Removes nitrites, ammonia, chlorine, chloramines, & heavy metals

M.	 Removes nitrites, ammonia, 		
	Freshwater		
DICE	Product Number	Size	
	U21-FW-DP	1 oz	
	U28-FW-DP	8 oz	
	U216-FW-DP	16 oz	
	U264-FW-DP	64 oz	
	U2.3FW-12PK-DP	1/3 oz (12 pad	

Saltwater

Product Number	Size
U28-SW-DP	8 oz
U216-SW-DP	16 aoz
U264-SW-DP	64 aoz



CONSERVATION CULL® SYSTEM

- Allows quicker culling
- Uses a stronger plastic clip to hold tight around the lip
- Buoy holder for quick and easy storage of each cull ball

Product Number	Description
GFC-CCSG2-DP	CONSERVATION CULL® System
GFC-WK-DP	CONSERVATION CULL® Weights



MINNOWMAKERTM

Specially concentrated solution designed to keep minnows healthy after the hatching process. This liquid concentrate dilutes perfectly for all minnow storage conditions: Minnow holding tanks, minnow transport, bait wells, bait buckets.

Product Number	Size
U2MM1-DP	1 oz
U2MM16-DP	16oz
U2MM128-DP	128oz



MR. CRAPPIE® CARE

- Specially formulated for Crappie, Panfish, Minnows & other Baitfish
- Replaces slime coat and helps stop bleeding
- Non-toxic to humans, pets and aquatic life

Product Number	Size
U2C1-FW-DP	1 oz
U2C8-FW-DP	8 oz
U2C64-FW-DP	64 oz
U2C128-FW-DP	128 oz
U23FW-12PK-DP	1/3 oz (12 pack)



OXYGENATOR®

- Produces 100% Pure Oxygen in Live Wells
- Keeps Catch Alive and Healthy
- 12 Volts Less Than 1 Amp

Product Number	Description
O2-BK3-DP	Packaged
O2-BKM3	Bulk OEM



MR. CRAPPIE® BAIT BLASTER FISHING LIGHT

- 18' Weighted Power Cable
- 360-degree Illumination

Product Number	Color
LED-34143-DP	Green

4.4 T-H Marine Catalog | Proudly serving the marine industry for over 45 years.



KONG® EXTREME Endorsed by Kevin VanDam

- Tames the largest beast of marine electronics
- Zero movement in the roughest water conditions
- Marine grade mount for freshwater or saltwater
- All 6061 T6 aircraft aluminum & SS

Product Number
SKLK-KONG-1-DP

Description

KONG® Extreme









KONG® WAVE TAMER

- Heavy gauge aluminum construction
- Protects electronics from extreme conditions
- Universal hole pattern, fits most electronic brackets

Product Number	Description
SKTM-F-BK-DP	KONG® Wave Tamer - Black
SKTM-F-R-DP	KONG® Wave Tamer - Red



MINI KONG®

- Unique "DOWEL PIN LOCK" no slip joints
- Quick release spring loaded base
- Multi-position pivot points in base
- Four models to fit any electronic unit
- Anodized aluminum stainless steel

Product Number	Description
SKLK-LAST-DP	Mini KONG® 5" arm - 6" top plate
SKLK-LALT-DP	Mini KONG® 5" arm - 12" top plate
SKLK-NAST-DP	Mini KONG® No arm - 6" top plate
SKLK-SAST-DP	Mini KONG® 3" arm - 6" top plate



WAVEAWAYTM SUNGLASS AND SCREEN CLEANER

Keep your screens clean and protected from the elements. Wave AwayTM is specifically formulated to clean and protect LCD screens. It is alcohol & ammonia free and designed to stick where it's sprayed. Kit includes a bottle of screen cleaner, microfiber cloth, and a velvet drawstring bag for storing.

Product Number Description

WAVE-15KIT-DP Wave AwayTM 1.5oz Kit



WAVEAWAY™ DISPLAY POP DISPLAY PACKAGING

Point of Purchase display box with 24 individual Wave AwayTM kits included.

Product Number Description

WAVE-15POP-DP Wave AwayTM POP Display Packaging



146

1147





HYDROWAVE® KVD

Product Number HW-PKG-H2KVD

- HYDROWAVE® is shock and water resistant
- Play or pause sounds easily
- Control volume
- Gain advantage in catching more fish

Kevin VanDam exclusive sound patterns:

Shallow Power Off Shore Schooling Shallow Finesse Off Shore Finesse Vegetation Marinas/Docks Top Water Schooling Crawfish Off Shore Structure

16 original sound patterns:

Power Pattern Feeding Frenzy Deep Bait Crawfish on Gravel Finesse Bait Blitz Delayed Schooling Schooling Blitz Crawfish on Sand Finesse Surface Bait Blue Back Finesse Spawning Bait Blue Back Frenzy Ultra Finesse Bream Bed Finesse Active Pads



HYDROWAVE® H2 WALLEYE

Product Number HW-PKG-H2WALL

9 sound patterns: Shad Passive

Shad Frenzy Shad Schooling Shad Spawning Perch Passive

Perch Bedding Perch Frenzy Crawfish Passive Crawfish Frenzy



HYDROWAVE® H2 BASS EDITION

Product Number HW-100038-11P

16 original sound patterns: Power Pattern Fe

Bait Blitz Delayed Schooling Schooling Blitz Surface Bait Spawning Bait Ultra Finesse Finesse

Feeding Frenzy Deep Bait Crawfish on Gravel Finesse Crawfish on Sand Finesse Blue Back Finesse Blue Back Frenzy Bream Bed Active Pads




INSHORE SALTWATER EDITION

Product Number HW-PKG-H2INSH

16 sound patterns:

Baitfish Frenzy Baitfish Passive Baitfish Schooling Baitfish Finesse Baitfish Ultra Finesse Baitfish Blitz Herring Frenzy Herring Passive

Croaker Frenzy Croaker Passive Crab Frenzy Crab Passive Mullet Frenzy Mullet Passive Shrimp Frenzy Shrimp Passive



HYDROWAVE® MR. CRAPPIE

Product Number HW-PKG-H2MRCRAP

8 sound patterns:

Brushpile Majic Spider Rigging Frenzy Tight Line Finesse Bait Balls

Busting Shad Finesse Power Trolling Frenzy Vertical Structure



HYDROWAVE® MINI MR. CRAPPIE

Product Number HW-PKG-MINIMRCRAP

This portable version of the HYDROWAVE includes two signature Mr. Crappie sounds, is shock and water resistant just like the original. Powered by a 9-volt battery, this unit lasts up to 6-8 hours.



HYDROWAVE® MINI

Color **Product Number** HW-PKG-MINI Gray **HW-PKG-ICEMINI** White (pictured) **HW-PKG-MINICAT** Black

HW-PKG-MINIWALL

ALL UNITS INCLUDE: Expansion port for additional sounds, waterproof speaker, 14' cord, mounting hardware

T-H Marine Catalog | Proudly serving the marine industry for over 45 years.



ACCESSORY BAG

HW-ASSY-2.OBAG

Includes everything needed to mount your existing HYDROWAVE® system on a new boat



12 VOLT KIT

HW-ASSY-MINI12VK

Allows your HYDROWAVE® mini to perform for a longer period of time on a larger power supply



H2 2ND BOAT PACKAGE

HW-PKG-2.OBOAT

Everything necessary for anglers to pre rig each individual boat with all the needed components to run a HYDROWAVE®



KVD SIGNATURE SERIES

HW-EXP-KVD

Kevin Van Damn lays out his most productive loops. Features 6 exclusive sound loops



BREAM MODULE

HW-EXP-BREAM

When the bluegills are popping and the frogs are hopping, the bass are most definitely chomping



CRAWFISH MODULE

HW-EXP-CRAW

Finely tuned to emit the sounds and vibrations that fish, feel, hear & sense.
Features 4 exclusive loops



TRANSOM BRACKET

HW-ASSY-SPKRTRM

Allows to mount the HYDROWAVE® speaker to the transom





STRIPER THUMP MODULE

HW-EXP-STRIP

No fish out there is more of a schooling feeder than a striped bass. Features 5 exclusive sound loops.



H2 REPLACEMENT SPEAKER

HW-ASSY-2.OSPKR

The HYDROWAVE® H2 Omni Directional 16 bit speaker offers CD quality sound



MINI MOUNTING BRACKET

HW-BKT-MINI-DP

Mounts the HYDROWAVE® MINI to any surface and allows easy removal when not in use



H2 MOUNTING BRACKET

HW-MNT-DP

Mounts the HYDROWAVE® to any surface and allows easy removal when not in use



HERRING MODULE

HW-EXP-HERR

The herring module holds 3 specific sounds perfectly emulating baitfish conditions



BAIT FISH MODULE

HW-EXP-BAIT

Tricking dominate fish like these into biting requires the angler to stumble into an active environment




MR CRAPPIE MODULE

HW-EXP-MRCRP

Features 8 extra sound loops to plug into H2

150





TACKLE TITAN® MEGA Magnetic Lure Management System

The patented TACKLE TITAN MEGA includes four pairs of Lure Hangers plus a galvanized metal mounting plate. Mount your system to the inside of a storage lid or sidewall to keep your lure collection safe and organized like never before.

Dimensions: 13"L x 1.75"H x 1.25"D

Stores 20 lures

Description **Product Number** TT-TLMS1-DP TACKLE TITAN® Management System



TACKLE TITAN® ORIGINAL

Magnetic Lure Holder & Organizer

The TACKLE TITAN* can hold your lures and tools firmly, and release easily when pressure is applied. Mounts on any flat surface with included 3M tape or

Dimensions: 13"L x 1.75"H x 1.25"D Stores up to 9 lures + magnetic shelf

Product Number	Description
TT-TITAN1-DP	TACKLE TITAN® Organizer (Black)
TT-TITAN2-DP	TACKLE TITAN® Organizer (White)



TACKLE TITAN® MINI Magnetic Lure Holder & Organizer

Dimensions: 6"L x 1.25"H x 1.25"D Holds: Up to 4 lures + magnetic top shelf

Product Number	Description
TT-MINI1-DP	TACKLE TITAN® Mini (Black)
TT-MINI2-DP	TACKLE TITAN® Mini (White)





TACKLE TITAN® GO-TO

FISHING LURE SYSTEM

TT-CGTTS1-DP Black White TT-CGTTS2-DP

Dimensions: 12"L x 1"H x 1"D Includes: 2 racks, 12 rings, mounting hardware



TACKLE TITAN® SUCTION CUP LURE FISHING LURE RACK

Black

White

TT-54251-DP

TT-54250-DP

Dimensions: 13.8"L x 3.4"H x 13.1"D Holds: 25 hook and lure slots, 1 knife slot



TACKLE TITAN® DUO

MAGNETIC LURE HOLDER (PAIR)

TT-TLMAN1-DP Black

Dimensions: 13"L x 1.75"H x 1.25"D Holds: Up to 10 lures + magnetic top shelf



TACKLE TITAN® LURE RACK

FISHING LURE RACK

TT-TTS1-DP TT-TTS2-DP Black White

Dimensions: 12"L x 1"H x 1"D Easy installation with screws or tape



TACKLE TITAN® HOLDER

KNIFE & PLIER HOLDER (WITH SUCTION CUPS)

TT-52071-DP

White

Dimensions: 4-1/8"W x 8-15/16"H x 3"D Holds 1 set of pliers and caribiners, 2 knives & 13 hook and lure holders



TACKLE TITAN® SINGLE

ELECTRONICS HOLDER

TT-52072-DP White

Dimensions: 6-1/2"W x 5-1/4"H x 3-1/4"D Easy installation with two suction cups



TACKLE TITAN® LARGE CADDY

ELECTRONICS HOLDER

TT-52070-DP White

Dimensions: 11-3/4"W x 3-5/8"H x 5-1/2"D Easy installation with two suction cups



TACKLE TITAN® DRINK HOLDER SINGLE DRINK HOLDER

TT-52076-DP White

Dimensions: 6"W x 4"H x 4-3/8"D Drink holder with two suction cups

132

18

110

111

111

111

111

111

111

111

111

119 110

40

26

32-33

115

109

114

114

28-29

28-29

29-30

29

30

29

119

39 38

31

44

27

41

27

22

106

106

13

125

115 80

107

107 107

107 113

37 128

13 144-145

72

42

91

103 43

43

40

94

41

48-51

42-44

133-134

92-99

125-127

104-105

Folding Drink Holder	125	LANE BLASTER™	58
FOOT TRIM®	14	Large Rectangular Scupper	40
Frame Top Battery Tray	134	LED Afterburner Underwater	79
Front & Rear Deck Kit	107	LED Combination Bow Navigation Light	99
Front Deck Kit	107	LED Companion Way Lights	94
Fuel Container Hold-Down Kit	132	LED Connection Wire	119
Fuel Hose Port	69	LED Courtesy Companion Way Lights	95
Fuel Splash Guards	138	LED Courtesy/Accent Light	95
G-H-I-J		LED Cup Holder Accent Ring	105
		LED Cup Holder Insert	105
G-FORCE® ELIMINATOR PROP NUT™	56	LED Cyber 400S	83
G-FORCE® Equilizer™	57	LED Cyberlite	83
G-FORCE® Grass Goat™	55	LED Docking Light	83
G-FORCE® Handle G-FORCE® Silencer™	56	LED Dome Light - Motion Activated	99
G-FORCE® TROLL JACKET®	56 55	LED Dome Light - Oblong LED Dome Light - Round	99 98
G-FORCE TROLL PERFECT®	55	LED Flat Rope Lights	89
G-FORCE TROLL FERFECT	57	LED Flat Rope Lights - RGB	89
G-JUICE® Freshwater & Saltwater	144	LED Flex Strip Bow Light	101
Gaskets	47	LED Flex Strip Light	88
Gate/Door Stop	129-130	LED Flex Strip Light with Track	90
Gauge Kit	10	LED Flex Strip Lights	90
GEN 1 - Underwater LED	78	LED Folding Stern Light	102
GEN-1 RGBW LED Controller	87	LED Grab Handle	141
Glove Box	29	LED Lighting Kit for Boats	83
Grab Handles	141	LED Lighting Kit for Trailers	83
Handle Locks, Anchor	26	LED Low Profile Dome Light	98
Hard Tonneau Cover Lighting	112	LED Low Profile Round Dome	98
Hatch Support Springs	30	LED Low Profile Snap Flex	103
Heavy duty cable cover	55	LED Mini Accent Light	96
HI-JACKER® Fixed Jack Plate	12	LED Mini Spreader	82
HI-JACKER® Jack Plate	12	LED Module Pod Light Strings	91
High Intensity LED	80	LED Module String Light Kit	87
High or Low Blacklight Strips	108	LED Oblong Courtesy Lights	96
High Output Blacklight Kit	108	LED Oval Lights with Push-In Button Lens	95
Hold-Down Kit	132	LED Rail Lights	97
Hole Shot Plates	10	LED Round Companion Light	97
Hose Clamps	70, 71	LED Side Docking Light	83
HOT FOOT® Foot Throttle	15	LED Speaker Accent Ring	105
HOT FOOT® Pro Top Load Foot Throttle HOT FOOT® Slide Mount	15 15	LED Stern Light - Adjustable Length LED Stern Light - Fixed Lengths	102 102
Hot Shot™ Hole Shot Plates	10	LED Stern Light - Tixed Lengths LED Super Spreader Light	83
Houseboat Party Top Deck	116	LED Surface Mount Dome Light	92
Houseboat Patio Lighting	115	LED Utility Strip Light - Slim Line	96
Houseboat Patio Plus	115	Lid & Hatch Support Springs	30
HYDRA® Battery Terminal Multiplier	137	Lid Lifts	31
HYDRA® Cable Extender	137	Light Clips	135
HYDRA® Cover	137	Light Kits	84-87
Hydraulic Jack Plate	9	Linear Lighting	88-91
Hydraulic POWER-LIFT® Transom Jacks	19	Livewell Aeration	36
HYDROWAVE® Accessories	150-151	Livewell Overflow Tube	46
HYDROWAVE® H2 Bass Edition	149	Livewell Venturi	36
HYDROWAVE® H2 Walleye	149	Livewell/Cooler Light	108
HYDROWAVE® Inshore Saltwater Edition	149	Livewell/Courtesy Lights	94
HYDROWAVE® KVD	148	LOC-R-BAR® Boat Security System	123
HYDROWAVE® Mini	149	Louvered Vent Covers	44
HYDROWAVE® Mini Mr. Crappie	149	Low Impact Blacklight Kit	108
HYDROWAVE® Mr. Crappie	149	Low Profile Twist-Out Deck Plates	33
Impact & Push-In Drains	43	Male Connectors	119
Individual Light Strips	116	Manual POWER-LIFT® Transom Jacks	20
Inline Fuse Holder	119	Marine Grade Vinyl Cap	140
Inline Scupper	40	MAX-AIR® Livewell Venturi	36
Jack Plate	9, 11-12	MICRO JACKER®	10
K-L-M		MINI JACKER®	12
KONG® Extreme	146	Mini KONG® Mini LED Dual Mount	146 93
KONG® Wave Tamer	146	Mini Rocker On/Off Switch	119
NONG WAVE TAINET	170	min nother on on switch	113

INDEX - PRODUCT NAME

Mini Underwater LED Light	79	Push Button Switch	119
	45	Push-In LED Cockpit Light	93
Miniature Stainless Aerator Screen			
MinnowMaker™	145	Push-In LED Utility Light	93
Molded Drink Holders	126	Push-In Plug for Drains	44
Molded Nylon Cleats	128	Push-In Tubes, drain	46
Molded Rod Racks	64	Push-Together Scuppers	41
Motion Activated LED	99	O D C	
Motor Adapter	23	Q-R-S	
Motor Stik®	124	QUAD LED Module Light	98
Motorcycle Lighting	115	QUICK FLUSH®	124
Mounting Kits	132	Quick Release Deck Plate	33
	91	-	
Mounting Track & Track Ends		Quick Wire Splice	119
Mr. Crappie® Bait Blaster Fishing Light	145	Recessed Flush Mount LED	82
Mr. Crappie [®] Care	145	Recessed LED Puck Lights	93
$M \cap D$		Recessed Threaded Thru-Hull Scuppers	42
N-O-P		Reducer Fittings	50
Nautical Slam Latches	26	Reinforcing Rings for Cable Boots	74
Nav Light Bases - 2 Prong	103	Removable Cup Holder	126
Navigation Lights	100-103	Replacement Lift & Release Cord	56
Night Blaster Deck Kit	107	Replacement Skegs	16
Night Blaster Kayak Lighting	115	Replacement Straps, battery	133
			31
Nipple Fittings	51	Restrains Doors, Hatches & Lids	
Nylon Cable Ties	72	RGBW LED Light Controller	87
Oblong Angled Cable Cover	75	Rigging Hose Kit	70
Oetiker® Hose Clamps	70, 71	Rigging Hose, Flange, & Kits	69-70
Oetiker® Stepless® Ear Clamp Kit	70	Rod Grommets	64
Oetiker® Stepless® Ear Hose Clamps	70, 71	Rod Holder Drain Caps	65
Oval Courtesy Light	99	Rod Holders	62, 65
Oval Courtesy Light/Rock Light	99	Rod Locker Kit	106
Oval Grommet	75	Rod Racks	64, 65
Oval Recessed Spreader LED	82	Rod Storage Holders	62
Overflow Drain Tubes	46	Rod Straps	62
Overflow Drains With Filter	44		62
		ROD TAMER® Rod Straps	63
Overflow Fittings with Filters	47	Rod Tubes	
Overland Trailer Lighting	116	Rod Tubes & Vinyl Caps	63
OXYGENATOR®	145	Rope Grommets	75
Paddle Keeper	133	Rub Rail Fittings	130
Pedal Paddle	141	Rubber Draw Down Latch	27
Pedestal Base Plug	64	SAF-T-STOP® Ignition Kill Switches	17
Plumbing Fittings	48-51	Screw Down Deck Plates	32-33
Plumbing Kit	37	Screw In Tubes, drain	46
Pontoon Awning Lighting	116	Scuppers	40-43
Pontoon Boat Floor Lighting	116	Seacock Remote Operation Arm	48
Pontoon Door Stops	128-129	Seat Pedestal Drains	43
Pontoon Fender Hanger Clips	128	Shock Cords	135
Pontoon Finger Guard	129	Single LED Module Light	97
		8	
Pontoon Gate Holders	130-131	Slam Latches	26
Pontoon Gate Latch	130-131	Small Space Light Pair	107
Pontoon Interior Deck Lighting	116	Snap Flex Stern Light	103
Pontoon Light Kit (Blue)	86	Soft Molded Grab Handle	141
Pontoon Light Kit (RGB)	86	Space Saver Battery Holder Trays	133-134
Pontoon Light Kits	86-87	Specialty Thru-Hull Fittings	49
Pontoon Rail Shims	129	Splash Well Drains	42
Pontoon Splash Guard Deflector	129	Spreader Lights	82-83
Position Indicator Gauge Kit	18	Stainless LED Puck Lights	92
Power Pole Lighting Kit	109	Stainless Steel Indirect LED	97
POWER-LIFT®	20-21	Stainless Steel LED	80
POWER-LIFT® Transom Jacks	19	Stainless Steel LED Stainless Steel No Step Cup Holder	126
	127	Stainless Steel Oval LED	80
Premium Flexible Cup Holder			
Premium LED	79	Stainless Steel Wire Mesh Strainers	45
Pro Boat Kit	106	Standard Golf Cart Kit	115
Pro HI-JACKER® Jack Plates	11	Standard Kayak Lighting	115
Pro Trailer Kit	109	Standard Utility Trailer Lighting	114
PRO-AIR SYSTEM® Livewell Aeration	36	Star Bus Awning Lighting	114
PROP MASTER® Propeller Stop	139	Star Bus Lighting	114
PROP MASTER® Propeller Wrench	139	Static Set Back Plate	21
Prop Spot™ Spare Prop Retainer	132	Steer Stop® Steering Lock	139
- b - b - c - c - c - c - c - c - c - c			

Steering Console Mount	13.
Steering Wheel Trim Control	1.
Straight Fitting, thru-hull	4
Suction Cup Lever Tie Down	13:
Sun Gloves	14
SUNGLASS AND SCREEN CLEANER	14
SURE FOOT® Trolling Motor Switches	5:
SURE-SEAL®	30-3
SURE-SEAL® Access Hatches	3
SURE-SEAL® Deck Plates	32-3
SURE-SEAL® Oval Deck Plates	3:
SURE-SEAL® Tackle Tray Boxes	3
Sure-Seal® VERSATUBE® Low Profile	3
T-U-V	
1-0-7	
T Fittings	50-5
T-H Flex™ Sleeving	6
T-Tap & Male Connectors	11
TACKLE TITAN®	
	152-15
TACKLE TITAN® Mega	15:
TACKLE TITAN® Drink Holder	15
TACKLE TITAN® Duo	15-
TACKLE TITAN® Foam Lure Rack	154
TACKLE TITAN® Go-To	15
TACKLE TITAN® Holder	15
	15
TACKLE TITAN® Large Caddy	
TACKLE TITAN® Lure Rack	15
TACKLE TITAN® Mini	15:
TACKLE TITAN® Original	15:
TACKLE TITAN® Single	15
TACKLE TITAN® Suction Cup Lure	15
Tackle Tray Boxes	29-3
Tee-Reducing, fittings	5
Tees, fittings	50-5
Threaded Drains	4
Throttle Control Mount	13.
Thru-Hull Fittings	48-5
Thru-Hull Strainer Mounts	4
Thru-Hull Washer/Gaskets	4
Tilt N' Trim	2:
Tilt N' Trim Specifications	2
Torque Tab	1
Total Boat Kit	10
Trailer Cutout Step Light	10:
Trailer Kit	10:
Trailer Reverse Light Strips	10
Transom Clamp Motor Adapter	2
Transom Jack Specifications	2
Transom Jacks	1:
Transom Spacer for Pontoon Boat	2:
Transom Support Plates	1
Transom Trim Control	1:
Transom Washer Plates	1:
	1
Transom Wedges	
Tri-Shape Rigging Flange	6:
Trim Control	1:
Trim Control for Hydraulic Helms	1
Trim Handle	1
TRIPLE LED Module Light	9:
Triple LED Storage Light	9
Trolling Motor Circuit Breaker Kit	5:
Trolling motor control enhancer	5.
Trolling Motor Lift Assist	5
Trolling Motor Mount	5
Trolling motor parts	53-5
Trolling Motor Vibration Pads	5
Truck Bed Blaster	11
וועכע שבע שנמטנבו	11.

Truck Bed Lighting	112
Truck Topper Lighting	113
Tumbler Cupholder	127
Two-Way Boat Alarm System™	123
Ultimate Deck Kit	107
Ultimate Salt Water Deck Kit	109
Ultimate Trailer Kit	109
Undercarriage Lighting	112
Underwater Lights	78-80
USB outlet	131
Utility Flanges	68
Utility Grommets	75
Utility Storage Clips	46
Utility Trailer Lighting	114
Utility Truck Lighting	116
Vent Hose Flanges	73
VERSATUBE®	31
Vertical Extension	21
Vinyl Caps	63
W-Z	
	20
Wash Down Fittings Wash Down Hose Holder Station	38 138
	138
Wash Down Station & Hose	36
Water Scoop	147
WaveAway™ Display	147
WaveAway™ Display Windshield Fastener	133
Wire Cover	73
Wire Cover Wire Harness Hanger	75
Wireless RF Controller	87
	50
Y-Fitting Z-Launch™	124
Z-Launch** Z-LOCK® Hole Shot Plates	124
Z-LOCK® Manual Jack Plates	10
Z-LOCK [®] Manual Jack Plates Zinnered Rigging Sleeves	68



6077	18	16700012	70	AHJ-12VHD-DP	9	ASA-1	41
13001	22	16700013	70	AHJ-14V-DP	9	ASA-2	41
13001	23	16700016	70	AHJ-14VHD-DP	9	ASA-1SS	41
13002	22	16700017	70	AHJ-4V-B-DP	9	ASM-5-DP	45
13002	23	16700020	70	AHJ-4V-DP	9	AUC-2	140
13003	23	16700024	70	AHJ-4VHD-B-DP	9	AUC-2PR-DP	140
13022	23	16700031	70	AHJ-4VHD-DP	9	AUC-9	140
13032	23	16700037	70	AHJ-6V-B-DP	9	AUC-9PR-DP	140
20000	18	16700040	70	AHJ-6V-DP	9	BBC-1-DP	59
20022	18	16705000	70	AHJ-6VHD-B-DP	9	BBC-1P	59
20032	18	16705989	70	AHJ-6VHD-DP	9	BCORD-14B	135
20122	16	18500000	71	AHJ-8V-B-DP	9	BCORD-14BW	135
40012	20	HW-BKT-MINI-DP	150	AHJ-8V-DP	9	BHF-27S-DP	134
40012	21	HW-MNT-DP	150	AHJ-8VHD-B-DP	9	BK-1-DP	13
50012	21	004B-C-DP	72	AHJ-8VHD-DP	9	BS-1-42SS-DP	133
50012	21	004B-M-DP	72	AHJACT-3-DP	9	BS-1-42SS-DP	134
52100	22	005B-M-DP	72	AHJHSP-10V-DP	10	BS-1-54SS-DP	133
52100	23	007B-C-DP	72	AHJHSP-12V-DP	10	BS-1-DP	133
55012	21	007B-M-DP	72	AHJHSP-14V-DP	10	BS-1-DP	134
61001	19	008B-C-DP	72	AHJHSP-4V-DP	10	BSK-1SS	133
61002	19	008B-M-DP	72	AHJHSP-6V-DP	10	BSK-1SS-DP	132
61002	21	011B-C-DP	72	AHJHSP-8V-DP	10	BSR-1-FH	72
61012	21	011B-M-DP	72	AHJHSP-T-10V-DP	10	BSR-1K-CB-DP	72
61301	19	014B-C-DP	72	AHJHSP-T-12V-DP	10	BSR-1K-DP	72
61302	19	014B-M-DP	72	AHJHSP-T-8V-DP	10	BWF-1-DP	45
65001	19	055B-C-DP & 055B	72	AHJM-4-DP	11	BWK-2-DP	37
65002	19	075B-RAD-C-DP	72	AHJM-CMA-DP	11		31
			72	AHJMTR-1-DP	9	C-D	
65002	21	075B-RAD-M-DP			9	_	26
65012	20	145B-C-DP	72	AHJMTR-2-DP		CAM-ZA	26
65012	21	16700001X-DP	70	AHJRELAYKIT-2-DP	9	CAM-ZCXL	26
65013	20	16700004X-DP	70	AHJSWITCH-1-DP	9	CB-1-DP	74
65213	21	16700006X-DP	70	AHV-1-DP	39	CB-1FW-DP	74
65301	19	16700007X-DP	70	AHV-90-DP	39	CB-1W-DP	74
65302	19	16700010X-DP	70	AHV-92-DP	39	CB-2-DP	74
65501	19	16700012X-DP	70	AHVWD-90-DP	37	CB-2FW	74
65501	21	16700013X-DP	70	AHVWD-92-DP	37	CB-2W-DP	74
65502	19	16700016X-DP	70	AL-1 -DP	26	CB-4-DP	74
65502	21	16700017X-DP	70	AL-2-DP	26	CB-4FW	74
65512	20	16700020X-DP	70	ALC-1 -DP	26	CB-4W-DP	74
65512	21	16700024X-DP	70	ALC-2-DP	26	CBBK-1-DP	59
70012	20	16700031X-DP	70	ALCN-1-DP	26	CBG-1-DP	73
90012	20	16700037X-DP	70	ALCN-2-DP	26	CBG-2-DP	73
14100396	70	16700040X-DP	70	ALS-1	26	CBG-4-DP	73
14100396	71	16705989X-DP	70	APD-1-DP	42	CBO-1	74
15500003	71	55012	20	APD-118	42	CBO-4	74
15500006	71	61012	20	APD-190-DP	42	CBR-1-DP	74
15500007	71	65213	21	APD-190F	42	CBR-2-DP	74
15500008	71	70012	21	APD-190F	49	CBR-4-DP	74
15500009	71	7014G	11	APD-190F	49	CDS-MCP-DP	74
15500010	71	90012	21	APD-190FT	39	CDS-MCP716	74
15500011	71			APD-1F	42	CLEAT-4.5-DP	128
15500012	71	A-B		APD-2-DP	42	CLEAT-6-DP	128
15500015	71	AAC-1-DP	36	APD-290-DP	42	CLEAT-8-DP	128
15500016	71	AF-1-DP	45	APD-290F	49	CMK-1-DP	132
15500022	71	AFD-2-DP	47	APD-290F	49	CRI-1-DP	73
15500022	71	AH-90	39	APD-290F-DP	42	CRI-1FW-DP	73
15500023	71	AH-92	39	APS-1-DP	132	CS-1-DP	73
15500031	71		9	AR-0-DP	140	CS-1-DP CS-1SS	73
	71	AHJ-10V-B-DP	9	AR-1-DP	140		73
16700001		AHJ-10V-DP				CS-2-DP	
16700004	70	AHJ-10VHD-B-DP	9	AR-1N-DP	140	CS-SS-3	73
16700006	70	AHJ-10VHD-DP	9	AR0-1-DP	140	CS-SS-3-B	73
16700007	70	AHJ-12V-B-DP	9	AS-1-DP	45	CSD-90	40
16700010	70	AHJ-12V-DP	9	AS-1-DP	45	CSD-92-DP	40
16700011	70	AHJ-12VHD-B-DP	9	AS-2-DP	45	CSD-92WO	40

CSS-1-DP	73	ECR-1-DP	130	GFEL-LG-BK-DP	56	HCE-K-DP	137
CSS-1SS-DP	73	ECR-2-DP	130	GFEL-LG-R-DP	56	HDSS-0714	28
CSS-2-DP	73	EJT-1-DP	14	GFEL-MG-BK-DP	56	HDSS-1013	28
DAH-45	39	ELCT0163	11	GFEL-MG-BU-DP	56	HDSS-1115	28
DAH-90	39	ELL- 3/4-DP	50	GFEL-MG-C-DP	56	HDSS-1119	28
DAHI-118	39	ELL-112-DP	50	GFEL-MG-R-DP	56	HDSS-1119-1-DS	28
DAHIK-118-DP	39	ELL-118-DP	50	GFEL-MGT-BK-DP	56	HDSS-1317	28
DAHIK-750-DP	39	ELL-3/8	50	GFEL-MGT-R-DP	56	HDSS-1324	28
DBAS-1W	43	EYE-1	135	GFEL-MK-BK-DP	56	HDSS-1330	28
DBBS-1G	43	EYESS-1	135	GFEL-MK-BU-DP	56	HDSS-1330-1-DS	28
DBH-27-SC-DP	134	EZ-BLK-1-DP	37	GFEL-MK-C-DP	56	HDSS-1620	28
DBH-27P-DP	134	EZ-BLK-2-DP	37	GFEL-MK-R-DP	56	HDSSL-0714	28
DBS-2B-DP	41	EZ-SND-1	37	GFEL-MK-W-DP	56	HDSSL-1115	28
DLSL-1E	26	EZ-WHT-1DP	37	GFEL-MKS-BK-DP	56	HDSSL-1119	28
DLSL-1N	26	EZ-WHT-2-DP	37	GFEL-MKS-BU-DP	56	HDSSL-1317	28
DLSL-1S	26	FA-3/4	50	GFEL-MKS-C-DP	56	HDSSL-1324	28
DLSL-1W	26	FA-90	50	GFEL-MKS-R-DP	56	HF-1-DP	15
DP-1-DP	44	FAGK-1-DP	10	GFEQ-MG-BK-DP	57	HF-1CT-DP	15
DP-1FS	44	FAGK-1SS-DP	10	GFEQ-MG-BU-DP	57	HF-1T-DP	15
DP-2-DP	44	FAGK-2-DP	10	GFEQ-MG-R-DP	57	HFM-1-DP	15
DPCAM-6	33	FAGK-2SS-DP	10	GFES-BLK-DP	56	HFS-1-DP	15
DPCAM-8	33	FCH-1-DP	132	GFES-RED-DP	56	HS-1	30
DPOVAL-6D	32	FCS-1-DP	59	GFGG-MG-DP	55	HT-1-DP	14
						HW-100038-11P	
DPP-6	33	FCS-2-DP	59	GFGG-MKL-DP	55		149
DPS-4	33	FD-2-DP	43	GFGG-MKS-DP	55	HW-ASSY-2.OBAG	150
DPS-6	33	FD-2W-DP	43	GFH-1G-DP	56	HW-ASSY-2.OSPKR	150
DPSLP-4	33	FD-4-DP	43	GFH-1R-DP	56	HW-ASSY-MINI12VK	150
DPSLP-4S	33	FD-4W-DP	43	GFH-CA1R-DP	56	HW-ASSY-SPKRTRM	150
DPSLP-5	33	FDP-4WS	43	GFTJ-1-DP	55	HW-EXP-BAIT	151
DPSLP-5S	33	FF-150	44	GFTP-MG-BK-DP	55	HW-EXP-BREAM	151
DPSLP-6	33	FFBT-D-DP	13	GFTP-MG-LG-DP	55	HW-EXP-CRAW	151
DPSLP-8	33	FFBT-S-DP	13	GFTP-MG-R-DP	55	HW-EXP-HERR	151
DRS-1-DP	31	FG-150	40	GFTP-MGX-BK-DP	55	HW-EXP-KVD	151
DRS-16	31	FH-SSC-DP	128	GFTP-MGX-LG-DP	55	HW-EXP-MRCRP	151
DRS-16HD	31	FLX-125-DP	68	GFTP-MGX-R-DP	55	HW-PKG-2.OBOAT	150
DRS-1HD	31	FLX-150-DP	68	GFTP-MK-BK-DP	55	HW-PKG-H2INSH	149
DRS-20	31	FLX-200-DP	68	GFTP-MK-BU-DP	55	HW-PKG-H2KVD	148
DRS-4	31	FLX-25-DP	68	GFTP-MK-LG-DP	55	HW-PKG-H2MRCRAP	149
DRS-5	31	FLX-50-DP	68	GFTP-MK-R-DP	55	HW-PKG-H2WALL	149
DRS-7	31	FLX-75-DP	68	GH-1G	130	HW-PKG-ICEMINI	149
DRS-9	31	FLXB-125	68	GHB-1-DP	141	HW-PKG-MINI	149
DS-1L-DP	129	FLXB-150	68	GHB-1-SS-DP	141	HW-PKG-MINICAT	149
DS-1LB	129	FLXB-150FR	68	GHB-1FW-DP	141	HW-PKG-MINIMRCRAP	149
DS-1R-DP	129	FLXB-50	68	GHB-1G-SS	141	HW-PKG-MINIWALL	149
DS-1RB	129	FLXB-75	68	GL-1-DP	131	HYBT-320-DP	137
DS-2L	129	FMS-1-0-DP	40	GL-2-DP	131	HYBT-3C-DP	137
DS-2LB	129	FRH-1P-DP	62	GS-1-DP	130	HYBT-5C-DP	137
DS-2R	129	FSG-10XL	138	GT-1.375	63	ILS-1200-DP	40
DS-2RB	129	FSG-1XL	138	GT-1.700	63	ILS-1500-DP	40
DSPL-0310-2-DW-SMK-WS	29	FSG-2	138	GT-2.250	63	ILS-750-DP	40
DSPL-0310-2-PW-SMK-WS	29	FSG-2XL	138			IPD-1000	43
DSSDP-1-1-DP	32	FSG-3	138	H-I-J		IPD-1000-5	43
DSSDP-1-2-DP	32	FSG-3XL	138	HAT-1115	30	IPD-1002	43
DSSDP-2-1-DP	32	FSG-8C	138	HAT-1317	30	IPD-580	43
DSSDP-2-2-DP	32	FSGG2-11	138	HATL-1115	30	IPD-582	43
DUSB-1-DP	131	FSGG2-11XL	138	HATL-1317	30	JP-1A-DP	12
DUSB-2-DP	131	FSRK-3-DP	72	HC-10-DP	71	JP-4FA-DP	12
DUSB-3-DP	131	GDP-1-CB-DP	44	HC-12-DP	71	JP-4FAHD-DP	13
DWC-1-DP	73	GDSLPB4-0714	29	HC-16-DP	71	JP-6PW-DP	11
		GDSS4-0714	29	HC-24-DP	71	JPZ-10-DP	11
E-F-G		GFC-CCSG2-DP	144	HC-28-DP	71	JPZ-12-DP	11
EBL-1-DP	13	GFC-WK-DP	144	HC-4-DP	71	JPZ-4-DP	11
EC-150N	130	GFEL-GF-BK-DP	56	HC-6-DP	71	JPZ-6-DP	11
ECMW-2	130	GFEL-GF-R-DP	56	HC-8-DP	71	JPZ-8-DP	11
				<u> </u>		-	

JPZHSP-10	10	LED-32713-DP	78	LED-39275-DP	90	LED-51898-DP	93
JPZHSP-6	10	LED-32714-RGBW-DP	78	LED-39275-DP	91	LED-51900-DP	80
JPZHSP-8	10	LED-33240-DP	97	LED-39276-DP	90	LED-51901-DP	80
K-L		LED-33242-DP	97	LED-39276-DP	91	LED-51905-DP	82
		LED-33249-DP	98	LED-39277-DP	90	LED-51913-DP	82
KEY-2	26	LED-33250-DP	98	LED-39277-DP	91	LED-51946-DP	88
KS-1-DP	17	LED-33251-DP	98	LED-39306-DP	101	LED-51947-DP	88
KS-12	17	LED-33255-2KT-DP	85	LED-39308-DP*	90	LED-51948-DP	88
KS-2-DP	17	LED-33255-6KT-DP	85	LED-39310-DP*	90	LED-51949-DP	88
KS-22-DP	17	LED-33255-DP	99	LED-39312-DP*	90	LED-51950-DP	88
L-4-DP	17	LED-33256-2KT-DP	85	LED-39320-DP	90	LED-51951-DP	88
LB-ADAPTER/1A-DP	123	LED-33256-6KT-DP	85	LED-39321-DP	90	LED-51952-DP	88
LB-LCK110DBA	123	LED-33256-DP LED-33257-2KT-DP	99 85	LED-39330-DP LED-39331-DP	90 90	LED-51953-DP LED-51954-DP	88 88
LB-LRBS113S LB-SET-BKS-03A-03B	123	LED-33257-2KT-DP	85	LED-39540-DP	94	LED-51955-DP	88
LB-TLRLCK-DP	123	LED-33257-DP	99	LED-39540-DP	96	LED-51956-DP	88
LCH-1-DP	125	LED-33258-DP	78	LED-39685-DP	91	LED-51957-DP	88
LCH-1RC-DP	126	LED-33259-DP	78	LED-39686-DP	91	LED-51959-DP	88
LCH-1SR-DP	126	LED-33260-DP	78	LED-39687-DP	91	LED-51963-DP	88
LCH-1SS-DP	125	LED-33267-DP	90	LED-39688-DP	91	LED-51965-DP	88
LCH-1SS-NS-DP	126	LED-33268-DP	90	LED-39690-DP	82	LED-51966-DP	88
LCH-1SSRC-DP	126	LED-33269-DP	90	LED-39691-DP	82	LED-51977-DP	93
LCH-1W-DP	125	LED-33270-DP	90	LED-39857-DP	98	LED-51978-DP	93
LCH-1WS-DP	125	LED-33271-DP	90	LED-39859-DP	98	LED-52000-DP	101
LCH-52012-DP	125	LED-33272-DP	90	LED-39901-DP	83	LED-59265-DP	91
LCH-52016-DP	125	LED-33273-DP	90	LED-4093DL-PLG -DP	83	LED-59266-DP	91
LCH-DKS-2	127	LED-33274-DP	90	LED-51800-DP	96	LED-59267-DP	91
LCH-SS-XL	127	LED-33275-DP	90	LED-51801-DP	96	LED-59268-DP	91
LCH-SS-XL-P	127	LED-33276-DP	90	LED-51803-DP	96	LED-6BL-B-DP	99
LCH-SSNS-RI-DP	126	LED-33276-DP	90	LED-51805-DP	96	LED-6BL-G-DP	99
LED-11BL-A-DP	99	LED-33278-DP	90	LED-51806-DP	96	LED-6BL-W-DP	99
LED-11BL-B-DP	99	LED-33279-DP	90	LED-51810-DP	96	LED-71000-DP	99
LED-11BL-G-DP	99	LED-33280-DP	90	LED-51811-DP	96	LED-72000-DP	99
LED-11BL-R-DP	99	LED-33282-DP	90	LED-51816-DP	94	LED-BNAVC-1BK-DP	100
LED-11BL-RGBW-DP	99	LED-33308-2KT-DP	85	LED-51818-DP	94	LED-BNAVC-2C-DP	100
LED-11BL-W-DP	99	LED-33308-6KT-DP	85	LED-51819-DP	94	LED-BNAVS-1	101
LED-14044-RGB-DP	93	LED-33308-DP	99	LED-51820-DP	94	LED-BNAVSSEYE-1	101
LED-319DL-DP	83 79	LED-33309-2KT-DP LED-33309-6KT-DP	85 85	LED-51822-DP LED-51823-DP	94 96	LED-BTKIT-BLUE LED-BTKIT-GREEN	84 84
LED-32484-DP LED-32485-DP	79	LED-33320-DP	97	LED-51824-DP	96	LED-BTKIT-GREEN	84
LED-32539-DP	78	LED-33320-DF LED-34143-DP	145	LED-51825-DP	96	LED-BTKIT-WHT	84
LED-32540-DP	78	LED-34160-DP	87	LED-51827-DP	92	LED-BTSL-24-DP	102
LED-32628-DP	98	LED-34180-DP	98	LED-51828-DP	92	LED-BTSL-36-DP	102
LED-32636-DP	99	LED-34185-DP	98	LED-51829-DP	92	LED-CHI-B-DP	105
LED-32638-DP	99	LED-34185-DP	100	LED-51830-DP	92	LED-CHI-G-DP	105
LED-32648-RGB-DP	97	LED-34190-DP	97	LED-51831-DP	92	LED-CHI-R-DP	105
LED-32650-6KT-RGB-DP	85	LED-34287-DP	79	LED-51832-DP	92	LED-CHI-RGB-DP	105
LED-32650-RGB-DP	99	LED-39024-DP	95	LED-51847-DP	93	LED-CHI-W-DP	105
LED-32651-2KT-RGB-DP	85	LED-39027	95	LED-51848-DP	93	LED-FML-BTS	92
LED-32651-6KT-RGB-DP	85	LED-39034-DP	95	LED-51849-DP	93	LED-GHBSS-B	141
LED-32651-RGB-DP	99	LED-39050	95	LED-51857-DP	97	LED-LCH-BU-DP	104
LED-32658-RGBW-DP	93	LED-39060-DP	79	LED-51858-DP	97	LED-LCH-G-DP	104
LED-32660-RGBW-DP	95	LED-39061-DP	79	LED-51866-DP	80	LED-LCH-R-DP	104
LED-32660-RGBW-DP	97	LED-39062-DP	79	LED-51867-DP	80	LED-LCH-W-DP	104
LED-32661-RGBW-DP	96	LED-39100-DP	97	LED-51868-DP	80	LED-LCHSS-NS-B-DP	104
LED-32665-RGBW-DP	95	LED-39101-DP	97	LED-51874-DP	94	LED-LCHSS-NS-RGB-DP	104
LED-32667-RGBW-DP	96	LED-39113-FB-RGB	93	LED-51875-DP	94	LED-LCHSS-NS-W-DP	104
LED-32670-RGBW-DP	96	LED-39115-FB-RGBW	93	LED-51876-DP	95	LED-LCHSS-NSRI-B	105
LED-32674-RGBW-DP	96	LED-39120-DP	82	LED-51880-DP	93	LED-LCHSS-NSRI-G-DP	105
LED-32675-RGBW-DP	96	LED-39122-DP	82	LED-51891-DP	95	LED-LCHSS-NSRI-R-DP	105
LED-32696-RGBW-DP	80	LED-39216-DP	96	LED-51892-DP	94	LED-LCHSS-NSRI-RGB-DP	105
LED-32696-RGBW-DP	80	LED-39216-DP	96	LED-51894-DP	95	LED-LCHSS-NSRI-W-DP	105
LED-32711-DP	78	LED-39218-DP	96	LED-51895-DP	94	LED-LPBNAV-1-DP	100
LED-32712-DP	78	LED-39224-DP	96	LED-51897-DP	92	LED-LPNAV-1-DP	101

LED-LPNAV-2-DP	101	LED-SM22-B-DP	89	LEDBW-301	115
LED-LPNAV-3-DP	101	LED-SM24-B-DP	89	LEDBW-302	115
LED-NAV-34197-DP	100	LED-SM25-RGB-DP	89	LEDBW-303	112
LED-NAV-34198-DP	100 102	LED-SM26-B-DP	89	LEDBW-308	116
LED-NAV-34222-DP		LED-SM28-B-DP	89	LEDBW-350	116
LED-NAV-34228-DP	102	LED-SM28-W-DP	89	LEDBW-351	116
LED-NAV-34228-SB LED-NAV-34233	102 102	LED-SM361PLG LED-SM7815-B-DP	97 80	LEDBW-352 LEDBW-353	116 115
LED-NAV-39498-DP	100	LED-SM7815-G-DP	80	LEDBW-354	115
LED-NAV-39499-DP	100	LED-SM7815-RGB-DP	80	LEDBW-354 LEDBW-355	116
LED-NAV-39503-DP	102	LED-SM7815-W-DP	80	LEDBW-400-2	115
LED-NAV-39507-DP	102	LED-SMCHR-B-DP	105	LEDBW-401	115
LED-NAV-39509-DP	102	LED-SMCHR-R-DP	105	LEDBW-402	108
LED-NAV-39513-DP	102	LED-SMSKR-5B-DP	105	LEDBW-403	107
LED-NAV-39522-DP	103	LED-SMSKR-5G-DP	105	LEDBW-500-DP	119
LED-NAV-39524-DP	103	LED-SMSKR-B-DP	105	LEDBW-501-DP	118
LED-NAV-39525-DP	103	LED-SMSKR-R-DP	105	LEDBW-502-DP	119
LED-NAV-39526-DP	103	LED-SMSKR-RGB-DP	105	LEDBW-503-DP	119
LED-NAV-39757-DP	102	LED-SMSLC-6WT	89	LEDBW-504-DP	119
LED-NAV-39758-DP	102	LED-SMSLC-RGBW-4WT	89	LEDBW-505-DP	119
LED-NAV-39759-DP	102	LED-SMSLC50-4WT-DP	89	LEDBW-506	116
LED-NAV-39762-DP	103	LED-TMHL-DP	58	LEDBW-506-DP	119
LED-NAV-50621-DP	102	LED-TRLKIT-BLUE	84	LEDBW-508	116
LED-NAV-USL-48-DP	103	LED-TRLKIT-GREEN	84	LEDBW-600	115
LED-NAV-USL-54-DP	103	LED-TRLKIT-RED	84	LEDBW-601	112
LED-NAV-USL-60-DP	103	LED-TRLKIT-WHT	84	LEDBW-602	113
LED-NAVSFK-60-DP	103	LEDBW-100	108	LEDBW-603	113
LED-NAVSFK-60-DP	103	LEDBW-1001	114	LEDBW-604	113
LED-NAVSFSB-DP	103	LEDBW-1002	114	LEDBW-605	112
LED-NAVSFSL-48-DP	103	LEDBW-101-UV-DP	108	LEDBW-700-2	109
LED-NAVSFSL-60-DP	103	LEDBW-102-UV-DP	108	LEDBW-700-2-B-DP	79
LED-OCL-1	95	LEDBW-103-UV-DP	108	LEDBW-700-2-G-DP	79
LED-OCL-1K-DP	95	LEDBW-104-UV-DP	108	LEDBW-700-2-R-DP	79
LED-OCL-2	95	LEDBW-105	106	LEDBW-700-2-RGB-DP	79
LED-OCL-2K-DP	95	LEDBW-106	107	LEDBW-700-2-W-DP	79
LED-PBDK20B-DP	86	LEDBW-106-2	115	LEDBW-80-2	107
LED-PBDK20RGB-DP	86	LEDBW-107	107	LEDBW-81	107
LED-PBDK20RGB-FC-DP	86	LEDBW-107-2	106	LEDBW-81-2	107
LED-PBDK25RGB-DP	86	LEDBW-108	106	LEDBW-82-2	107
LED-PBDK25RGB-FC-DP	86	LEDBW-109	106	LEDBW-901-2-BLK-DP	83
LED-PBDK25RGB-FC-DP	86	LEDBW-109-1	106	LEDBW-901-2-BLK-DP	110
LED-RGBCONT-1-DP	87	LEDBW-110	109	LEDBW-901-2-BLK-FLD-DP	83
LED-RGBCONT-1-DP	89	LEDBW-111	109	LEDBW-901-2-BLK-FLD-DP	110
LED-RGBCONT-2F-DP	87	LEDBW-111-1	109	LEDBW-901-2-W-DP	83
LED-RGBCONT-2F-DP	89	LEDBW-112-W-DP	108	LEDBW-901-2-W-DP	110
LED-RGBCONT-3F-DP	87	LEDBW-113	109	LEDBW-901-2-W-FLD-DP	83 110
LED-RGBCONT-3F-DP	89	LEDBW-114	118	LEDBW-901-2-W-FLD-DP LEDBW-908-2-B-DP	110
LED-RGBCONT-4R-DP LED-RGBRL-HRN	87 85	LEDBW-115 LEDBW-116	118	LEDBW-908-2-B-DP LEDBW-908-2-BLK-DP	110 83
LED-RGBRL-HRN LED-RKBW-6KT-DP	85	LEDBW-116	118	LEDBW-908-2-BLK-DP	110
LED-RKGW-6KT-DP	85	LEDBW-117	118	LEDBW-908-2-GLD-DP	83
LED-RKRW-6KT-DP	85	LEDBW-118 LEDBW-120	106	LEDBW-908-2-GLD-DP	110
LED-RLC	88	LEDBW-121	109	LEDBW-908-2-R-DP	83
LED-RLC-WT	88	LEDBW-121	114	LEDBW-908-2-R-DP	110
LED-SCRL-HRN	85	LEDBW-123	114	LEDBW-908-2-SVR-DP	83
LED-SM14-B-DP	89	LEDBW-150	109	LEDBW-908-2-SVR-DP	110
LED-SM14-W-DP	89	LEDBW-151	109	LEDBW-915-DP	119
LED-SM14-W BI	89	LEDBW-152	109	LEDBW-916-DP	119
LED-SM171COB-W-DP	80	LEDBW-160-DP	116	LEDBW-917-BAM-P-DP	111
LED-SM172COB-B-DP	80	LEDBW-171	114	LEDBW-917-BAM-S-DP	111
LED-SM173COB-G-DP	80	LEDBW-175-2	116	LEDBW-98-1	107
LED-SM20-B-DP	89	LEDBW-200-2-DP	119	LEDBW-98-4	107
LED-SM20-RGB-DP	89	LEDBW-202-DP	119	LEDBW-HP-10-BLK-DP	111

LEDBW-HP-10-W-DP	111
LEDBW-HP-13-BLK-DP	111
LEDBW-HP-13-CAMO-DP	111
LEDBW-HP-13-W-DP	111
LEDBW-HP-20-BLK-DP	111
LEDBW-HP-20-CAMO-DP	111
LEDBW-HP-20-W-DP	111
LEDBW-HP-25-BLK-DP	111
LEDBW-HP-25-CAMO-DP	111
LEDBW-HP-25-W-DP	
	111
LEDBW-HP-30-BLK-DP	111
LEDBW-HP-30-CAMO-DP	111
LEDBW-HP-30-W-DP	111
LEDBW-HP-40-BLK-DP	111
LEDBW-HP-40-CAMO-DP	111
LEDBW-HP-40-W-DP	111
LEDBW-HP-7-BLK-DP	111
LEDBW-HP-7-CAMO-DP	111
LEDBW-HP-7-W-DP	111
LL-1	31
LLR-1	31
LRS-2-DP	40
LS-2-DP	30
LS-2C-DP	30
LS-3-DP	30
LV-1-DP	44
LV-1FW-DP	44
LWL-1P-LED-B-DP	94
LWL-1P-LED-DP	94
LWLM-1P-LED-BLUE	94
LWLM-1P-LED-DP	
	94
	94
M-N-O	
M-N-O MAGHL-2-DP	27
M-N-O MAGHL-2-DP MAV-2	27 36
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP	27 36 36
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP	27 36 36 36
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE	27 36 36 36 36
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP	27 36 36 36
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE	27 36 36 36 36
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP	27 36 36 36 36
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP MS-3A100	27 36 36 36 36 12 51
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP MS-3A100 MS-3A112	27 36 36 36 36 12 51
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP MS-3A100 MS-3A112 MS-3A34	27 36 36 36 36 12 51 51
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP MS-3A100 MS-3A112 MS-3A34 MS-3EL100	27 36 36 36 36 12 51 51 51
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP MS-3A100 MS-3A112 MS-3A34 MS-3EL100 MS-3EL112	27 36 36 36 36 12 51 51 51
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP MS-3A100 MS-3A112 MS-3A34 MS-3EL100 MS-3EL112 MS-3EL112 MS-3EL1234 MS-3EL34	27 36 36 36 36 12 51 51 51 51
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP MS-3A100 MS-3A112 MS-3A34 MS-3EL100 MS-3EL112 MS-3EL112 MS-3EL1234 MS-3EL34 MS-3H100	27 36 36 36 32 51 51 51 51 51
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP MS-3A100 MS-3A112 MS-3A34 MS-3EL100 MS-3EL112 MS-3EL1234 MS-3EL1234 MS-3EL34 MS-3H100 MS-3TT100	27 36 36 36 36 12 51 51 51 51 51 51
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP MS-3A100 MS-3A112 MS-3A34 MS-3EL100 MS-3EL112 MS-3EL1234 MS-3EL1234 MS-3EL1234 MS-3TT1100 MS-3TT1100	27 36 36 36 36 12 51 51 51 51 51 51
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP MS-3A100 MS-3A112 MS-3A34 MS-3EL100 MS-3EL112 MS-3EL1234 MS-3EL1234 MS-3EL1234 MS-3TT100 MS-3TT110 MS-3TT112	27 36 36 36 36 12 51 51 51 51 51 51 51
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP MS-3A100 MS-3A112 MS-3A34 MS-3EL100 MS-3EL112 MS-3EL1234 MS-3EL1234 MS-3EL1234 MS-3TT100 MS-3TT110 MS-3TT112 MS-3TT34 MS-EG2-DP	27 36 36 36 36 12 51 51 51 51 51 51 51 51
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP MS-3A100 MS-3A112 MS-3A34 MS-3EL100 MS-3EL112 MS-3EL1234 MS-3EL1234 MS-3EL1234 MS-3TT100 MS-3TT110 MS-3TT112 MS-3TT112 MS-3TT34 MS-EG2-DP MS-FPT38	27 36 36 36 36 12 51 51 51 51 51 51 51 51 51 51
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP MS-3A100 MS-3A112 MS-3A34 MS-3EL100 MS-3EL112 MS-3EL1234 MS-3EL1234 MS-3T1100 MS-3TT1100 MS-3TT112 MS-3TT134 MS-EG2-DP MS-FPT38 MS-FPT38	27 36 36 36 36 12 51 51 51 51 51 51 51 51 51 51 51
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP MS-3A100 MS-3A112 MS-3A34 MS-3EL100 MS-3EL112 MS-3EL1234 MS-3EL1234 MS-3TT100 MS-3TT110 MS-3TT112 MS-3TT112 MS-3TT34 MS-EG2-DP MS-FPT38 MS-FPT38 MSS-1-DP	27 36 36 36 36 12 51 51 51 51 51 51 51 51 51 51 51 51 51
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP MS-3A100 MS-3A112 MS-3A34 MS-3EL100 MS-3EL112 MS-3EL1234 MS-3EL1234 MS-3TT100 MS-3TT110 MS-3TT112 MS-3TT34 MS-EG2-DP MS-FPT38 MS-FPT38 MSS-1-DP NBH-24-SSC-DP	27 36 36 36 36 12 51 51 51 51 51 51 51 51 51 51 51 25 51
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP MS-3A100 MS-3A112 MS-3A34 MS-3EL100 MS-3EL112 MS-3EL1234 MS-3EL1234 MS-3TT100 MS-3TT110 MS-3TT112 MS-3TT34 MS-EG2-DP MS-FPT38 MS-FPT38 MS-I-DP NBH-24-SSC-DP NBH-24-SSC-DP	27 36 36 36 36 12 51 51 51 51 51 51 51 51 51 25 51 125 125
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP MS-3A100 MS-3A112 MS-3A34 MS-3EL100 MS-3EL112 MS-3EL1234 MS-3EL1234 MS-3TT100 MS-3TT110 MS-3TT112 MS-3TT34 MS-EG2-DP MS-FPT38 MS-FPT38 MSS-1-DP NBH-24-SSC-DP NBH-24P-DP NBH-24S	27 36 36 36 36 12 51 51 51 51 51 51 51 51 425 125 125 124 134 134
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP MS-3A100 MS-3A112 MS-3A34 MS-3EL100 MS-3EL112 MS-3EL1234 MS-3EL1234 MS-3TT100 MS-3TT110 MS-3TT112 MS-3TT34 MS-EG2-DP MS-FPT38 MS-FPT38 MS-FPT38 MSS-1-DP NBH-24-SSC-DP NBH-24-SSC-DP NBH-24S NBH-27-SSC-DP	27 36 36 36 36 12 51 51 51 51 51 51 51 51 41 125 125 124 134 134
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP MS-3A100 MS-3A112 MS-3A34 MS-3EL100 MS-3EL112 MS-3EL1234 MS-3EL1234 MS-3TT100 MS-3TT110 MS-3TT110 MS-3TT100 MS-3TT1D0 MS-3TT34 MS-EG2-DP MS-FPT38 MS-FPT38	27 36 36 36 36 12 51 51 51 51 51 51 51 51 41 125 125 124 134 134 134
M-N-O MAGHL-2-DP MAV-2 MAV-2K-DP MAV-2KT-DP MAV-FACEPLATE MJ-1-DP MS-3A100 MS-3A112 MS-3A34 MS-3EL100 MS-3EL112 MS-3EL1234 MS-3EL1234 MS-3TT100 MS-3TT110 MS-3TT112 MS-3TT34 MS-EG2-DP MS-FPT38 MS-FPT38 MS-FPT38 MSS-1-DP NBH-24-SSC-DP NBH-24-SSC-DP NBH-24S NBH-27-SSC-DP	27 36 36 36 36 12 51 51 51 51 51 51 51 51 41 125 125 124 134 134

133

134

134

NBH-31-SSC-OPT

NBH-31P-DP

NBH-31S

NBHC-247P-20B	133	RF-1CP-DP	69	RMC-101MK-DP	57	SPA-375G	129
NBHC-247P-DP NBHIOPT-31	133 133	RF-2-DP RF-2.5-1-DP	69 69	RMC-102MG-DP	57 57	SPA-500B SPA-500G	129 129
NFSL-5-1-DP	26	RF-2.5Y-1	69	RMC-104MK-DP RMC-105FMK-DP	57	SPA-500LB	129
NFSL-5-2-DP	26	RF-2.5Y-2	69	RMC-1031 MK-DF	57	SPD-1	43
O2-BK3-DP	145	RF-2A	69	RMC-109-DP	57	SR-1-DP	130
O2-BKM3	145	RFFHP-1	69	RS-1-DP	16	SS-3-DP	139
OACC-1	75	RFFHP-1-DP	69	RS-2-DP	16	ST-1-DP	14
OCL-1	95	RFFHP-2	69	RS-3-DP	16	STRAP-12BWS	132
OCL-2	95	RFFHP-2	69	RS-4-DP	16	SUNGL-MD-DP	147
OCLR-1	95	RFH-1-DP	69	RT-14-DP	62	SUNGL-OS-DP	147
OCLR-2	95	RFH-2-DP	69	RT-18-DP	62	SUNGL-SM-DP	147
ODT-1-12GSTW-DP	46	RFH-2.5-1	69	RTHOOK-1	135	SUNGL-XL-DP	147
ODT-1-12TW	46	RFH-2HD2.5-DP	69	RTSM-1	135	SWD-1-DP	42
ODT-1-DP	46	RFH-3-DP	69	RUSC-1	46	SWD-3	42
ODT-190-DP	46	RFH-3HD-2.5-DP	69	RUSC-1	135	SWD-4WCP	42
ODT-2-DP	46	RFH-HD-2.5-DP	69			SWD-5	42
ODT-290-DP	46	RFHR-1-125	69	S		SWD-5-FW	42
ODT-2T	46	RFHR-3-150	69	SA-1-DP	41		
ODT-2T-0.5MAV	46	RFHU-1	69	SA-2-DP	41	T-U	
ODTS-1-DP	46	RFHU-1-DP	69	SA-2B-DP	41	T-1	36
ODTS-2-DP	46	RFHU-2	69	SA-3	41	TAB-1-DP	17
OG-1-DP	75	RFHU-2	69	SCB-118	49	TB-1420-DP	135
OGL-1	75	RFK-1-DP	70	SCB-237	49	TBOX-1115-3T	30
		RFK-1CP-DP	70	SCB-527	49	TCM-1-DP	131
P-O-R		RFK-2-DP	70	SCB-528	49	TD-54778-DP	132
PAP-1 -DP	36	RFK-2.5Y-1-DP	70	SCB-535	49	TD-55130-DP	135
PAS-1-DP	36	RFK-2.5Y-2-DP	70	SCB-555	49	TD-55132-DP	135
PAS-2	36	RFK-2.5Y-3-DP	70	SCB-660	49	TDSS-0714-2T	29
PB-90	37	RFS-1	41	SCBG-1	49	TDSS-1115-3T	29
PBP-1-DP	64	RFS-2-DP	41	SCM-2-DP	131	TDSS-1317-4T	29
PCORD-14B	135	RFT-1	69	SDP-1-DP	32	TE-1	63
PD-1	43	RFT-1-DP	69	SDP-1FW-DP	32	TE-1	68
PD-2	43	RFT-1KIT	69	SDP-1W-DP	32	TE-1FW	63
PDSD-1	129	RFTH-1XS	42	SDP-2-DP	32	TE-1FWGT	63
PEDP-1-DP	141	RFTH-2B-DP	42	SDP-2FW-DP	32	TE-1GT	63
PFAC-1-DP	128	RFTH-2BCP-DP	38	SDP-2W-DP	32	TE-1S	63
PFH-1G	128	RFTH-2BCP-DP	42	SDP-3-DP	32	TE-1S	68
PFPG-1B	129	RFTH-2XS	42	SDP-3FW-DP	32	TE-1SGT	63
PFPG-1G	129	RG-1	75	SDW-1W-DP	42	TE-1W	63
PFPG-1LB	129	RH-1-DP	65	SDW-3W-DP	42	TE-1W	68
PH-2	68	RH-1FW-DP	65	SDW-3WCP	42	TEC-1	130
PH-3	63	RH-2-DP	65	SDW-4W	42	TEC-1L	130
PH-3FWGT	63	RH-2FW-DP	65	SEACOCK-14	49	TEC-1R	130
PH-3S	68	RH-3FW	65	SEACOCK-15.5	49	TEE-112-DP	50
PH-3SGT	63	RH-3W	65	SEACOCK-18.5	49	TEE-118-DP	50
PK-1-DP	133	RH-4-DP	65	SEACOCK-20	49	TEE-150-DP	50
PMPS-1-DP	139	RHBD-1-DP	65	SEACOCK-28	49	TEE-250-DP	50
PMW-1-DP	139	RHBD-2SS	65	SEACOCK-36	49	TEE-3/4-DP	50
PP-118-DP	42	RHBD-2SST	65	SEACOCK-40	49	TEE-3/8	50
PP-118-DP	44	RHD-1-DP	62	SEACOCK-48	49	TEE-350-DP	50
PP-125	44	RHD-2-DP	62	SEL-1-DP	101	TEE-5/8	50
PP-150-DP	44	RHDN-1	62	SEL-1LED-DP	101	TEO-2.50-1	63
PP-150-DP	47	RHDN-2	62	SKLK-KONG-1-DP	146	TEO-2.50-2	63
PRR-1	132	RHRB-3B	65	SKLK-LALT-DP	146	TEO-2.50-3	63
QF-1K-DP	124	RHRFW-3FW	65	SKLK-LAST-DP	146	TEO-3.00-1	63
QF-2K-DP	124	RHRM-2B-DP	64	SKLK-NAST-DP	146	TEO-3.00-2	63
QRFH-1-DP	128	RHRM-2W-DP	64	SKLK-SAST-DP	146	TEO-3.00-3	63
QRFH-2-DP	128	RHRM-3B-DP	64	SKTM-F-BK-DP	146	TH-1000	48
QRFH-7-DP	128	RHRM-3W-DP	64	SKTM-F-R-DP	146	TH-1000SSC-DP	48
RDL-1-DP	27	RHSF-3B	65	SMEC-1	130	TH-1002-DP	48
RF-1-DP	69	RHSF-3W-DP	65	SPA-250B	129	TH-1002-DP	48
RF-1A-DP	69	RMC-101FMK-DP	57	SPA-250G	129	TH-1090SSC-DP	48
RF-1CP-DP	38	RMC-101MG-DP	57	SPA-375B	129	TH-1200-DP	48

TH-1200CP-DP TH-1200SSC-DP	38 48	TH-752-DP TH-752-DP	48	U28-FW-DP U28-SW-DP	144 144
TH-120055C-DP	48	TH-752-DP TH-752XL-DP	48	U2C1-FW-DP	144
		TH-752XL-DP	48	U2C1-FW-DP U2C128-FW-DP	145
TH-1200XL-DP TH-1200XL-DP	46 48	TH-7590CP-DP	38	U2C128-FW-DP U2C64-FW-DP	145
	38	TH-7590CP-DP	49	U2C8-FW-DP	145
TH-1200XLCP-DP TH-1202-DP	48	TH-7590S-DP	49		145
=====	48		49	U2MM1-DP	
TH-1202-DP		TH-7590SSC-DP		U2MM128-DP	145
TH-1202XL-DP TH-1290-DP	48	TH-90-DP	49	U2MM16-DP	145
===	48	TH-90-DP	49	UC-1	46
TH-1290CP-DP	38	TH-90XL-B	49	UG-1-DP	64
TH-1290SSC-CP	48	TH-90XL-B	49	UG-1-DP	75
TH-1290T	46	TH-92-DP	49	UG-1FW-DP	64
TH-1292S	49	TH-92-DP	49	UG-1FW-DP	75
TH-1292S	49	TH-CC-1-DP	47	UG-1W	64
TH-1500-DP	48	TH-CC-2-DP	47	UG-1W	75
TH-1500AFD	47	TH-CCL-1-DP	47	UG-2-DP	64
TH-1500CP-DP	38	TH-CCL-2-DP	47	UG-2-DP	75
TH-1500SSC-DP	48	TH-DFR-1292	38	UG-2FW-DP	64
TH-1500XL-DP	48	TH-DFR-7592	38	UG-2FW-DP	75
TH-1500XLCP-DP	38	TH01502-DP	48	UG-2W-DP	64
TH-1500XS	48	THSM-1-DP	45	UG-2W-DP	75
TH-1500XSFAFD	47	THSM-1KIT-DP	45	UG-3-DP	64
TH-1502F-B	44	THSM-1XL	45	UG-3-DP	75
TH-1502FF-DP	42	THW-1200	47	UG-3FW-DP	64
TH-1502G-B	40	THW-1500	47	UG-3FW-DP	75
TH-1502S2	49	THW-750	47	UG-3W	64
TH-1502S2N	49	TMM-1-DP	58	UG-3W	75
TH-1502SN	49	TMTB-1	58	ULC-1	46
TH-1502T	46	TSP-1-DP	17	\/ 7	
TH-1502XL-DP	48	TSP-2-DP	17	V-Z	
TH-1502XS-DP	48	TSP-7-DP	17	VCAP-1.687	140
TH-1590-DP	48	TT-52070-DP	155	VCAP-1.697	63
TH-1590AFD	47	TT-52071-DP	155	VCAP-2.125	63
TH-1590CP-DP	38	TT-52072-DP	155	VCAP-2.125	140
TH-1590SSC-DP	48	TT-52076-DP	155	VCAP-2.25	140
TH-1592F-B	44	TT-54250-DP	154	VCAP-2.625	140
TH-1592G-B	40	TT-54251-DP	154	VHF-3	73
TH-1592T	46	TT-CGTTS1-DP	154	VHF-3	73
TH-1890	48	TT-CGTTS2-DP	154	VTLP-8-1	31
TH-1890CP-DP	38	TT-FLH-1-DP	154	VTLP-8-2	31
TH-1890T-DP	39	TT-FLH-2-DP	154	WAVE-15KIT-DP	147
TH-1890T-DP	46	TT-MINI1-DP	153	WAVE-15POP-DP	147
TH-1992	39	TT-MINI2-DP	153	WD-1	38
TH-1992BH	39	TT-TITAN1-DP	153	WD-1CP-DP	38
TH-1992BHS	39	TT-TITAN2-DP	153	WDH-15B	138
TH-1992FH	39	TT-TLMAN1-DP	154	WDH-15W	138
TH-1992FHR	39	TT-TLMS1-DP	153	WDH-25B	138
TH-1992FHS	39	TT-TTS1-DP	154	WDH-25W	138
TH-1992R	39	TT-TTS2-DP	154	WDH-25W WDHBR-15B-B-DP	138
TH-1992S	39		14		138
		TTC-1-DP		WDHH-25B-C-DP	
TH-1XL-B	49	TTEC-1	130	WDHH-25W-C-DP	138
TH-1XL-B	49	TTRP-2-DP	74	WDN-1-DP	138
TH-3S	49	TW-2-DP	16	WDN-2	138
TH-3S	49	TW-3-DP	16	WDSB	138
TH-650-DP	48	TWA-1-DP	123	WDSW	138
TH-650SSC-DP	48	TWAR-1-DP	123	WDV-1-DP	38
TH-652-DP	48	U2.3FW-12PK-DP	144	WDV-1CP-DP	38
TH-652-DP	48	U21-FW-DP	144	WDV-90-DP	38
TH-6590SSC	48	U216-FW-DP	144	WHH-1	7!
TH-750-DP	48	U216-SW-DP	144	WHH-1T	75
TH-750CP-DP	38	U23FW-12PK-DP	145	WS-1	36
TH-750SSC-DP	48	U264-FW-DP	144	WSH-1	133
TH-750XL-DP	48	U264-SW-DP	144	WSH-1F	133

WSH-1PR-DP	133
Y-112-DP	50
Y-118-DP	50
Y-750-DP	50
ZL-10-DP	124
ZL-15-DP	124
ZL-20-DP	124
ZRS-1-DP	68




BASS BOAT AT-A-GLANCE





BAY BOAT AT-A-GLANCE



PONTOON BOAT AT-A-GLANCE





BOATING ESSENTIALS°

T-H MARINE'S BOATING ESSENTIALS® is a must-see, one stop shop for a multitude of marine products ready to ship as soon as you order. You can also take the guesswork out of stocking inventory with our preset planograms featuring our trusted T-H MARINE® brand of products.



Ask about a complete product and planogram catalog.





Manufacturers:

Most product numbers are available in bulk. To order bulk quantities, remove the "DP" from the part number or contact your customer service representative for assistance.

Aftermarket/Wholesale:

Product numbers that end with "DP" are retail packaged. For details on ordering bulk-only items contact your customer service representative for assistance.

WARRANTY & RETURNS:

All T-H Marine Supplies, Inc. products are covered by a one year limited warranty to be free from defective material or workmanship, unless otherwise stated in product literature.

Products are inspected to ensure that you receive quality goods. Request for returns must be made to our office. We will replace, repair or issue credit at our discretion for defective items. Returns must have prior authorization and a RGA# issued. Invoice deductions will not be accepted without prior credit issued from T-H Marine Supplies, Inc. Any returned goods that are not covered by warranty will carry a restocking charge and must be approved before being returned. Freight must be prepaid on all returned goods. No returns will be allowed from OEM customers after 90 days from receipt of goods.

All catalog items are subject to changes or design improvements.

T-H MARINE SUPPLIES

200 Finney Drive, SW Huntsville, Alabama 25824











T-H MARINE APPAREL

available at thmarine.com





















AQUA-BLAZE®

BLUEWATERLED®

GFORCE°



GJUICE



TACKLETITAN KONG LOCEBAR







MR.CRAPPIE°



OXYGENATOR*

ANCHORING.COM"



thmarine.com





