

POLARIS RZR®
ELITE SERIES
STAGE 6 STEREO KIT
UTVS-RZR-S6-E



COMPATIBLE VEHICLES:
2014+ POLARIS RZR® MODELS

INCLUDED IN THE KIT

- *Wet Sounds Compact 2-Zone Media Receiver Source Unit with SiriusXM-Ready® And NMEA 2000 Connectivity*
- *UTV Stereo Polaris RZR Pocket Mount with Switch Cutouts*
- *(Fits Wet Sounds MC2, MC20, JVC KD-MR1BTS, PMX2, PMX3)*
- *UTV Stereo Low Current Harness Only*
- *UTV Stereo Blue Rocker Switch*
- *UTV Stereo Rocker Switch Cover - Stereo*
- *UTV Stereo USB/AUX Flush Mount Adapter*
- *3.5mm to RCA Adapter Cable*
- *UTV Stereo AM/FM Under Dash Antenna*
- *UTV Stereo 6 Channel RCA Harness - Front, Rear, Sub + Remote Wire*
- *UTV Stereo Subwoofer Level Controller with a Rocker Switch Housing*
- *(Can Be Used for Universal Application or Plug Directly into OEM Ride Command Sub Harness for RZR Pro Vehicles)*
- *UTV Stereo Signature Series 6.5" Speakers (Pair)*
- *UTV Stereo RZR 6.5" Kick Panel Speaker Enclosures*
- *UTV Stereo 6.5" RGB Speaker Rings (Pair)*
- *UTV Stereo Elite Series Compression Horn 8" Speakers (Pair)*
- *UTV Stereo Elite Series 8" Cage Mount Pods (Pair)*
- *UTV Stereo 8" Cage Pod Base (Pair)*
- *Axia Alloys 1.75" Modular Roll Cage Strap Clamp - Single Black*
- *UTV Stereo 8" RGB Speaker Rings (Pair)*
- *UTV Stereo Flex 10" Elite Series Subwoofer 1 OHM, Dual Voice Coil*
- *UTV Stereo Polaris RZR 10" Vented Sub Enclosure*
- *(Compatible with all Non-Pro RZR Models)*
- *UTV Stereo Elite Series 5 Channel Amplifier*
- *UTV Stereo 19+ Polaris RZR Dash Amplifier Mount*
- *UTV Stereo BAWG Amp Power Harness for Installation*
- *147" Length - 80 Amp Fused*
- *UTV Stereo Bluetooth RGB Controller Kit*
- *Includes RGB Controller & Rocker Switch Harness*
- *UTV Stereo Amplifier to Speaker Wire & RGB Harness*
- *UTV Stereo Amplifier to Single Subwoofer Wire Harness*
- *UTV Stereo Wire Harness Kit*

We want to make sure that your system is installed and tuned correctly. We are here to help!
Reach out to us at info@utvstereo.com or call us at 480.616.2299

INSTRUCTIONS

FOLLOW INSTRUCTIONS TO INSTALL
YOUR UTV STEREO STAGE KIT



Each individual part has its own specific install instructions and/or install video that can be found on that particular items page at utvstereo.com. Use this resource to install each part individually.

Step 1: Remove seats and disconnect the battery.

Step 2: Disassemble upper and lower dash. Remove any panels to expose where the amplifier mount will be mounted. (Reference [Triple Amplifier Mount Instructions](#))

Step 3: Remove both front and rear center consoles / cup holders to expose where power harnesses will be routed. (Reference [Power Harness Instructions](#))

Step 4: Remove center glovebox.

Step 5: Remove passenger glovebox.

Step 6: Install sub into sub box enclosure. (Reference [Sub Box Instructions](#))

Step 7: Install sub box into the vehicle and route wires to where the amplifier will be mounted. (Reference [Sub Box Instructions](#))

Step 8: Install amplifier mount. (Reference [Triple Amplifier Mount Instructions](#))

Step 9: Install amplifier onto amplifier mount.

Step 10: Route power harness from the battery up to the amplifier. REMOVE FUSE DURING INSTALL. (Reference [Power Harness Instructions](#))

Step 11: Install source unit into pocket mount. (Reference [Pocket Mount Instructions](#))

Step 12: Install pocket mount into center glovebox pocket. (Reference [Pocket Mount Instructions](#))

Step 13: Connect power wires from the source unit to the source unit harness. Connect source unit harness to bus bar and mount the switch. (Reference [Source Unit Harness Instructions](#))

Step 14: Connect and route remote wire and RCA wire from source unit to amplifier. (Reference [Wire Diagram on page 3](#)) (If you have a rear camera, reverse trigger, or USB/AUX connect them during this step)

Step 15: Install RGB controller harness switch. Connect and route RGB wires and RGB controller near the amplifier. Route bus bar wires to bus bar. (Reference [RGB Controller Kit Instructions](#))

Step 16: Install kick panels and cage pods. (Reference [Kick Panel](#) and [Cage Pod Instructions](#))


Step 17: Connect speaker wire and RGB wire to all speakers. Install speakers into kick panels and cage pods. (Reference [Kick Panel](#), [Cage Pod](#), and [Speaker Instructions](#))

Step 18: Route wires from speakers to amplifier or RGB controller and make connections. (Reference [Wire Diagram & RGB Controller Wire Diagram on page 3](#))

Step 19: Install fuse into power harness and reconnect the battery.

Step 20: Power on and tune amplifier. (Reference ["Tuning" on page 4.](#))

POLARIS RZR® ELITE SERIES STAGE 6 WIRING DIAGRAM UTV-RZR-S6-E



FRONT LEFT
SPEAKER

USE GREEN
AND GREEN/BLK WIRE

REAR LEFT
COMPRESSION HORN

USE GRAY &
GRAY/BLK WIRE

FRONT RIGHT
SPEAKER

USE PURPLE &
PURPLE/BLK WIRE

REAR RIGHT
COMPRESSION HORN

6-CHANNEL RCA HARNESS

HEAD
UNIT

ANTENNA

USB/AUX

STEREO

SPEAKER
LIGHTS

OEM BUSS BAR
UNDER HOOD

12V CONSTANT
ACCESSORIES
GROUND

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

FRONT
LINE OUT

ROLED
Controller




ROLED Controller

UTV-Stereo
ELITE SERIES

UTV-Stereo

DUAL 1.0
SUB


COIL 2(-)
COIL 2(+)
COIL 1(-)
COIL 1(+)



TUNING YOUR SYSTEM

THIS WILL SHOW YOU EXACTLY WHERE TO SET THE ADJUSTMENTS OF YOUR AMPLIFIER(S) USE THESE SETTINGS FOR OPTIMAL PERFORMANCE!

ELITE SERIES UTVS-E1600.5D



TUNING BLUEPRINT 'STARTING POINT' ►

1. Cut out the image along the red outline.
2. Align the cutout image with the amplifier tuning panel
3. Make your adjustments

