

General Information

| | |
|------------------------|--|
| Extended Product Type: | CP-E 24/5.0 |
| Product ID: | 1SVR427034R0000 |
| EAN: | 4016779669689 |
| Catalog Description: | CP-E 24/5.0 Power supply In:115/230VAC Out: 24VDC/5A |
| Long Description: | The CP-E 24/5.0 is a power supply from the CP-E range. The primary switch mode power supply offers a wide range input of 90-132 V AC, 180-264 V AC and 210-375 V DC, rated input voltage is 115 or 230 V AC (auto select). The rated output power is 120 W, rated output current is 5 A at an output voltage of 24 V DC. The output voltage is adjustable within a range of 22.5 to 28.5 V DC. The power supply provides an U/I output characteristic. In order to increase capacity, up to 3 units can be connected in parallel. A redundancy unit is available as accessory. |

Categories

Products » Low Voltage Products and Systems » Control Products » Power Supplies

Ordering

| | |
|-------------------------|---------------|
| EAN: | 4016779669689 |
| Minimum Order Quantity: | 1 piece |
| Customs Tariff Number: | 85044090 |

Dimensions

| | |
|---------------------|----------|
| Product Net Width: | 63.2 mm |
| Product Net Height: | 123.6 mm |
| Product Net Depth: | 123.6 mm |
| Product Net Weight: | 0.882 kg |

Container Information

| | |
|-------------------------------|----------|
| Package Level 1 Width: | 162 mm |
| Package Level 1 Length: | 160 mm |
| Package Level 1 Height: | 85 mm |
| Package Level 1 Gross Weight: | 0.998 kg |
| Package Level 1 Units: | 1 piece |

Technical

| | |
|-------------------------------|---|
| Function: | Switch mode power supply |
| Number of Phases: | 1 |
| Input Voltage (U_{in}): | 90 ... 132 V AC 180 ... 264 V AC 210 ... 375 V DC |
| Output Voltage (U_{out}): | 24 V DC |
| Output Current: | 5 A |
| Output Power: | 120 W |

Environmental

| | |
|--------------|---|
| RoHS Status: | Following EU Directive 2002/95/EC August 18, 2005 and amendment |
|--------------|---|

Certificates and Declarations (Document Number)

| | |
|---------------------------------|--------------------------------------|
| CCC Certificate: | CCC_2009010907324503 |
| cUL Certificate: | cUL508_E174460 |
| cUR Certificate: | cUR60950_E196145 cUR_ANSI_E317914 |
| Declaration of Conformity - CE: | 1SAD938503-0113 |
| EAC Certificate: | EAC_RU_C-DE.ME77.B.01651 |
| GOST Certificate: | GOST_POCC_CN.AB76.B00924 |
| RoHS Information: | 1SAA981023-4402 |
| UL Certificate: | UL508_E174460 |
| UR Certificate: | UR60950_E196145 UR_ANSI_E317914 |

Classifications

| | |
|-----------|--------------|
| eClass: | 7.0 27049002 |
| E-nummer: | 5248134 |

ETIM 4: EC002540 - DC-power supply

ETIM 5: EC002540 - DC-power supply

Object Classification Code: T

UNSPSC: 39121100

