

### Subaru WRX 2015+ Mud Flap Installation

(Professional Installation Recommended)

#### Includes:

4 Rally Flaps (2 Front + 2 Rear) 10 Short Screws (8 Front + 2 Rear)

2 Spacers (2 Front) 2 Longer Screws (2 Front)

2 L-Brackets (2 Front) 2 Nylon Insert Nuts (Rear)

8 Plastic U-Clips (8 Front) 2 Plastic Push Clips(Rear)

10 Washers (8 lrg/2 sml Front) 2 Metal U-clips (2 Front )

#### **Front Installation**

- 1. Turn wheel.
- 2. Remove plastic factory fasteners.
- 3. Pull away liner and place Plastic U-Clips over holes (FIGURE 1). There is a 4<sup>th</sup> hole on the bottom. Slide plastic U-Clip over hole facing ground. This is where the L-bracket will mount to the vehicle.
- 4. Put liner back in place.
- 5. Slide the L-bracket in between the liner and vehicle body until you can see the hole line up with the bottom U-Clip. (see FIGURE 2)
- 6. Fasten the L-bracket from the bottom with a short screw and smaller washer.
- 7. Use short spacer (FIGURE 3) on the 3<sup>rd</sup> mounting location from the top.
- 8. Put short bolts and washers through the mud flap and thread through holes in the liner into the speed nuts.
- 9. Leave loose and align before tightening. (Use images below as a guide)

#### FIGURE 1



FIGURE 2



Use metal U-clip on L-bracket as shown

FIGURE 3





#### **Rear Installation**

- 1. Install white nylon insert on the underside of fender well. (see location in Figure 4).
- 2. Remove black plastic factory Push clip located on inside of fender well facing tire with flathead screwdriver or pliers.
- 3. Install rear flap (with pre-mounted brackets) by sliding vertical bracket behind fender well lip.
- 4. Align slotted hole with factory hole and fasten with plastic push clip (supplied)
- 5. Next fasten "L" Bracket to nylon insert with self-tapping screw.
- 6. View installation from rear of vehicle to check that flap is aligned properly. (Note: alignment can be adjusted slightly by bending "L" Bracket)
- 7. Repeat above steps on opposite side

# Congratulations you have installed your REK GEN Rally Mud Flaps!

FIGURE 4



FIGURE 5



## FIGURE 5 VIEW FROM REAR AFTER INSTALLATION