



SAFETY DATA SHEET WICKED LIQUID WAX

1. Product and Company Identification

Product Code: WP20416
Product Name: WICKED LIQUID WAX
Company Name: CHEMPAK SOLUTIONS
6868 AIRPORT DR
RIVERSIDE, CA 92504
Phone Number: (951)273-3910
Web site address: WWW.WICKEDPRODUCTS.COM
Email address: SALES@WICKEDPRODUCTS.COM
Emergency Contact: CHEMTEL 1 (800)255-3924
Information: CONTRACT # CCN20734
Part Number: WP20416, WP20432, WP20128, WP20005

2. Hazards Identification

Serious Eye Damage/Eye Irritation, Category 2B

GHS Signal Word: Warning
GHS Hazard Phrases: H320 - Causes eye irritation.
GHS Precaution Phrases: P264 - Wash hands thoroughly after handling.
GHS Response Phrases: P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+313 - If eye irritation persists, get medical advice/attention.
GHS Storage and Disposal Phrases: No phrases apply.
OSHA Regulatory Status: This material is classified as not hazardous under OSHA regulations.
Potential Health Effects (Acute and Chronic):
Primary Entry Routes: Inhalation, skin, ingestion.
Inhalation: Breathing small amounts of this product during normal handling is not likely to cause harmful effects. Breathing very large amounts may be irritating.
Eyes: Mild to severe irritation. Wear appropriate personal protective equipment to avoid eye contact.
Skin: Possible irritation and dryness.
Ingestion: Gastric irritation.
Medical Conditions Aggravated by Long-Term Exposure: Pre-existing skin conditions.
Chronic Effects: None known
Target Organs: No data on finished product.
Inhalation: Breathing small amounts of this product during normal handling is not likely to cause harmful effects. Vapors may be irritating if breathing large amounts.
Skin Contact: Possible irritation.
Eye Contact: Mildly to severe irritation to the eyes.
Ingestion: Gastric irritation.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration	
64742-48-9	Isoparaffinic Hydrocarbons	~32.0 %	
8015-86-9	Waxes	< 5.0 %	



SAFETY DATA SHEET WICKED LIQUID WAX

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove from area. If symptoms persist, seek medical attention.

In Case of Skin Contact: Wash skin with soap and water.

In Case of Eye Contact: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

In Case of Ingestion: If SWALLOWED: If ingestion of a large amount does occur, seek medical attention immediately. Do NOT induce vomiting.

5. Fire Fighting Measures

Flammability Classification: II

Flash Pt: 123.00 F (50.6 C) Method Used: TAG Closed Cup

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: Unknown

Suitable Extinguishing Media: All types.

Fire Fighting Instructions: Do not release runoff from fire control methods to sewers or waterways. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved or equivalent) and full protective gear.

Flammable Properties and Hazards: No data available.

Hazardous Combustion Products: Thermal decomposition can produce CO, CO₂, and unidentified organic compounds.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Avoid runoff into storm sewers and ditches which lead to waterways. Wash area with water. CAUTION: Spill area may be slippery.

7. Handling and Storage

Precautions To Be Taken in Handling: Wash thoroughly after handling.

Precautions To Be Taken in Storing: Keep away from heat, sparks and flame and all other sources of ignition. Store in cool/well-ventilated place.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
64742-48-9	Isoparaffinic Hydrocarbons	No data.	No data.	No data.
8015-86-9	Waxes	No data.	No data.	No data.

Respiratory Equipment (Specify Type): No data available.

Eye Protection: Wear Chemically protective gloves, boots, and aprons to prevent prolonged or repeated skin contact. Wear protective eyeglasses.

Protective Gloves: Chemically protective gloves.

Other Protective Clothing: No data available.

Engineering Controls (Ventilation etc.): Provide sufficient mechanical ventilation.



9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid
Appearance and Odor: Cream. purple.
pH: NEUTRAL
Melting Point: No data.
Boiling Point: 320.00 F (160.0 C)
Flash Pt: 123.00 F (50.6 C) Method Used: TAG Closed Cup
Evaporation Rate: < BUAC=1 - 1
Flammability (solid, gas): No data available.
Explosive Limits: LEL: No data. UEL: No data.
Vapor Pressure (vs. Air or mm Hg): < F - 17MM HG AT at 68.0 F (20.0 C)
Vapor Density (vs. Air = 1): > 1
Specific Gravity (Water = 1): - .882 at 4.0 C (39.2 F)
Density: ~ LBS/GAL. - 7.369
Solubility in Water: PARTIAL
Octanol/Water Partition Coefficient: No data.
Percent Volatile: > 50.0 %
VOC / Volume: NA
Autoignition Pt: Unknown
Decomposition Temperature: NP
Viscosity: ?

10. Stability and Reactivity

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: High Temperatures.
Incompatibility - Materials To Avoid: Strong Oxidizing agents, acids, and alkalis. Acidic conditions.
Hazardous Decomposition or Byproducts: Thermal decomposition can produce CO, CO2, and unidentified organic compounds.
Possibility of Hazardous Reactions: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions: Product will not undergo polymerization.



SAFETY DATA SHEET WICKED LIQUID WAX

11. Toxicological Information

Toxicological Information: Not data on finished products.
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

General Ecological Information: Not data on finished products.

13. Disposal Considerations

Waste Disposal Method: Dispose of contents/container in accordance with all applicable local, state, and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: NOT REGULATED PER 49CFR 173.150.
DOT Hazard Class:
UN/NA Number: None

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Flammable liquids, n.o.s., (Mineral Spirits), 3, III, Ltd Qty.
UN Number: 1993 **Packing Group:** III
Hazard Class: 3 - FLAMMABLE LIQUID

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
64742-48-9	Isoparaffinic Hydrocarbons	No	No	No
8015-86-9	Waxes	No	No	No

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:
 Yes No Acute (immediate) Health Hazard
 Yes No Chronic (delayed) Health Hazard
 Yes No Fire Hazard
 Yes No Sudden Release of Pressure Hazard
 Yes No Reactive Hazard

16. Other Information

Revision Date: 07/23/2015
Preparer Name: LINDA ADAME 951-273-3910

Hazard Rating System:

HEALTH	<input type="checkbox"/>	1
FLAMMABILITY	<input type="checkbox"/>	0
PHYSICAL	<input type="checkbox"/>	1
PPE		B

HMIS:

Additional Information About This Product: No data available.

Company Policy or Disclaimer:

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the



SAFETY DATA SHEET

WICKED LIQUID WAX

text. The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.