



SAFETY DATA SHEET METAL POLISH

1. Product and Company Identification

Product Code: WP40160
Product Name: METAL POLISH
Company Name: CHEMPAK SOLUTIONS
6868 AIRPORT DR
RIVERSIDE, CA 92504
Phone Number: (951)273-3910
Web site address: WWW.WICKEDPRODUCTS.COM
Email address: SALES@WICKEDPRODUCTS.COM
Emergency Contact: CHEMTEL 1 (800)255-3924
Information: CONTRACT # CCN20734
Part Number: WP40160, WP40132, WP40128, WP40005, WP40055

2. Hazards Identification

Acute Toxicity: Inhalation, Category 5

GHS Signal Word: Warning
GHS Hazard Phrases: H333 - May be harmful if inhaled.
GHS Precaution Phrases: No phrases apply.
GHS Response Phrases: No phrases apply.
GHS Storage and Disposal Phrases: No phrases apply.
OSHA Regulatory Status: This material is classified as not hazardous under OSHA regulations.
Potential Health Effects (Acute and Chronic):
Primary Entry Routes: Inhalation, skin, ingestion.
Inhalation: Breathing small amounts of this product during normal handling is not likely to cause harmful effects. Breathing very large amounts may be irritating.
Eyes: Mild to severe irritation. Wear appropriate personal protective equipment to avoid eye contact.
Skin: Possible irritation and dryness.
Ingestion: Gastric irritation.
Medical Conditions Aggravated by Long-Term Exposure: Pre-existing skin conditions.
Chronic Effects: None known
Target Organs: No data on finished product.
Inhalation: Breathing small amounts of this product during normal handling is not likely to cause harmful effects. Vapors may be irritating if breathing large amounts.
Skin Contact: Possible irritation.
Eye Contact: Causes eye irritation.
Ingestion: Gastric irritation.

3. Composition/Information on Ingredients

| CAS # | Hazardous Components (Chemical Name) | Concentration | |
|------------|--|---------------|--|
| 64742-47-8 | Hydrotreated Light Distillates (petroleum) | 20.0 -30.0 % | |
| 64742-48-9 | Hydrotreated heavy naphtha | 2.0 -3.0 % | |



4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove from area. If symptoms persist, seek medical attention.

In Case of Skin Contact: Wash with soap and water. Immediately remove contaminated clothing. Get medical attention if irritation develops or persists.

In Case of Eye Contact: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

In Case of Ingestion: If SWALLOWED: If ingestion of a large amount does occur, seek medical attention immediately. Do NOT induce vomiting.

5. Fire Fighting Measures

Flash Pt: 140.00 F (60.0 C) Method Used: TAG Closed Cup

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: Dry chemical, CO2, water spray or regular foam.

Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved or equivalent) and full protective gear.

Flammable Properties and Hazards: No data available.

Hazardous Combustion Products: No data available.

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures: Goggles.

Steps To Be Taken In Case Material Is Released Or Spilled: Use a non-combustible material like vermiculite or sand to soak up the product and place into a container for later disposal.

7. Handling and Storage

Precautions To Be Taken in Handling: Wash thoroughly after handling.

Precautions To Be Taken in Storing: Store in cool/well-ventilated place.

8. Exposure Controls/Personal Protection

| CAS # | Partial Chemical Name | OSHA TWA | ACGIH TWA | Other Limits |
|------------|--|----------|----------------|--------------|
| 64742-47-8 | Hydrotreated Light Distillates (petroleum) | No data. | TLV: 200 mg/m3 | No data. |
| 64742-48-9 | Hydrotreated heavy naphtha | No data. | No data. | No data. |



SAFETY DATA SHEET

METAL POLISH

Respiratory Equipment (Specify Type): No data available.
Eye Protection: Goggles.
Protective Gloves: Chemically protective gloves.
Other Protective Clothing: No data available.
Engineering Controls (Ventilation etc.): Provide sufficient mechanical ventilation.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid
Appearance and Odor: Opaque. Liquid.
pH: No data.
Melting Point: No data.
Boiling Point: No data.
Flash Pt: 140.00 F (60.0 C) Method Used: TAG Closed Cup
Evaporation Rate: <=
Flammability (solid, gas): No data available.
Explosive Limits: LEL: No data. UEL: No data.
Vapor Pressure (vs. Air or mm Hg): No data.
Vapor Density (vs. Air = 1): No data.
Specific Gravity (Water = 1): No data.
Solubility in Water: No data.
Octanol/Water Partition Coefficient: No data.
Percent Volatile: NR
VOC / Volume: NA
Autoignition Pt: No data.
Decomposition Temperature: NP
Viscosity: No data.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: High Temperatures.
Incompatibility - Materials To Avoid: No data available.
Hazardous Decomposition or Byproducts: No data available.
Possibility of Hazardous Reactions: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions: No data available.



SAFETY DATA SHEET METAL POLISH

11. Toxicological Information

Toxicological Information: Not data on finished products.
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

General Ecological Information: Not data on finished products.

13. Disposal Considerations

Waste Disposal Method: Dispose of contents/container in accordance with all applicable local, state, and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: NOT REGULATED PER 49CFR 173.150.
DOT Hazard Class:
UN/NA Number: None

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Petroleum distillates, n.o.s. [or] Petroleum products, n.o.s.
UN Number: 1268 **Packing Group:** III
Hazard Class: 3 - COMBUSTIBLE LIQUID

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

| CAS # | Hazardous Components (Chemical Name) | S. 302 (EHS) | S. 304 RQ | S. 313 (TRI) |
|------------|--|--------------|-----------|--------------|
| 64742-47-8 | Hydrotreated Light Distillates (petroleum) | No | No | No |
| 64742-48-9 | Hydrotreated heavy naphtha | No | No | No |

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:
 Yes No Acute (immediate) Health Hazard
 Yes No Chronic (delayed) Health Hazard
 Yes No Fire Hazard
 Yes No Sudden Release of Pressure Hazard
 Yes No Reactive Hazard

16. Other Information

Revision Date: 07/23/2015
Preparer Name: LINDA ADAME 951-273-3910

Hazard Rating System:

| | | |
|--------------|--------------------------|---|
| HEALTH | <input type="checkbox"/> | 1 |
| FLAMMABILITY | <input type="checkbox"/> | 0 |
| PHYSICAL | <input type="checkbox"/> | 1 |
| PPE | | B |

HMIS:

Additional Information About This Product: No data available.

Company Policy or Disclaimer:

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the



SAFETY DATA SHEET

METAL POLISH

text.