

SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name

PURETEC TANKSAFE

Synonyms

TK SERIES • TK1000, TK2000, TK5000, TK15000 - PRODUCT CODE(S)

1.2 Uses and uses advised against

Uses

COMMERCIAL/INDUSTRIAL APPLICATIONS • DOMESTIC APPLICATIONS • RAINWATER TANK

SANITISER/DISINFECTANT

1.3 Details of the supplier of the product

Supplier name

PURETEC PTY LTD

Address

37-43 Brodie Rd, Lonsdale, SA, 5160, AUSTRALIA

Telephone

1300 140 140

Fax

1300 140 141

Email

sales@puretecgroup.com

Website

http://puretecgroup.com

1.4 Emergency telephone numbers

Emergency

1300 140 140

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

Physical Hazards

Not classified as a Physical Hazard

Health Hazards

Serious Eye Damage / Eye Irritation: Category 2A

Environmental Hazards

Not classified as an Environmental Hazard

2.2 GHS Label elements

Signal word

WARNING

Pictograms



Hazard statements

H319

Causes serious eye irritation.

Prevention statements

P264

Wash thoroughly after handling.

P280

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Response statements

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P337 + P313

If eye irritation persists: Get medical advice/attention.

SDS Date: 02 Mar 2022

PRODUCT NAME PURETEC TANKSAFE

Storage statements

None allocated.

Disposal statements

None allocated.

2.3 Other hazards

No information provided.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
HYDROGEN PEROXIDE	7722-84-1	231-765-0	7.9%
WATER	7732-18-5	231-791-2	>60%

4. FIRST AID MEASURES

4.1 Description of first aid measures

If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

If inhaled, remove from contaminated area. Apply artificial respiration if not breathing. Inhalation

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If Ingestion

swallowed, do not induce vomiting.

First aid facilities Eye wash facilities and safety shower should be available.

4.2 Most important symptoms and effects, both acute and delayed

Irritating to the eyes and skin.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases when heated to decomposition. May ignite in contact with incompatible materials.

5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire, Use waterfog to cool intact containers and nearby storage areas.

5.4 Hazchem code

None allocated.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

6.2 Environmental precautions

Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

FT. BOOM WELLS, KILL

Chem/Alert.

SDS Date: 02 Mar 2022

PRODUCT NAME **PURETEC TANKSAFE**

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs, Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.

7.3 Specific end uses

No information provided.

EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

	Ingredient	Reference	TWA			EL
; ·	ingrouping	Reference	ppm	mg/m³ ්	ppm	mg/m³
	Hydrogen peroxide	SWA [AUS]	1	1.4		
	Hydrogen peroxide	SWA [Proposed]	0.5	0.7		

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls

Avoid inhalation, Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction

ventilation is recommended. Maintain vapour levels below the recommended exposure standard.

PPE

Eye / Face

Wear splash-proof goggles.

Hands

Wear PVC or rubber gloves.

Body

When using large quantities or where heavy contamination is likely, wear coveralls.

Respiratory

Not required under normal conditions of use.





PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Odour

COLOURLESS LIQUID SLIGHT ODOUR

Flammability Flash point

NON FLAMMABLE **NOT RELEVANT**

Boiling point

101°C

Melting-point ---

Evaporation rate

< 0°C

pН

AS FOR WATER 3.5 to 4.5

Vapour density

NOT AVAILABLE

Relative density

1 027

Solubility (water) Vapour pressure

SOLUBLE

Upper explosion limit

18 mm Hg @ 20°C **NOT RELEVANT**

Chem/Alert.

SDS Date: 02 Mar 2022

PRODUCT NAME PURETEC TANKSAFE

9.1 Information on basic physical and chemical properties

 Lower explosion limit
 NOT RELEVANT

 Partition coefficient
 NOT AVAILABLE

 Autoignition temperature
 NOT AVAILABLE

 Decomposition temperature
 NOT AVAILABLE

Viscosity

NOT AVAILABLE
Explosive properties

NOT AVAILABLE
Oxidising properties

NOT AVAILABLE

NOT AVAILABLE

Odour threshold

9.2 Other information
% Volatiles > 60 % (Water)

10. STABILITY AND REACTIVITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Polymerization will not occur.

10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

Incompatible with combustible materials, reducing agents (e.g. sulphites), acids (e.g. nitric acid), alkalis (e.g. sodium hydroxide), metals, heat and ignition sources. Potential oxidising agent.

10.6 Hazardous decomposition products

May evolve toxic gases when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity Acute oral exposure may result in irritation of the mouth, throat, oesophagus and gastrointestinal tract.

Information available for the ingredients:

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
HYDROGEN PEROXIDE	805 mg/kg (rat) (AICIS)	1200 mg/kg (mouse)	2000 mg/m³/4 hours (rat)

Skin Contact may result in irritation, redness, rash and dermatitis.

Eye Contact may result in irritation, lacrimation, pain and redness.

Sensitisation Not classified as causing skin or respiratory sensitisation.

Mutagenicity Not classified as a mutagen.

Carcinogenicity Not classified as a carcinogen. Hydrogen peroxide is not classifiable as to its carcinogenicity to humans

(IARC Group 3).

Reproductive Not classified as a reproductive toxin.

STOT - single Over exposure to vapours may result in respiratory irritation, nausea, dizziness and headache. High level

exposure exposure may result in drowsiness and breathing difficulties.

STOT - repeated Not classified as causing organ damage from repeated exposure. Adverse effects are generally associated

exposure with single exposure.

Aspiration Not classified as causing aspiration.

12. ECOLOGICAL INFORMATION

ChemAlert.

SDS Date: 02 Mar 2022

PRODUCT NAME PURETEC TANKSAFE

12.1 Toxicity

No information provided.

12.2 Persistence and degradability

No information provided.

12.3 Bioaccumulative potential

No information provided.

12.4 Mobility in soil

No information provided.

12.5 Other adverse effects

No information provided.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal

Reuse where possible. Alternatively, absorb with sand or similar and dispose of to an approved landfill site.

Contact the manufacturer/supplier for additional information (if required).

Legislation

Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

14.5 Environmental hazards

Not a Marine Pollutant.

14.6 Special precautions for user

Hazchem code

None allocated.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule

Classified as a Schedule 5 (S5) Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications

Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals (GHS Revision 7).

Inventory listings

AUSTRALIA: AIIC (Australian Inventory of Industrial Chemicals)

All components are listed on AIIC, or are exempt.

16. OTHER INFORMATION

Additional information

WORKPLACE CONTROLS AND PRACTICES: Unless a less toxic chemical can be substituted for a hazardous substance, ENGINEERING CONTROLS are the most effective way of reducing exposure. The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release. Isolating operations can also reduce exposure. Using respirators or protective equipment is less effective than the controls mentioned above, but is sometimes necessary.



SDS Date: 02 Mar 2022

PURETEC TANKSAFE PRODUCT NAME

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS#	Chemical Abstract Service number - used to uniquely identify chemical com

CAS#	Chemical Abstract Service number -	used to uniquely identify chemi	cai compounds
ONO	0 4 131 0 4		

Central Nervous System CNS

EC No - European Community Number EC No.

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Globally Harmonized System **GHS**

Group Text Emergency Procedure Guide **GTEPG** IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

Lethal Dose, 50% / Median Lethal Dose LD50

mg/m³ Milligrams per Cubic Metre Occupational Exposure Limit OEL

рΗ relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

Parts Per Million mag

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure) STOT-SE Specific target organ toxicity (single exposure)

Standard for the Uniform Scheduling of Medicines and Poisons SUSMP

SWA Safe Work Australia TLV Threshold Limit Value **TWA** Time Weighted Average

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

引擎联系 5g, 对对抗原则 对抗。 1

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711

Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmtglobal.com

[End of SDS]

ChemAlert.

SDS Date: 02 Mar 2022

Revision No: 1.1

on all will be evident not a