











SAFETY CATALOGUE

› REGULATORY SIGNS › (PARKING SIGNS)	PAGE 03	
› GUIDE SIGNS › (STREET NAME SIGNS)	PAGE 17	
› SAFETY SIGNS	PAGE 27	
› TEMPORARY ROADWORK SIGNS › (CORFLUTES & MULTI MESSAGE SIGNS)	PAGE 33	
› WARNING SIGNS	PAGE 40	
› TRANSPORT SIGNS	PAGE 50	
› RECREATIONAL SIGNS	PAGE 54	
› HAZARD MARKERS	PAGE 58	

REGULATORY SIGNS INFORM ROAD USERS OF TRAFFIC LAWS OR REGULATIONS WHICH, IF DISREGARDED, IS AN OFFENCE. THEY ARE NORMALLY PLACED AT THE POINT OR BEGINNING OF THE SECTION WHERE THE REGULATION APPLIES.

Included in this classification are signs which indicate the end of a legal restriction imposed by a preceding regulatory sign, e.g. the END LOAD LIMIT sign (R6-5).

Most regulatory signs are rectangular with the long axis vertical and have black legend with or without red annulus and slash on white background.

Wherever practicable, use is made of symbols and arrows to:

- a) Assist in identification
- b) Clarify the instruction; and
- c) Increase legibility


Additional legend may be required on certain signs to restrict their application to particular periods and classes of traffic or to indicate the beginning or end of a special traffic lane.

Where a special inscription is needed on an enlarged sign, this should be shown in black below the main instructions or on a special supplementary white sign of the same width as the regulatory sign.

SIGN CLASSIFICATIONS

The sub-classifications and their relevant prefix and series coding for regulatory signs are as follows:

SERIES No.	CLASSIFICATION
R1	Movement series
R2	Direction series
R3	Pedestrian series
R4	Speed series
R5	Parking series
R6	Miscellaneous series
R7	Exclusive-use lane series
R8	Bicycle/Pedestrian series
R9	Supplementary plates for general use



All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



R1-1A 600 x 600
R1-1B 750 x 750
R1-1C 900 x 900



R1-2A 750
R1-2B 900
R1-2C 1200



R1-3A 750
R1-3B 900



NSW ONLY
R1-4A 450 x 450



ACT & NSW ONLY
R2-1A 900 x 300
R2-1B 1350 x 450
(L or R)



R2-2A 450 x 600
R2-2B 600 x 800
(L or R)



R2-3A 450 x 600
R2-3B 600 x 800
(L or R)



NSW, NT & ACT ONLY
R2-4A-RTA 450 x 750
R2-4B-RTA 600 x 1000
R2-4C-RTA 750 x 1250



R2-4A 450 x 450
R2-4B 600 x 600
R2-4C 750 x 750
R2-4D 900 x 900



NSW, NT & ACT ONLY
R2-5A-RTA 450 x 750
R2-5B-RTA 600 x 1000



R2-5A 450 x 450
R2-5B 600 x 600
R2-5C 750 x 750
R2-5D 900 x 900



NSW, NT & ACT ONLY
R2-6A-RTA 450 x 900
R2-6B-RTA 600 x 1200
(L or R)



All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



R2-6A 450 x 450
R2-6B 600 x 600
R2-6C 750 x 750
R2-6D 900 x 900
(L or R)



R2-7A 450 x 600
R2-7B 600 x 800




R2-8A 450 x 600
R2-8B 600 x 800



R2-9A 450 x 750
R2-9B 600 x 1000
(L or R)



R2-10A 600 x 600



R2-11A 450 x 600
R2-11B 600 x 800



R2-12A 2300 x 1470



R2-13 1100 x 1100



R2-14A 600 x 800
R2-14B 900 x 1200
(L or R)



R2-15A 450 x 600
R2-15B 600 x 800



R2-16A 750 x 600



R2-17A 450 x 800
R2-17B 600 x 1067
R2-17C 900 x 1600

All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials




R2-18 1400 x 1400



R2-19A 800 x 1200



R2-20 450 x 800



R2-21 800 x 1100



R2-22 600 x 600



R2-209 150 x 1150



R3-1A 600
R3-1B 750
R3-1C 900




R3-2A 450
R3-2B 600



R3-3A 600 x 600
FLAG C/W DOWELL



R3-4A 450 x 1200
R3-4B 600 x 1600




R3-5A 90 x 110
(L or R)



R4-1A 450 x 600
R4-1B 600 x 800
R4-1C 900 x 1200
R4-1D 1200 x 1600

REGULATORY SIGNS

All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



WA ONLY
R4-2A 600 x 800
R4-2B 900 x 1200



R4-3A 450 x 300
R4-3B 600 x 400
R4-3C 900 x 600




R4-4A 450 x 750



R4-5A 450 x 750



R4-10A 450 x 750
R4-10B 600 x 1000



R4-11A 450 x 750
R4-11B 600 x 1000




R4-12B 600 x 1000
R4-12C 800 x 1334



NSW ONLY
R4-230A-RTA 900 x 850
R4-230B-RTA 1200 x 1135
R4-230C-RTA 1800 x 1700



NSW ONLY
R4-231A-RTA 900 x 850
R4-231B-RTA 1200 x 1135
R4-231C-RTA 1800 x 1700



VIC ONLY
R4-V105A 900 x 850
R4-V105B 1200 x 1135
R4-V105C 1800 x 1700



VIC ONLY
R4-V106AA 360 x 1016
R4-V106AB 450 x 1270



VIC ONLY
R4-V107A 360 x 840
R4-V107B 450 x 1050
R4-V107C 600 x 1400

All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



NSW ONLY

R4-212A 450 x 900
R4-212B 600 x 1200
R4-212C 900 x 1745
R4-212D 1200 x 2400
(Hinged or Unhinged)



NSW ONLY

R4-225B 600 x 1030
R4-225C 900 x 1550
R4-225D 1200 x 2000



VIC ONLY

R4-V108B 600 x 780
R4-V108C 900 x 1170



NSW ONLY

R5-58A-RTA 600 x 225
R5-58B-RTA 900 x 337



R5-58A 1500 x 1100




R6-1A 750 x 900
R6-1B 1200 x 1440




R6-2A 750 x 900
R6-2B 1200 x 1440



R6-3A 600 x 900
R6-3B 900 x 1350



R6-4A 600 x 900
R6-4B 900 x 1350



R6-5A 600 x 800
R6-5B 900 x 1200



R6-6A 450 x 750
R6-6B 675 x 1125



R6-7A 450
R6-7B 600

REGULATORY SIGNS

All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



R6-8A 450
R6-8B 600



R6-9A 450 x 600



R6-10-1A 600 x 600
R6-10-1B 900 x 900
R6-10-1C 1200 x 1200



R6-10-2A 600 x 600
R6-10-2B 900 x 900
R6-10-2C 1200 x 1200



R6-10-3A 450 x 450
R6-10-3B 600 x 600
R6-10-3C 750 x 750
R6-10-3D 900 x 900



R6-11A 1950 x 600



R6-12A 1500 x 600




R6-13A 1200 x 1500



R6-14A 450 x 750
R6-14B 675 x 1125



R6-15A 450 x 450
R6-15B 600 x 600
R6-15C 750 x 750



R6-17A 1200 x 750



R6-18A 600 x 700
R6-18B 900 x 1050
R6-18C 1200 x 1400

All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



R6-19A 1200 x 600
R6-19B 1800 x 900



R6-20A 1200 x 600
R6-20B 1800 x 900



R6-21A 900 x 450
R6-21B 1800 x 900



R6-22A 1200 x 1000
R6-22B 1440 x 1200
R6-22C 1800 x 1500




R6-23A 1000 x 800
R6-23B 1500 x 1200



R6-24A 1350 x 178
R6-24B 1800 x 238



R6-25A 1200 x 800
R6-25B 1350 x 900



R6-26A 1350 x 178
R6-26B 1800 x 238



R6-27A 600 x 700
R6-27B 900 x 1050
R6-27C 1200 x 1400



R6-28A 900 x 900
R6-28B 1200 x 1200
R6-28C 1800 x 1800



R6-29A 1200 x 600
R6-29B 1800 x 900
R6-29C 2400 x 1200



R6-30A 600 x 1200
R6-30B 900 x 1800

REGULATORY SIGNS

All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



R6-31A 350 x 350



R6-32A 1200 x 800



NSW ONLY
R6-222-RTA 450 x 800



R7-1-1C 600 x 800
R7-1-1D 900 x 1200
R7-1-1E 1200 x 1600



R7-1-3C 600 x 800
R7-1-3D 900 x 1200
R7-1-3E 1200 x 1600



R7-1-4B 450 x 600
R7-1-4C 600 x 800
R7-1-4D 900 x 1200



R7-1-5C 600 x 800
R7-1-5D 900 x 1200



R7-1-6C 600 x 800
R7-1-6D 900 x 1200
R7-1-6E 1200 x 1600




R7-2B 450 x 150
R7-2C 600 x 200
R7-2D 900 x 300
R7-2E 1200 x 400



R7-3B 450 x 300
R7-3C 600 x 400
R7-3D 900 x 600
R7-3E 1200 x 800
(L & R)



R7-4A 300 x 100
R7-4B 450 x 150
R7-4C 600 x 200
R7-4D 900 x 300
R7-4E 1200 x 400



R7-5B 450 x 300
R7-5C 600 x 400
R7-5D 900 x 600
R7-5E 1200 x 800



R7-6-1A 1400 x 400



R7-6-2A 1400 x 400



R7-6-3A 1600 x 400



R7-6-4 1600 x 400

All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



R7-7-1C 600 x 800
R7-7-1D 900 x 1200
R7-7-1E 1200 x 1600



R7-7-2C 600 x 800
R7-7-2D 900 x 1200
R7-7-2E 1200 x 1600



R8-1A 300 x 450
R8-1B 450 x 600
R8-1C 600 x 800




R8-2A 300 x 450
R8-2B 450 x 600
R8-2C 600 x 800



R8-3A 300 x 300
R8-3B 450 x 450
R8-3C 600 x 600



R9-1-1A 450 x 300
R9-1-1B 600 x 400
R9-1-1C 900 x 600
R9-1-1D 1200 x 800



R9-1-2A 450 x 450
R9-1-2B 600 x 600
R9-1-2C 900 x 900
R9-1-2D 1200 x 1200



R9-1-3B 600 x 400
R9-1-3C 900 x 600
R9-1-3D 1200 x 800



R9-2A 450 x 300
R9-2B 600 x 400
R9-2C 750 x 500



R9-3A 450 x 300
R9-3B 600 x 400
R9-3C 750 x 500



R9-4A 450 x 300
R9-4B 600 x 400



R9-5C 750 x 375
R9-5D 900 x 450



R9-6A 750 x 150
R9-6B 1000 x 200
R9-6C 1200 x 240



QLD ONLY
TC1195A 750
TC1195B 900
TC1195C 1200



QLD ONLY
TC9265A 180 x 1200



QLD ONLY
R4-Q01A 450 x 1400
R4-Q01B 600 x 1900
R4-Q01C 900 x 2800

PARKING SIGNS

Parking controls and the times that they apply vary so widely that parking signs generally have to be designed individually. Many signs contain a number of separate controls on one sign.

A special numbering code comprising a generic number in the R5 Series, together with additional coding has been developed for ordering those signs whose message is variable.


LINEAR PARKING CONTROL PANELS

TYPE OF CONTROL		SIGN NUMBER
PARKING		
Whole Hours:	1P	R5-1
	2P	R5-2
	3P	R5-3
	4P	R5-4
	5P	R5-5
	6P	R5-6
	7P	R5-7
	8P	R5-8
	P No Duration Stated	R5-10
Part of Hours:	P2 Minute	R5-12
	P5 Minute	R5-13
	P10 Minute	R5-14
	¼ P	R5-15
	½ P	R5-16
	1½ P	R5-17
ZONE	Bus Zone	R5-20
	Taxi Zone	R5-21
	Permit Zone	R5-22
	Loading Zone	R5-23
	Truck Zone	R5-24
	Works Zone	R5-25
	Mail Zone	R5-26
NO-STOPPING	No - Stopping (At any time)	R5-35
	No - Stopping (Specific times of operation)	R5-36
NO-PARKING	No - Parking (At any time)	R5-40
	No - Parking (Specific times of operation)	R5-41
CLEARWAY	Clearway (At all times)	R5-45
	Clearway (Specific times of operation)	R5-46


All signs are available in Hi Intensity (**H**) & Diamond Grade (**DG**) and Enamel (**E**) Materials

PANEL ARRANGEMENTS ON SIGNS

CODE	SIZE (mm)
N1	225 x 300
N2	225 x 450
W1	450 x 225
W2	450 x 300




Examples of Panel Arrangement Layouts



PARKING SIGNS

Sizes Available: **S** = Single 225 x 450, **D** = Double 450 x 450, **T** = Triple 450 x 675. Left, Right & Double Arrows also available.



REGULATORY SIGNS

All signs are available in Hi Intensity (H) & Diamond Grade (DG) and Enamel (E) Materials

PARKING SIGNS

Sizes Available: S = Single, D = Double, T = Triple



R5-23



R5-26



R5-35




R5-39A 600 x 225

R5-39B 900 x 337



R5-40



R5-46




R5-50A 600 x 800

R5-50B 900 x 1200



R5-51A 600 x 600

R5-51B 900 x 900



R5-61A 600 x 900

R5-61B 900 x 1350



R5-62A 450 x 800

R5-62B 600 x 1065



R5-63A 600 x 600

R5-63B 900 x 900



R5-65A 450 x 300

R5-65B 600 x 400



R5-71A 600 x 800

R5-71B 900 x 1200




R5-72A 450 x 900

R5-72B 600 x 1065

All signs are available in Hi Intensity (H) & Diamond Grade (DG) and Enamel (E) Materials

PARKING SIGNS

Left, Right & Double Arrows available.



ACT ONLY
ACTR5-1 300 x 450
(Class 2)



ACT ONLY
ACTR5-2 300 x 450
(Class 2)




ACT ONLY
ACTR5-3 300 x 450
(Class 2)



ACT ONLY
ACTR5-20 300 x 450
(Class 2)



ACT ONLY
ACTR5-22/1 300 x 450
(Class 2)



ACT ONLY
ACTR5-23 300 x 450
(Class 2)



ACT ONLY
ACTR5-35 300 x 450
(Class 2)



ACT ONLY
ACTR5-40 300 x 450
(Class 2)



NSW ONLY
RTAR5-400

GUIDE SIGNS INFORM AND ADVISE ROAD USERS ABOUT THE ROUTE THEY ARE FOLLOWING AND GIVE DIRECTIONS AND DISTANCES TO DESTINATIONS ON THE ROUTE OR ALONG OTHER ROADS WHICH INTERSECT THE ROUTE. THEY ALSO SUPPLY INFORMATION TO IDENTIFY POINTS OF GEOGRAPHICAL OR HISTORICAL INTEREST AND GIVE DIRECTIONS TO MOTORISTS' SERVICES AND TOURIST FACILITIES AND ATTRACTIONS.

Guide signs are generally rectangular. Where practicable, they should be designed with the long axis horizontal. Exceptions to this are route markers and kilometre plates that are normally on a shield or background of distinctive shape.

The background colour of guide signs is coded to allow road users to recognize them as belonging to a particular category.

These Categories are:

- a) A black legend on a white background signifies general information signs, national route markers and street name signs.
- b) A white legend on a green background is used for signs such as advance direction signs, finger boards, intersection and special direction signs, advance exit and exit direction signs on freeways, reassurance direction signs and kilometre posts.
- c) A white legend on blue background indicates roadside facilities, services and service areas (including rest and camping areas), state route markers, bicycle route markers, and bicycle and pedestrian route information and direction signs.
- d) A black legend on a yellow background is used for exit speed signs and special instruction (e.g. ONLY) panels within certain direction signs.
- e) A white legend on a red background is used for signs which indicate to a driver the need to stop or reduce speed considerably and signs indicating wrong-way movements.
- f) A white legend on a brown background is used for tourist signs and tourist route markers.



SIGN CLASSIFICATIONS

The sub-classifications and the prefix and series number relevant to each individual warning signs are as follows:

SERIES NO.	CLASSIFICATION
G1	Advance direction series
G2	Intersection direction series
G3	Finger Boards
G4	Reassurance direction series
G5	Street name & pedestrian direction series
G6	Geographical feature series
G7	Service series
G8	Route marker series
G9	Traffic instruction series
G10	Kilometre posts
G11	Tourist series
GE	Freeway guide series
Note:	The prefix S is used to identify symbols for use on G7 series signs.

G1 - ADVANCE DIRECTION SERIES



G1-1




G1-2



G1-3



G1-4



G1-5



G1-6

G2 - INTERSECTION DIRECTION SERIES



G2-1 COOMERA



G2-2 COOMERA



G2-3



G2-5

G3 - FINGER BOARDS



G3-4



G3-5

G4 - REASSURANCE DIRECTION SERIES



G4-1

G6 - GEOGRAPHICAL FEATURE SERIES

ECHUCA

G6-1

SWAN RIVER

G6-2

CITY OF ALBURY | SHIRE OF HUME

G6-5

MOONBI RANGE
914 m

G6-6

G7 - SERVICE SERIES



G7-1-1A
G7-1-1B



G7-1-2A
G7-1-2B



G7-2-3A
G7-2-3B



G7-3-4A
G7-3-4B



G7-4-3A
G7-4-3B



G7-6-1A
G7-6-1B



DNP1 450 x 750
CENTRE MOUNTED



DNPBSM 500 x 750
SIDE MOUNTED
DOUBLE SIDED



G7-7-1A
G7-7-1B



G7-8-2A
G7-8-2B



G7-9-1A




G7-10-1A






G7-11



G7-12



G8 - ROUTE MARKER SERIES




G8-1-1A 310 x 360
G8-1-1B 413 x 480

G8-1-2A 310 x 360
G8-1-2B 413 x 480

G8-2-1A 310 x 200
G8-2-1B 410 x 265

G8-2-2A 310 x 200
G8-2-2B 410 x 265

G8-2-3A 310 x 200
G8-2-3B 410 x 265
(L or R)



G8-2-4A 310 x 200
G8-2-4B 410 x 265
(L or R)

G8-2-5A 310 x 200
G8-2-5B 410 x 265

G8-2-6A 310 x 200
G8-2-6B 410 x 265

G8-2-7A 310 x 200
G8-2-7B 410 x 265

G8-3-1A 310 x 200
G8-3-1B 410 x 265



G8-4-1A 310 x 200
G8-4-1B 410 x 265


G8-8-8A 375 x 360
G8-8-8B 500 x 480

G8-9-1 360 x 360

G8-9-2 360 x 360

G8-9-3 360 x 360

G9 - TRAFFIC INSTRUCTION SERIES



G9-3 1700 x 900
(L or R)

G9-4 1700 x 900
(L or R)

G9-5-1 1300 x 350
(L or R)

G9-5-2 1400 x 350
(L or R)

G9 - TRAFFIC INSTRUCTION SERIES



G9-9A 1500 x 750
G9-9B 1800 x 900



G9-10A 900 x 900
G9-10C 2400 x 2400



G9-11A 900 x 1100
G9-11C 2400 x 2950



G9-12A 950 x 1100
G9-12C 2550 x 2950



G9-15A 600 x 800
G9-15B 900 x 1200
G9-15C 1200 x 1600




G9-16A 600 x 800
G9-16B 900 x 1200
G9-16C 1200 x 1600
G9-16D 1500 x 2000



G9-18A 600 x 400
G9-18B 900 x 600



G9-19A 600 x 200



G9-22A 200 x 1350

G9-22-1A 200 x 2350
G9-22-2B 200 x 2350
G9-22-2 200 x 2350
(QLD - RHS ONLY)



G9-20 900 x 550



G9-21 2150 x 800



G9-23A 800 x 600
G9-23B 1000 x 750
G9-23C 1200 x 900



G9-24A 2200 x 800
G9-24B 4400 x 1600

G9 - TRAFFIC INSTRUCTION SERIES



G9-25A 2200 x 800
G9-25B 4400 x 1600



G9-26 2200 x 1100



G9-32 2100 x 450



G9-33 2100 x 450



G9-37 2600 x 1200



G9-38 2600 x 1200



G9-40-1A 900 x 600



G9-48A 600 x 600
G9-48B 750 x 750
G9-48C 900 x 900



G9-57A 900 x 800
G9-57B 1200 x 1067



G9-58A 450 x 450
G9-58B 600 x 600



G9-60A 450 x 600
G9-60B 600 x 800



G9-63A 900 x 900
(L or R)



G9-64A 750 x 600



G9-65A 600 x 1200

G10 - KILOMETRE POSTS



G10-3A 250 x 450

G11 - TOURIST SERIES



G11-1



G11-4


GE - FREEWAY GUIDE SERIES



GE1-2



GE1-6



GE1-11



GE1-13



GE2-3 1800 x 1600



GE7-6A 600 x 700
GE7-6B 900 x 1050



GE7-8 200 x 350
(L or R)



GE7-9 200 x 100

GE - FREEWAY GUIDE SERIES



GE9-15A 600 x 400
GE9-15B 750 x 500




GE9-2A 1400 x 1800



GE9-3A 2600 x 2000



GE9-22-1B 2700 x 1400
GE9-22-1C 3600 x 1867



GE9-22-2RA 1750 x 1500
GE9-22-2RB 2350 x 2015



G5 - STREET NAME SERIES

Guide signs are generally rectangular.

Australian Standard 1742-5: 1997 “Street Name and Community Facility Name Signs” requires the following:

- That “street name signs” be mounted at the “optimum height for illumination by vehicle headlights”.
- They should be made using a retro-reflective material as a background which in the least meets the requirements of Class 1 material as specified.
- Where possible “Series D” letters should be used. This letter style spaced in accordance with the Standard ensures quick name recognition and facilitates traffic flow.

LEGEND	BACKGROUND					
	WHITE	YELLOW	STANDARD GREEN	BLUE	BROWN	BLACK
WHITE	-	NO (3)	YES (5)	YES (5)	NO (2,4)	NO (2,4)
YELLOW	NO (3)	-	NO (2)	NO (2,3)	NO (2,4)	NO (4)
STANDARD GREEN	YES (1)	YES (1)	-	NO (3)	NO (3)	NO (3)
BLUE	YES (1)	YES (1)	NO (3)	-	NO (3)	NO (3)
BROWN	YES (1)	YES (1)	NO (3)	NO (3)	-	NO (3)
BLACK	YES (1)	YES (1,6)	NO (3)	NO (3)	NO (3)	-

Notes:

- Legend shall be non-reflectorised.
- Not suitable for street name. May be used for local government name or logo.
- Inadequate contrast between colours.
- Sign will not be sufficiently conspicuous.
- Background shall be reflectorised
- Use of this combination in conjunction with the NO THROUGH ROAD sign may compromise the warning impact of the colour of the latter.

Source: AS1742.5:2.7 – 1997

ABBREVIATIONS

Arcade ARC	Drive DR	Place, Plaza PL
Avenue AV	Esplanade ESP	Promenade PRM
Boulevard BVD	Expressway EXP	Quay QY
Brace, Brae BR	Freeway FWY	Road RD
Chase CH	Gardens GDN	Square SQ
Circuit CCT	Grove GR	Street ST
Circle, Circlet, Circus CIR	Highway HWY	Terrace TCE
Close CL	Junction JNC	Walk WK
Corner CNR	Lane LA	Way (Not usually abbreviated) WY
Court CT	Parade PDE	
Crescent CR	Parkway PWY	

Source: AS1742.55:2.5 – 1997

Note: Some councils use abbreviations different to the above

G5 - STREET NAME SERIES



G5-1



G5-2



G5-3



G5-4



G5-5



G5-6



G5-10



G5-11



DANGER SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 225	A	Steel	S
450 x 300	B	Steel	S
600 x 450	C	Steel	S
300 x 225	A	Polypropylene	P
450 x 300	B	Polypropylene	P
600 x 450	C	Polypropylene	P
450 x 300	B	Fluted Plastic	F

Note: Please specify sizes and add to end of code when ordering.



DB-AUTHO



DB-HIGHVOL



DB-LIVEWIRES1



DB-NOACCESS



DB

EMERGENCY FIRE / FIRST AID SIGNS


SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	B	Steel	S
300 x 450	A	Polypropylene	P
450 x 600	B	Polypropylene	P
450 x 600	B	Fluted Plastic	F



HOSEREEL



FIREHOSE



CUSTOM



AS473



AS471



AS472

HAZARD SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	B	Steel	S
300 x 450	A	Polypropylene	P
450 x 600	B	Polypropylene	P
450 x 600	B	Fluted Plastic	F



AS 441



AS 442



AS 443



AS 444



AS 445



AS 446



AS 447



AS 448



AS 449



AS 450



AS 451



AS 452



AS 453



CUSTOM

MANDATORY SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	B	Steel	S
300 x 450	A	Polypropylene	P
450 x 600	B	Polypropylene	P
450 x 600	B	Fluted Plastic	F



AS 421



AS 422



AS 423



AS 424



AS 425



AS 426



AS 427




AS 428



AS 429



AS 430



CUSTOM

PIPE MARKERS

PIPE DIAMETER (OUTER DIAMETER)	PIPE MARKER DIMENSION
40mm or less	100 x 450mm
41mm to 75mm	450 x 30mm
75mm or more	450 x 60mm



PIPELINEMARKERS-FH



PIPELINEMARKERS-E



PIPELINEMARKERS-NG

PROHIBITED SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	B	Steel	S
300 x 450	A	Polypropylene	P
450 x 600	B	Polypropylene	P
450 x 600	B	Fluted Plastic	F



AS402



AS403




AS404



NO ENTRY



NO SMOKE



CUSTOM

SAFETY TAGS

MATERIAL	SIZE (mm)	COLOUR	CODE	PACK SIZE
Polypropylene	82 x 140	Yellow	ST7-P	100
Polypropylene	82 x 140	Blue	ST8-P	100
Polypropylene	82 x 140	Red	ST9-P	100
Polypropylene	82 x 140	White	ST10-P	100
Polypropylene	82 x 140	Green	ST11-P	100
Polypropylene	82 x 140	Orange	ST12-P	100



82 x 140




82 x 140



82 x 140




82 x 140



CUSTOM

HYDRANT MARKERS

Available in red or green Scotchlite letters on a white Scotchlite background.







FH-A 150 x 100mm

HP-A 150 x 100mm

SV-A 150 x 100mm

H 75 x 125mm



HP-B 75 x 250mm

FH-B 75 x 250mm

HR 75 x 250mm


SV-B 75 x 250mm

FIRE SIGNS

SIZE (mm)	CODE
100	FT100
200	FT200
350	FT350



WATER



WET CHEMICAL



FOAM



DRY CHEMICAL



CARBON DIOXIDE

TEMPORARY ROADWORK SIGNS

TEMPORARY SIGNS ARE MOSTLY USED FOR WORKS ON ROADS AND FOOTPATHS TO WARN USERS OF TEMPORARY HAZARDOUS CONDITIONS WHICH COULD ENDANGER THEMSELVES OR THOSE WORKING ON THE ROAD. THEY ALSO INDICATE THE TRAVEL PATH THROUGH, AROUND OR PAST WORK SITES, AND IN THIS WAY, CONTRIBUTE TOWARDS THE PROTECTION OF PARTIALLY COMPLETED WORKS FROM DAMAGE.

Guide signs are generally rectangular. Other signs in this classification are used to warn of temporary hazardous conditions which are not related to road works, e.g. sign T1-11, TRAFFIC ACCIDENT AHEAD.

Temporary signs are generally rectangular with the long axis horizontal for ease of mounting.

The colour codings used for temporary signs are as follows:

- General temporary signs – a yellow retro-reflective background, black border and symbol or legend.
- Signs warning of workers – a combination of fluorescent/reflective red or orange background, black symbol and border.
- Signs warning of blasting operations – red background, white legend.

SIGN CLASSIFICATIONS

The sub-classifications and the prefix and series number relevant to each individual warning signs are as follows:

SERIES No.	CLASSIFICATION
T1	Advance series
T2	Position series
T3	Road condition series
T4	Special hazard series
T5	Traffic diversion series
T6	Vehicle mounted series
T7	Hand banner series
T8	Pedestrian series



All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials

**ROADWORK
AHEAD**

T1-1A 1800 x 600
T1-1B 2400 x 900

**BRIDGEWORK
AHEAD**

T1-2A 1800 x 600
T1-2B 2400 x 900

**ROAD
PLANT
AHEAD**

T1-3-1A 900 x 600

**ROAD PLANT
AHEAD**

T1-3-2A 1800 x 600

**GRADER
AHEAD**

T1-4A 900 x 600



T1-5A 900 x 600
T1-5B 1200 x 900
T1-5C 1800 x 1200
Fluoro Diamond Grade

**DETOUR
AHEAD**

T1-6A 1200 x 600
T1-6B 1800 x 900

**TRAFFIC
HAZARD**

T1-10A 1200 x 600

**LINE MARKING
AHEAD**

T1-15A 1500 x 600

**ROADWORK
1km AHEAD**

T1-16A 1800 x 600
T1-16B 2400 x 900

**PREPARE
TO
STOP**

T1-18A 900 x 600
T1-18B 1200 x 900

AHEAD

T1-19A 900 x 600
T1-19B 1200 x 900

**NEW
ROUNDAABOUT**

T1-21A 1800 x 600

**CHANGED
SIGNALS**

T1-22A 1200 x 600

**CHANGED
TRAFFIC
CONDITIONS**

T1-23A 1800 x 900

TEMPORARY ROADWORK SIGNS

All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



T1-24A 1800 x 600
T1-24B 2400 x 900



T1-25A 1800 x 600
T1-25B 2400 x 900



T1-26A 1800 x 600



T1-27 1800 x 600



T1-28A 600 x 600
T1-28B 900 x 900



T1-29A 1800 x 600
T1-29B 2400 x 900



T1-30A 900 x 600
T1-30B 1200 x 900



T1-34A 900 x 600
T1-34B 1200 x 900
T1-34C 1800 x 1200
Fluoro Diamond Grade



NSW ONLY
T1-200-2B 1200 x 900



NSW ONLY
T1-200-3B 1200 x 900
T1-200-3C 1800 x 1200



NSW ONLY
T1-223A 1800 x 900
T1-223B 2400 x 1200



NSW ONLY
T1-224A 1200 x 900
T1-224C 1800 x 1200



T2-4A 1800 x 300



T2-5A 1500 x 600



T2-6-MAGARR
400 x 610
(Available in various arrow combinations)



T2-6-1TOPBMAG
400 x 300

TEMPORARY ROADWORK SIGNS



TRI-V5 750 x 900




TRI-V6 900 x 900



T4-5A 1800 x 900



T4-6A 900 x 600
T4-6B 1200 x 900



T5-1A 1200 x 300
T5-1B 1800 x 450
(L or R)



T5-4A 1500 x 450



T5-5A 600 x 600
(Flat or Box)



T5-6A 450 x 450
T5-6B 600 x 600



T6-1A 1800 x 750



T8-1A 900 x 600



T8-2A 1200 x 300
(L or R)



T8-3A 900 x 600
(L or R)



STOP/SLOW BATS
SSB450 450
SSB600 600
(Class 1, 2 & D/G)



**STOP/STOP BATS
DOUBLE SIDED**
BAT-H - Class 1
BAT-FR - Diamond Grade
450mm Diam.
BCOV450 - Bat Cover 450mm Diam.
BCOV600 - Bat Cover 600mm Diam.



R41B-R43BH 600 x 1200



QLD ONLY
T1-Q05A 900 x 1000
T1-Q05B 1200 x 900

EXTHAN - Alum. Extendable Handle
WOODH - Wooden Handle

CORFLUTES & MULTI MESSAGE SIGNS

The multi-message sign system regulates speed limits on work sites with minimal light weight signs that are more conspicuous because of their striking colour combinations.

The new Australian Standard AS1742.3:2002 requires that retro-reflective material be used on signs for roadworks. It must meet at least the requirements of Class 1. Signs warning of works personnel shall have a combination fluorescent reflective red or orange background.

Please note that Corflute and Multi Message Signs are not used in the Northern Territory or NSW.



CT284-40 600 x 600
QLD ONLY-TC1332



CT284-42 600 x 600
CT284-20 1200 x 300
QLD ONLY-TC1169



CT284-29 600 x 600
CT284-29-12X3H 1200 x 300
QLD ONLY-TC1170



CT284-28 600 x 600
QLD ONLY-TC1172



CT284-27 600 x 600



CT284-25 600 x 600
QLD ONLY-TC1217
(Available in all speed limits)



CT284-32 600 x 600
QLD ONLY-TC1218



CT284-33 600 x 600
QLD ONLY-TC1219



CT284-156X6 600 x 600
CT284-15 1200 x 300
CT284-15-12X6H 1200 x 600
QLD ONLY-TC1362



CT284-12 1200 x 300
QLD ONLY-TC1174



CT284-13 1200 x 300
CT284-13-6X6H 600 x 600



CT284-16 1200 x 300

TEMPORARY ROADWORK SIGNS



CT284-17 1200 x 300



CT284-18 1200 x 300
QLD ONLY-TC1177



CT284-44 600 x 600



CT284-41 600 x 600



CT284-36 1200 x 300



CT284-37 600 x 600
CT284-37-12X3H 1200 x 300
QLD ONLY-TC1325



CT284-38 1200 x 600
CT284-38-12X3 1200 x 300



CT284-49 1200 x 300
CT284-56 600 x 600



CT284-T3-7 600 x 600



CT284-ARROW3X6H
300 x 600
CT284-ARROW 600 x 600



CT284-TONLY 300 x 600
CT284-TONY 600 x 600



CT284-R2-6R 600 x 600
(L or R)



CT284-W3-3 600 x 600



CT284-SD 600 x 600




CT284-T5-1 1200 x 300
(L or R)
CT284-T5-1UH 1200 x 300



TAS ONLY
TASERW
1200 x 600
(Box edge or Quad Sign
Magnetic Speed
overlays available).



CT284-T8-2L 1200 x 300
CT284-T8-2R 1200 x 300



CT284-NEXKM 600 x 600
QLD ONLY-TC1403 1200 x 300



CT284-T2-25L 600 x 600



CT284-T8-3 600 x 600

STANDS



QUADRAPED STAND

QST6x6 600 x 600
QST9x6 900 x 600
QST12x9 1200 x 900



WLM STAND

WLM600 600 x 600
WLM900 900 x 600



AD BASE BOARD

ADBTI-59X9DG 900 x 900
ADBASE 600 x 900



QUAD STAND

QST12X6 - 1200 x 600
TAS ONLY



BI-POD HEAVY DUTY
BIPODSHEAVYDUTY
1600mm
(Spread)



MULTI MESSAGE
SIGN AND FRAME
MMSF

WARNING SIGNS

WARNING SIGNS ARE USED TO WARN TRAFFIC OF POTENTIALLY HAZARDOUS CONDITIONS ON OR ADJACENT TO THE ROAD. WARNING SIGNS ADVISE OF CONDITIONS WHICH REQUIRE CAUTION ON THE PART OF THE DRIVER AND MAY CALL FOR A REDUCTION IN SPEED IN THE INTEREST OF THE SAFETY OF THE DRIVER AND OF OTHER ROAD USERS.

In general, warning signs are diamond shaped (square with one diagonal vertical) with a black legend or symbol, or both, and a black border on a yellow reflectorised background.

The W8 series signs are used in conjunction with other signs in the Warning Series to supplement and clarify the message conveyed and are generally rectangular.

SIGN CLASSIFICATIONS

The sub-classifications and the prefix and series number relevant to each individual warning signs are as follows:

SERIES No.	CLASSIFICATION
W1	Alignment series
W2	Intersection and junction series
W3	Advance warning of traffic control device series
W4	Road width, low and narrow clearance signs
W5	Road obstacle series
W6	Pedestrian, bicycle and school series
W7	Railway level crossing series
W8	Supplementary plate series
W9	Modified intersection series



All signs are available in Hi Intensity (**H**), Diamond Grade (**DG**), Fluoro Yellow/Green (**FYG**) materials

SIZE	DIMENSIONS (mm)
A	600 x 600
B	750 x 750
C	900 x 900
D	1200 x 1200



TURN

W1-1A
W1-1B
W1-1C
(L or R)



REVERSE TURN

W1-2A
W1-2B
W1-2C
(L or R)



CURVE

W1-3A
W1-3B
W1-3C
(L or R)



REVERSE CURVE

W1-4A
W1-4B
W1-4C
(L or R)



WINDING ROAD

W1-5A
W1-5B
W1-5C



HAIRPIN BEND

W1-7A
W1-7B
W1-7C
(L or R)



TILTING TRUCK

W1-8B 1500 x 3000
(L or R)



CROSS ROAD

W2-1A
W2-1B
W2-1C



T JUNCTION

W2-3A
W2-3B
W2-3C



SIDE ROAD JUNCTION

W2-4A
W2-4B
W2-4C
(L or R)



ROUNDBOUT

W2-7A
W2-7B
W2-7C



STAGGERED SIDE ROAD JUNCTION

W2-8A
W2-8B
W2-8C
(L or R)

WARNING SIGNS

All signs are available in Hi Intensity (H), Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



**SIDE ROAD JUNCTION
ON A CURVE**

W2-9A
W2-9B
W2-9C
(L or R)



**SIDE ROAD JUNCTION
ON A CURVE**

W2-10A
W2-10B
W2-10C
(L or R)



**SUCCESSIVE SIDE
ROAD JUNCTION**

W2-11A
W2-11B
W2-11C
(L or R)



**SUCCESSIVE SIDE
ROAD JUNCTION**

W2-12A
W2-12B
W2-12C
(L or R)



SUCCESSIVE SIDE ROAD

W2-13A
W2-13B
W2-13C



T-JUNCTION BEYOND

W2-14A
W2-14B
W2-14C
(L or R)



STOP SIGN AHEAD

W3-1A
W3-1B
W3-1C
W3-1D



GIVE WAY SIGN AHEAD

W3-2A
W3-2B
W3-2C
W3-2D



SIGNALS AHEAD

W3-3A
W3-3B
W3-3C
W3-3D



ROAD HUMPS AHEAD

W3-4A
W3-4B
W3-4C



NARROW BRIDGE

W4-1A
W4-1B
W4-1C



ROAD NARROWS

W4-3A
W4-3B
W4-3C



DIVIDED ROAD

W4-4A
W4-4B
W4-4C



ISLAND

W4-5A
W4-5B
W4-5C
W4-5D



**LOW CLEARANCE
...m (AHEAD)**

W4-8B
W4-8C



LEFT LANE ENDS


W4-9B
W4-9C

WARNING SIGNS


All signs are available in Hi Intensity (H), Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



LANE ALLOCATION
W4-10B
W4-10C



TWO WAY TRAFFIC
W4-11A
W4-11B
W4-11C
W4-11D



VIC ONLY
W4-V103



LOW TREE BRANCHES
VIC ONLY
W4-V106A
W4-V106B
W4-V106C



FERRY
W5-1A
W5-1B
W5-1C



OPENING BRIDGE
W5-2A
W5-2B
W5-2C



FORD
W5-6A
W5-6B
W5-6C



FLOODWAY
W5-7A
W5-7B
W5-7C



LOW LEVEL BRIDGE
W5-8A
W5-8B
W5-8C



DIP
W5-9A
W5-9B
W5-9C



ROAD HUMPS
W5-10A
W5-10B
W5-10C



CREST
W5-11A
W5-11B
W5-11C



STEEP DESCENT
W5-12A
W5-12B
W5-12C



STEEP CLIMB
W5-13A
W5-13B
W5-13C



GATE
W5-14A
W5-14B
W5-14C



GRID
W5-16A
W5-16B
W5-16C

WARNING SIGNS

All signs are available in Hi Intensity (H), Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



ROAD ENDS
W5-18A
W5-18B
W5-18C



GRAVEL ROAD
W5-19A
W5-19B
W5-19C



SLIPPERY
W5-20A
W5-20B
W5-20C



**TRUCKS CROSSING
OR ENTERING**
W5-22A
W5-22B
W5-22C



TURNING TRAFFIC
W5-25A
W5-25B
W5-25C



KANGAROOS
W5-29A
W5-29B
W5-29C



AIRCRAFT
W5-30A
W5-30B
W5-30C



SAFETY RAMP CROSSING
W5-31C
W5-31D



SLOW POINT
W5-33A
W5-33B



MERGING TRAFFIC
W5-34A
W5-34B
W5-34C
W5-34D
(L or R)



ADDED LANE
W5-35A
W5-35B
W5-35C
W5-35D
(L or R)



FIRE STATION
W5-36A
W5-36B
W5-36C



AMBULANCE STATION
W5-37A
W5-37B
W5-37C



STOCK
W5-38A
W5-38B
W5-38C



TRUCKS TURNING
W5-205A
W5-205B
W5-205C



KOALAS
W5-209A
W5-209B
W5-209C

WARNING SIGNS

All signs are available in Hi Intensity (H), Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



WOMBATS
W5-210A
W5-210B
W5-210C



TREES CLOSE TO ROAD
VIC ONLY
W5-V127A
W5-V127B
W5-V127C



PEDESTRIANS
W6-1A
W6-1B
W6-1C



PEDESTRIAN CROSSING AHEAD
W6-2A
W6-2B
W6-2C



SCHOOL BUS
W6-204A
W6-204B
W6-204C



CHILDREN
W6-3A
W6-3B
W6-3C



SCHOOL
W6-4A
W6-4B
W6-4C



HOSPITAL
W6-6A
W6-6B
W6-6C



BICYCLES
W6-7A
W6-7B
W6-7C



ROAD AHEAD
W6-8A 300 x 300
W6-8B 450 x 450



W6-9A
W6-9B
W6-9C




TRACKS
...numbers
W7-2A 600 x 275
W7-2B 800 x 367



RAILWAY LEVEL CROSSING FLASHING SIGNAL AHEAD
W7-4B
W7-4C
W7-4D



TRAIN
W7-7A
W7-7B
W7-7C
(L or R)




TRAIN CROSSING RIGHT ANGLE
W7-8A
W7-8B
W7-8C



TRAIN CROSSING ANGLE
W7-9A
W7-9B
W7-9C
(L or R)


WARNING SIGNS

All signs are available in Hi Intensity (H), Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



**TRAIN CROSSING
T-JUNCTION**

**W7-12A
W7-12B
W7-12C**



**TRAIN CROSSING
INTERSECTION**

**W7-13A
W7-13B
W7-13C**



**TRAIN CROSSING
W7-14-1A 600 x 400**



**DO NOT CROSS
W7-14-2A 600 x 400**



**DO NOT CROSS
W7-14-3A 600 x 500**



RAILWAY GATE

**W7-15A
W7-15B
W7-15C**



**DRY WEATHER
ROAD ONLY
W-DWROA
W-DWROB
W-DWROC**



HORSE AND RIDER

**W-H&RA
W-H&RB
W-H&RC**



**W-RAISPAVA
W-RAISPAVB
W-RAISPAVC**



ADVISORY SPEED

...km/h
**W8-2A 600 x 400
W8-2B 750 x 500
W8-2C 900 x 600
W8-2D 1200 x 800**



ON SIDE ROAD

**W8-3A 600 x 400
W8-3B 750 x 500
W8-3C 900 x 600
(L or R)**



DISTANCE ...m

**W8-5A 600 x 200
W8-5B 750 x 250
W8-5C 900 x 300
W8-5D 1200 x 400**



WHEN WET

**W8-7A 600 x 400
W8-7B 750 x 500
W8-7C 900 x 600**



WHEN FROSTY

**W8-8A 600 x 400
W8-8B 750 x 500
W8-8C 900 x 600**



UNDER SNOW

**W8-9A 600 x 400
W8-9B 750 x 500
W8-9C 900 x 600**



PLAYGROUND

**W8-13A 600 x 400
W8-13B 750 x 500
W8-13C 900 x 600**

WARNING SIGNS

All signs are available in Hi Intensity (H), Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



SCHOOL

W8-14A 600 x 200
W8-14B 750 x 250
W8-14C 900 x 300
 Lime Green Fluoro (QLD)
 Fluoro Diamond Grade



MERGE RIGHT

W8-15B 750 x 500
W8-15C 900 x 600
W8-15D 1200 x 800



ONE LANE

W8-16A 600 x 400
W8-16B 750 x 500
W8-16C 900 x 600



NEXT ...km

W8-17-1A 600 x 400
W8-17-1B 750 x 500
W8-17-1C 900 x 600
W8-17-1D 1200 x 800



NEXT ...m

W8-17-2A 600 x 400
W8-17-2B 750 x 500
W8-17-2C 900 x 600



AGED

W8-18A 600 x 200
W8-18B 750 x 250
W8-18C 900 x 300



BLIND

W8-19A 600 x 200
W8-19B 750 x 250
W8-19C 900 x 300



DISABLED

W8-20A 600 x 200
W8-20B 750 x 250
W8-20C 900 x 300



BOGGY WHEN WET

W8-21A 600 x 400
W8-21B 750 x 500
W8-21C 900 x 600



CROSSING AHEAD

W8-22A 600 x 400
W8-22B 750 x 500
W8-22C 900 x 600



CROSSING ARROWS

W8-23A 600 x 200
W8-23B 750 x 250



PRESCHOOL

W8-24A 600 x 200
W8-24B 750 x 250
W8-24C 900 x 300
 C1W Lime Green Fluoro (QLD)



REFUGE ISLAND

W8-25A 600 x 400
W8-25B 750 x 500
W8-25C 900 x 600



ADDED LANE

W8-26A 600 x 400
W8-26B 750 x 500
W8-26C 900 x 600
W8-26D 1200 x 800

WARNING SIGNS

All signs are available in Hi Intensity (H), Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



PREPARE TO STOP

W8-27B 750 x 375
W8-27C 900 x 450
W8-27D 1200 x 600



VIC ONLY

W8-V113A 600 x 480
W8-V113B 750 x 600
W8-V113C 900 x 720



VIC ONLY

W8-V115-1 600 x 600



VIC ONLY

W8-V115-2 900 x 600



W9-1A
W9-1B
W9-1C
 (L or R)



W9-2A
W9-2B
W9-2C
 (L or R)



W9-3A
W9-3B
W9-3C
 (L or R)



W9-4A
W9-4B
W9-4C
 (L or R)



SCHOOL QLD ONLY

TC1192A 750 x 750
TC1192B 900 x 900
TC1192C 1200 x 1200



CHILDREN QLD ONLY

TC1193A 750 x 750
TC1193B 900 x 900
TC1193C 1200 x 1200



SCHOOL

SCHOOL CROSSING AHEAD QLD ONLY

TC1194A 750 x 750
TC1194B 900 x 900
TC1194C 1200 x 1200



WA ONLY
MR-WDAD-2



WA ONLY
MR-WDAD-3



W5-73

WARNING SIGNS

All signs are available in Hi Intensity (H), Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



WA ONLY
MR-WDAD-6



WA ONLY
MR-WDAD-7



WA ONLY
MR-WDAD-8



WA ONLY
MR-WDAD-9



WA ONLY
MR-WDAD-10



WA ONLY
MR-WDAD-11



WA ONLY
MR-WDAD-12



WA ONLY
MR-WDAD-13



WA ONLY
MR-WDAD-14



WA ONLY
MR-WDAD-15



WA ONLY
MR-WDAD-16



WA ONLY
MR-WDAD-17



WA ONLY
MR-WDAD-18



WA ONLY
MR-WDAD-19



WA ONLY
MR-WDAD-20

**DO NOT OVERTAKE
TURNING VEHICLE**



OVERSIZE



HEAVY VEHICLE MARKER PLATES

AS 4001-2: CLASS 1 ON ALUMINIUM




31L
300 x 100



33
300 x 300



33L
300 x 300



34A
300 x 400



41A
400 x 100



41B
400 x 100



615A-L
600 x 150



615B-R
600 x 150



161
1600 x 100



81C 800 x 100
(Also available as left and right)

ADR 45 CLASS 2 REAR MARKER PLATES: STEEL OR PRESSURE SENSITIVE



1801 P/S
1801ZS STEEL
420 x 300



1803 P/S
1806 STEEL
400 x 400



1805 P/S
1808 STEEL
400 x 400

ADR 45 CLASS 2 REAR MARKER PLATES: STEEL OR PRESSURE SENSITIVE



1811 P/S
1810 STEEL
1600 x 200



1814 P/S (L)
1812 STEEL (L)
800 x 200



1815 P/S (R)
1813 STEEL (R)
800 x 200



1818 P/S (L)
1816 STEEL
800 x 200



1819 P/S (L)
1817 STEEL
800 x 200

R4 SERIES 100KM/H SPEED LIMITED



R4-213 STEEL 300 x 400
R4-213P P/S 300 x 400



R4-214 STEEL 300 x 300
R4-214P P/S 300 x 300



R4-218 STEEL 250 x 250
R4-218P P/S 250 x 250



R4-215 STEEL 680 x 80
R4-215P P/S 680 x 80

REFLECTIVE SIGNS: STEEL, ALUMINIUM, PRESSURE SENSITIVE, PVC, BANNER, CL2, CL1



OSZSS STEEL 1200 x 450 (S/S)
OSALS ALUM 1200 x 450 (S/S)
OSALD ALUM 1200 x 450 (D/S)
OSBR BANNER 1200 x 450




OSLAALS ALUM 1200 x 600 (S/S)
OSLAZSD STEEL 1200 x 600 (D/S)
OSLAALD ALUM 1200 x 600 (D/S)
OSLABR BANNER 1200 x 600




RT12250AL 1200 x 250
RT1200B BANNER 1200 x 250

DRIVER UNDER INSTRUCTION

DUI 525 x 250



OSFD 450 x 450 (Cloth)
(Dowel Flag)



OSFE 450 x 450 (Cloth)
(Eyelet)



BREAKDOWN TRIANGLES
BREAKT
Set of 3

HAZARDOUS GOODS SIGNS



EXP1M250 STEEL 250 x 250
EXP1P250 DECAL 250 x 250



C8M250 STEEL 250 x 250
C8P250 DECAL 250 x 250



NFNTGM250 STEEL 250 x 250
NFNTGP250 DECAL 250 x 250



OA5M250 STEEL 250 x 250
OA5P250 DECAL 250 x 250



DWWM250 STEEL 250 x 250
DWWP250 DECAL 250 x 250



FG2M250 STEEL 250 x 250
FG2P250 DECAL 250 x 250

HAZCHEM
IN EMERGENCY
DIAL 000 POLICE
OR FIRE BRIGADE

HAZCHEM6X3 600 x 300

HAZCHEM

HAZ 600 x 120



HAZ-2WE 600 x 150



CLASS LABEL
ENVELOPE

MHOLD150 150 x 150
MHOLD250 250 x 250
MHOLD300 300 x 300

RECREATIONAL SIGNS

RECREATIONAL SIGNS ARE USED PRIMARILY FOR THREE PURPOSES: TO INFORM THE PUBLIC OF RULES AND REGULATIONS IN A PARTICULAR AREA, TO ALERT THEM TO POTENTIAL HAZARDS AND LASTLY TO DIRECT THEM TO PARTICULAR FACILITIES.

The three types of recreational signs are:

- Advisory
- Regulatory/Prohibition
- Warning

Multiple Message Signs also fall into this category.



ADVISORY

Sizes Available: (A) 150 x 150mm, (B) 200 x 200mm or (C) 300 x 300mm and (D) 450 x 450mm
All Pictograms – Available in Circular or Square Plates.



TOILETS
A1



WOMENS TOILETS
A2




MENS TOILETS
A3



DISABLED TOILETS
A4



FIREPLACES
A5



PICNIC AREA
A6



PICNIC SHELTER
A7



CAMPING AREA
A8



PLAYGROUND
A9



DRINKING WATER
A10



PARKING
A11



INFORMATION
A12



TELEPHONE
A13



FIRST AID
A14



DIRECTIONAL ARROW (1)
A15



DIRECTIONAL ARROW (2)
A16



WALKING WALK
A17



TELEPHONE
A18




HIKING
A19



CYCLING
A20



HORSE RIDING
A21



FISHING AREA
A22



SWIMMING AREA
A23



CANOEING
A24




DIVING
A25

RECREATIONAL SIGNS



HORSE RIDING
A21



FISHING AREA
A22



SWIMMING AREA
A23



CANOEING
A24



DIVING
A25

REGULATORY/PROHIBITION

Sizes Available: (A) 150 x 150mm, (B) 200 x 200mm or (C) 300 x 300mm and (D) 450 x 450mm
All Pictograms – Available in Circular or Square Plates.



**CAMPING
PROHIBITED**
P1



**CATS & DOGS
PROHIBITED**
P2



**VEHICLES
PROHIBITED**
P3



**FIRES
PROHIBITED**
P4



**TRAILBIKES
PROHIBITED**
P5



**HORSES
PROHIBITED**
P6



**FIREARMS
PROHIBITED**
P7



**BICYCLES
PROHIBITED**
P8



**SWIMMING
PROHIBITED**
P9



**DIVING
PROHIBITED**
P10



**FISHING
PROHIBITED**
P11



**PICKING OF PLANTS
PROHIBITED**
P12



CUSTOM

WARNING

Sizes Available: (A) 300 x 300mm & (B) 450 x 450mm



SLIPPERY ROCKS
WPV011



SLIPPERY WHEN WET
WPV012



KANGAROOS
WPV021



WALKING TRACK
WPV004



HIGH SURF
WVP038



KOALAS
WPV022



SHARKS
WPV026



BOAT RAMP
WPV003



STRONG CURRENTS
WPV029



SKATEBOARD RAMP
WVP001



SNAKES
WPV40



CUSTOM

MULTIPLE MESSAGE SIGNS


Sizes Available: 75 x 200mm (1.5M), 75 x 300mm (1.5M), 75 x 300mm (1.5M) & 75 x 450mm (1.8M)
Totem Colour: Black, Grey, Green & Blue



TOTEM



TOTEM



Totem poles,
Recycled plastic & Timber

HAZARD SIGNS ARE USED TO HIGHLIGHT TO APPROACHING TRAFFIC A MARKED CHANGE IN THE DIRECTION OF TRAVEL AND THE PRESENCE AND WIDTH OF AN OBSTRUCTION.

Guide signs are generally rectangular. Hazard signs are rectangular and generally consist of a series of alternate black and white bands. The white portion is always reflectorized, but the reflective material may cover only the central portion of each white band to achieve a balance between the areas of black and white under headlight illumination. The bands may consist of either diagonal strips where only a target is required, or of chevrons where directional, as well as target, properties are desirable.

Typically, there are 4 types of hazard marker:

- a) Uni-directional Hazard Marker – used to guide approaching traffic to the direction indicated by the chevrons i.e. to the left or right as required.
- b) Bi-directional Hazard Marker – used to delineate the nose of an island or other obstruction where traffic may pass the obstruction on either side.
- c) Width Marker – normally erected in pairs, one on either side of a vertical obstruction facing in the direction of traffic flow.
- d) Obstruction Marker – used to delineate obstructions such as road closures or obstructions above the road.



LEGEND

UNI-DIRECTIONAL HAZARD MARKER

Used to guide approaching traffic to the direction indicated by the chevrons i.e. to the left or right as required.




BI-DIRECTIONAL HAZARD MARKER

Used to delineate the nose of an island or other obstruction where traffic may pass the obstruction on either side.



WIDTH MARKER

Normally erected in pairs, one on either side of a vertical obstruction facing in the direction of traffic flow.



OBSTRUCTION MARKERS

Used to delineate obstructions such as road closures or obstructions above the road.



HAZARD MARKERS



UNI-DIRECTIONAL HAZARD MARKER

D4-1-1A 1600 x 400
D4-1-1B 3200 x 800



UNI-DIRECTIONAL HAZARD MARKER

D4-1-2A 450 x 450
D4-1-2B 600 x 600



UNI-DIRECTIONAL HAZARD MARKER

D4-1-3A 900 x 300
D4-1-3B 1200 x 300
D4-1-3C 1800 x 300



BI-DIRECTIONAL HAZARD MARKER

D4-V108 1000 x 500
(VIC ONLY)

VIC ONLY

D4-V104A 400 x 500
D4-V104B 600 x 750
D4-V104C 900 x 1100

VIC ONLY

D4-V100 1800 x 300
D4-V102 1800 x 600



**BI-DIRECTIONAL
HAZARD MARKER**

D4-2-1A 900 x 300
D4-2-1B 1200 x 300
D4-2-1C 1800 x 300

VIC ONLY

D4-V101 1800 x 300
D4-V103 1800 x 600




**UNI-DIRECTIONAL
HAZARD MARKER**

D4-2-2 400 x 1000

QLD ONLY

D4-2-2A 300 x 750



**WIDTH MARKER
(L or R)**

D4-3A 225 x 450
D4-3B 450 x 900



SIGHT BOARD

D4-4A 4000 x 400
D4-4B 6000 x 600



**OBSTRUCTION
MARKER**

D4-5A 1800 x 450



**CHEVRON ALIGNMENT
MARKER**


D4-6A 600 x 750
D4-6B 750 x 900
D4-6C 900 x 1125



**CHEVRON ALIGNMENT
MARKER**

NSW ONLY

G9-243A 300 x 450
G9-243B 450 x 600



**WIDTH MARKER
VIC ONLY**

D4-V105A 450 x 300
D4-V105B 600 x 400



WA ONLY

MR-HM1 2400 x 400



WA ONLY

MR-HM2 2400 x 400



WA ONLY
MR-HM3 2400 x 400



WA ONLY
MR-HM4 2400 x 400



WA ONLY
MR-HM5 2400 x 400



NSW ONLY
G9-257 700 x 390
(L or R)
(Self Adhesive)



WA ONLY
MR-HM6 2400 x 400



WA ONLY
MR-HM7 2400 x 400




WA ONLY
MR-HM8 4800 x 800



WA ONLY
MR-HM9 4800 x 800



WA ONLY
MR-HM10 4800 x 800



WA ONLY
MR-HM11 230 x 230



WA ONLY
MR-HM12 450 x 600
QLD ONLY
D4-Q01A 450 x 600



WA ONLY
MR-HM16 230 x 230



WA ONLY
MR-HM17A 360 x 1300
MR-HM17B 480 x 1340
MR-HM17C 600 x 1460