









Bromic Plumbing & Gas has been at the core of Bromic Group's operations for the last 40 years. Over that time it has grown to provide thousands of high-quality products, to industries across Australia, New Zealand, and the Pacific Islands. We are pleased to present new Plumbing & Gas catalogues to provide you with complete information about our products. Each product has passed demanding quality assurance testing to maintain the stringent standards that position Bromic Plumbing & Gas as the only name truly trusted by trade.



About

Our heating products cover commercial, industrial, outdoor & indoor applications. Our SUPAHEAT heater is for indoor use while our HEAT-FLO™ Tile heaters can provide outdoor heating at an accessible price point. The HEAT-FLO™ blow heaters are highly efficient and provide instant & economical heat for industrial or commercial applications. With our products available in multiple fuel types including LPG (Propane) and Natural Gas we have a product for all fuel requirements.

Contents

| Sup | oaheat™ Indoor Gas Heater | 4 |
|------|---|----|
| | Natural convection heating with electronic ignition & multiple heat settings. Available in LPG or Natural Gas. AGA Approved. | |
| Pati | io Heater Deluxe 50MJ Direct Ignition | 4 |
| | Portable outdoor heating made easy using 9kg or 15kg LPG bottles. AGA Approved. | |
| HE | AT-FLO™ Tile Heaters | 5 |
| | Radiant heating which can heat up to 25m ² . Available in a stylish steel finish with multiple installation options available. | |
| Falo | o Core-Heat™ Portable Outdoor Gas Heater | 6 |
| | Create an alfresco entertainment experience, keeping warm and enjoying the ambience of a large visible flame. AGA Approved. | |
| HE | AT-FLO™ Blow Heaters | 7 |
| | Providing instant, economical heat powered by a heavy-duty, high-output fan. | |
| | Featuring an automatic safety shut-off with loss of flame or power. Gas & electrical approval. | |
| Wa | rranties & Extras | 9 |
| SM | ART-HEAT™ For Outdoor Heaters | 10 |
| | Bromic Heating has premium range for heating your outdoor space. | |

BROMIC.COM/**PLUMBING** TEL **AUS:** 1300 276 642 TEL **NZ:** 0508 276 642

highest quality and performance.

Every Bromic product is designed and enginnered in-house to ensure the

Heating Solutions

Supaheat™ Indoor Gas Heater

The Bromic flueless Supaheat™ II LPG indoor gas heater is specifically designed to heat up a room, instantly and efficiently.

- High and Low heat settings
- Battery operated electronic ignition
- High efficiency energy rating
- Efficient room heating: top vent for natural convection
- AGA approval No. 8271 G
- Maximum carton weight 11kg





High efficiency energy ratings for both Natural Gas and LPG models.

Flueless Room Heaters



| Part No. | COMP731-1 | COMP732-1 |
|------------------------------|----------------------|-------------|
| Gas Supply Type | LPG | NG |
| Heat Output (MJ/H) | 21 | 18 |
| Colour | Silver grey | Silver grey |
| Electronic Ignition | Type "C" 1.5 battery | |
| Dimensions in mm (W x D x H) | 620 x 280 x 530 | |

^{*}Cannot be directly connected to a gas cylinder
**Must be installed by an authorised person only

Patio Heater Deluxe 50MJ Direct Ignition

- Commercial grade 304 stainless steel for maximum durability
- Large aluminium alloy reflector
- Durable wheels for easy moving
- Flat-top cylinder housing
- Piezo-electric direct ignition for trouble free lighting
- Stainless steel burner ensures maximum heater life
- Safety tilt switch shut-off
- Includes protective burner cover
- AGA approved
- Replacement burner head: COMP772

Outdoor Heaters 50 MJ HEAT OUTPUT

| Part No. | COMP710-3 | |
|-------------------------|------------|--|
| Heats approx. (m²) | 28m² | |
| Cylinder compatibility | 15kg & 9kg | |
| Height (mm) | 2180 | |
| Base diameter (mm) | 446 | |
| Reflector diameter (mm) | 813 | |

Bromic Heat-Flo™ Gas LPG **Radiant Heaters**

- To be installed by an authorised person in accordance with AS 5601 TM
- For use in outdoor areas (Minimum room volume 250 cubic metres)
- Do not operate this unit in unventilated areas
- This appliance is not approved for indoor domestic use
- Maximum carton weight 13kg
- Available in NG and LPG
- Available in a 2 tile, 3 tile and 5 tile models
- Excludes hose & regulator

Heat-Flo™ Tile Heaters



2-Tile



3-Tile



5-Tile

Accessories

Moveable Trolley & Stand (Part No. 2620160-1)




Heat Deflector (See table for part numbers)



Heat-Flo Surround (See table for part numbers)



Recommended Minimum Installation Clearances



| Number of Tiles | 2 Tiles | 3 Tiles | 5 Tiles |
|--------------------------------|--------------------|--------------------|-------------------|
| HEAT-FLO™ Part No. LPG* | 2620110-1 | 2620100-1 | 2620120-1 |
| HEAT-FLO™ Part No. NG* | 2620111-1 | 2620101-1 | 2620121-1 |
| Heat Deflector Part No.** | 2620164 | 2620162 | 2620170 |
| HEAT-FLO™ Surround Part No.** | 2620171 | 2620161 | 2620172 |
| Heat Output on LPG (MJ) (BTU) | 16MJ (17,000 BTU) | 25MJ (25,300 BTU) | 45MJ (42,000 BTU) |
| Approximate area heated in m² | up to 12m² | up to 16m² | up to 25m² |
| Gas connection | 3/8" SAE | 3/8" SAE | 3/8" SAE |
| Gas consumption per 45kg | 135 hours approx. | 90 hours approx. | 50 hours approx. |
| Dimensions (WxHxDmm) | 387 x 334 x 180mm | 499 x 334 x 180mm | 695 x 334 x 180mm |
| Weight (kg) | 3.9 | 5.8 | 7.1 |
| Ceiling clearance required (m) | 1.2 | 1.2 | 1.2 |
| Moveable trolley & stand** | 2620160 | 2620160 | 2620160 |
| Stand dimensions (WxDxH) | 480 x 430 x 2100mm | 480 x 430 x 2100mm | n/a |
| | | | |

^{*}Must only be installed by a licenced technician **Must complete "Installation Checklist" before installing


Bromic Falo Core-Heat™ Portable Outdoor Gas Heater

The Falo Core-Heat™ Portable Gas heater is ideal for creating an alfresco entertainment experience that not only builds the atmosphere but keeps your guests warm with its considerable heat output of 33MJ and can heat up to 20m.

Designed for applications such as restaurants and residential, the Falo Core-Heat™ Portable is Australian Gas Association approved.

- Adjustable heat output
- Italian Made
- Available in black or white
- Fully assembled, simply install gas cylinder and use
- AGA approval No. 8272G
- Flame failure device & anti-tilt switch

| Part No. | 2620375 | | |
|-----------------|----------------------|--|--|
| Height | 2.18m | | |
| Diameter | 680mm traingle | | |
| Weight | 60kg | | |
| Gas Bottle Size | 9 & 13.5kg cylinders | | |
| MJ | 33 | | |
| Heating Area | 20m² | | |











Commercial & Industrial Heaters

Bromic Heat-Flo™ LPG-Fired Portable Heaters

Bromic HEAT-FLO™ blow heaters efficiently provide portable, instantaneous and economic heat in industrial and outdoor applications.

Lightweight, durable steel bodies house heavy-duty, high output fans and LPG burners to maximise heat circulation.

- Instant Heat: Designed to provide efficient, economical and clean burning heat
- Safe: Heaters shut off with loss of flame or power supply
- Maximum Heat Circulation
- Ready to use: Simple connection. 1.5m Hose and regulator included
- Lightweight: Compact design ensures easy handling
- SAI Global Approved





Heat-Flo™ Blow Heaters









Application

Commercial, industrial and outdoor heating applications

| Model | HF15 | HF20 | HF30 | HF50 |
|-------------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Part No. | 2620401 | 2620402 | 2620403 | 2620404 |
| Heat output | 54 MJ/h (15kW) | 72 MJ/h (20kW) | 108 MJ/h (30kW) | 170 MJ/h (50kW) |
| Airflow | 500m /H | 500m /H | 1000m /H | 1000m /H |
| Minimum room volume | 270m | 360m | 540m | 900m |
| Automatic safety switch | Yes | Yes | Yes | Yes |
| Ignition | Piezo | Piezo | Automatic | Automatic |
| Gas type | LPG (Propane) | LPG (Propane) | LPG (Propane) | LPG (Propane) |
| Heater type | Forced air convection | Forced air convection | Forced air convection | Forced air convection |
| Dimensions (mm) | W240 x D500 x H440 | W240 x D500 x H440 | W280 x D600 x H470 | W300 x D700 x H480 |
| Weight | 8.5kg | 8.5kg | 17.5kg | 19.5kg |
| Burner type | Single gas burner | Single gas burner | Single gas burner | Single gas burner |
| Operating pressure | 70 kPa | 70 kPa | 150 kPa | 150 kPa |
| Electric connection | 10A | 10A | 10A | 10A |
| Power | 240V / 50Hz | 240V / 50Hz | 240V / 50Hz | 240V / 50Hz |
| Motor rating | 28W | 28W | 75W | 75W |
| Gas consumption | 1.08 kg/H | 1.44 kg/H | 2.16 kg/H | 3.40 kg/H |
| Warranty | 1 Year | 1 Year | 1 Year | 1 Year |



Warranties & Extras

All Bromic products are manufactured to the highest quality standard and come with guarantees against any material or workmanship defects; guarantees that cannot be excluded under Australian Consumer Law. For specific warranty details on any Bromic product, including warranty duration, please refer to the product instructions. Alternatively, contact one of our helpful customer service staff or visit www.bromic.com for more information.

IMAGES, SPECIFICATIONS

Due to the nature of the printing process, colours shown in this catalogue may differ from the actual colour of products. All images, drawings, graphics and design elements contained in this catalogue are subject to Australian and International copyright law. No part of this catalogue may be reproduced, copied or stored in part or whole without the prior written permission of Bromic Pty Ltd. Product details in this guide are indicative only and may change without notice, Bromic reserves the right to change specifications and any other information contained in this catalogue with no recourse from customers.

ORDERING

Orders can be placed by fax, online or email. Our catalogue includes Part No. to ensure ease of use, with the customer in mind.

COMPLIANCE

TEL NZ: 0508 276 642

Products stocked by Bromic comply with all relevant regulatory requirements i.e. MEPS, AGA, electrical and safety requirements.

BROMIC SMART-HEATTM

Divided into our distinct Platinum and Tungsten ranges, all Bromic outdoor heaters are designed and engineered in-house and are constructed from premium materials to create products that strike the perfect balance between performance, reliability and beauty.





PLATINUM SMART-HEAT™ ELECTRIC

Our Platinum Smart-Heat™ Electric heater is specifically suited for low-clearance and design-focused spaces in mind.

These units are constructed from premium materials and able to heat areas as large as 10m.

Available in Black or White finish. Mount options: Recessed, Wall or Ceiling.

Rlack

- 2300W (Part No. 2620240)
- 3400W (Part No. 2620245)

White

- 2300W (Part No. 2620247)
- 3400W (Part No. 2620248)

PLATINUM SMART-HEAT™ GAS

The Platinum Smart-Heat™ Gas combines elegant aesthetics with industry-leading performance to offer value and reliability to premium venues and homes.

Available in two different sizes across both LPG and Natural Gas configurations, these units are able to directionally project a comfortably diffused radiant heat across areas as large as 20m².

Mount options: Recessed, Wall or Ceiling.

- 300-Series LPG (Part No. 2620130-1)
- 300-Series Natural Gas (Part No. 2620131-1)
- 500-Series LPG (Part No. 2620140-1)
- 500-series Natural Gas (Part No. 2620141-1)



DESIGN SERVICE

As part of our complementary service, Bromic Heating Specialists will custom design and tailor a solution to best heat your outdoor living and entertainment spaces.

Learn more at bromic.com/designservice



WIRELESS CONTROLLERS

With the option to connect groups of heaters from a single point as well as dimming heating outputs, the Smart-Heat™ range of controllers provide a simple, yet powerful solution to controlling your environment.

Learn more at bromic.com/gowireless



THE PART AND AND ADDRESS OF THE PART AND ADDRE



TUNGSTEN SMART HEAT™ ELECTRIC

The Tungsten Smart-Heat™ Electric brings high-performance radiant heating to open outdoor applications and semi-enclosed spaces alike.

These units are available in four sizes and provide a wide wall of heat across a vast footprint, maximising the comfort created by each unit to heat areas as large as 15m .

Mount options: Recessed, Wall or Ceiling.

- 2000W (Part No. 2620262)
 2000W (Part No. 2620296)
- 3000W (Part No. 2620263) 3000W (Part No. 2620297)
- 4000W (Part No. 2620264) 4000W (Part No. 2620298)
- 6000W (Part No. 2620265) 6000W (Part No. 2620299)

TUNGSTEN SMART-HEAT™ GAS

Powered by highly-efficient gas-fired ceramic burners, the Tungsten Smart-Heat™ Gas utilizes an open mesh shield to prioritize performance.

Available in two different sizes across both LPG and Natural Gas configurations, these units provide powerful heating in areas as large as 20m .

Mount options: Recessed, Wall or Ceiling.

- 300-Series LPG (Part No. 2620330-1)
- 300-Series Natural Gas (Part No. 2620331-1)
- 500-Series LPG (Part No. 2620340-1)
- 500-Series Natural Gas (Part No. 2620341-1)

TUNGSTEN SMART-HEAT™ PORTABLE

It's neutral black finish, and award-winning design makes it a piece of modern art.

The Tungsten Smart-Heat™ Portable heater offers efficient directional heat and a versatile heating solution for the outdoor settings.

It's modular construction with built-in wheels allows for easily manoeuvrability throughout tighter spaces.

Heat Output: Coverage of up to 20m², the Tungsten Smart-Heat™ Portable delivers a widespread heat field of up to 4m wide & 5m deep.

• Portable: (Part No. 2620350)





Australia & NZ

10 Phiney Place Ingleburn NSW 2565 Sydney AUSTRALIA Tel: 1300 276 642 NZ: 0508 276 642 plumbing@bromic.com

BROMIC.COM/PLUMBING

V2_19/02/2019