



## Autentico® Grandiose

### Product Description:

Autentico Grandiose hard wax oil is a high performance protective coating for untreated wooden surfaces (such as furniture and flooring), surfaces painted with Autentico Vintage or Velvet and for Autentico Frescolini.

Natural oils and waxes are used to provide the surface with a deep and natural look whilst protecting that surface from stains, moisture, dirt and everyday use. Autentico Grandiose comes in a non-tinted (natural) version and eight coloured variants.

### Location:

Interior

### Suggested Applications:

Furniture and flooring.

### Preparation:

Place the tin upside down for 10 minutes before stirring well, making sure any lumps are dissolved.

The surface must be dry and free of dust and grease.

#### Application:

Grandiose Oil is ready for use, do not dilute. Always apply two coats with a flat brush. Those coats can consist of two coats of the same colour Grandiose Oil or a coat of the coloured version followed by a coat of the non-tinted version.

Apply the first coat thinly. Remove excess oil with a lint-free cloth shortly after application but before the Autentico Grandiose starts to dry. Allow 24 hours to dry, then repeat process.

#### Drying Times:

Approximately 24 hours between coats dependent on the ambient temperature, good ventilation and environment.

#### Hardening:

After the second coat is applied and allowed to dry, the surface is dust and walking proof (for flooring). Full curing time is 3 weeks. During this period and in the case of flooring, the surface is still vulnerable to moisture and corrosive agents. Only clean the floor in the first three weeks using a vacuum cleaner or duster. Make sure that you have good ventilation in this period as Autentico Grandiose dries by reacting with oxygen.

#### Maintenance:

When cleaning, do not use stain removers or other caustic agents. For stubborn stains, polish the stain with steel wool 0000. Afterwards re-oil the area with Autentico Grandiose.

#### Coverage rates:

15m<sup>2</sup> per 1L dependent on surface profile and porosity.

#### Packaging:

Autentico Omniclean available in 500ml and 1L.

#### Limitations:

Do not apply in temperatures lower than 15°C.

#### Storage:

Transport and store away from frost. Protect the product and its packaging against direct sunlight. Avoid storage at temperatures >30°C


All Autentico products should not be applied in high humidity, below 10°C or above 30°C.

## Cleaning and Disposal:

Put cloths which have been used to remove excess oil in water immediately after use. Leave outdoors for 24 hours immersed in water before disposal to remove risk of self-ignition. Wrap brushes tightly in cling film between coats of Grandiose. Thoroughly rinse brush in water once finished and dispose. Do not empty used oil into drains and water courses.

## Environmental information:

Contains 2-butanone oxime, cobalt bis(2-ethylhexanoate). Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics. May produce an allergic reaction. Safety data sheet available on request. Repeated exposure may cause skin dryness or cracking.



## Health and Safety:

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing mist/vapours/spray. Keep container tightly closed. Use only outdoors or in a well-ventilated area. In case of fire: Use for extinction: CO<sub>2</sub>, sand, extinguishing powder. Store locked up. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. Risk of self-ignition.

## Manufacturers Details:

Unit 4, The Glenmore Centre  
Moat Way  
Ashford  
Kent  
TN24 0TL

01233878303

[www.autentico-paint.com](http://www.autentico-paint.com)  
[enquiries@autentico-paint.com](mailto:enquiries@autentico-paint.com)