



# TEST REPORT

Client Name	Shenzhen DO Intelligent Technology Co., Ltd.
Name of product	Smart bracelet
Manufacturer	Shenzhen DO Intelligent Technology Co., Ltd.
Trade mark & model	ID115
Test sort	Commission Test



**CCIC Southern Electronic Product Testing (Shenzhen) Co., Ltd.**

Address: Electronic Testing Building, No. 43 Shahe Road, Xili Jiedao, Nanshan District, Shenzhen, Guangdong, China  
P.C.: 518055




TEL: 0755-26627338

FAX: 0755-26627238

Internet: [http:// www.ccic-set.com](http://www.ccic-set.com)

E-Mail: [manager@ccic-set.com](mailto:manager@ccic-set.com)

**CCIC Southern Electronic Product Testing (Shenzhen) Co., Ltd.****TEST REPORT**

Name of sample	Smart bracelet		Trade mark	----	
Manufacturer	Shenzhen DO Intelligent Technology Co., Ltd.		Model/Type	ID115	
Client	Shenzhen DO Intelligent Technology Co., Ltd.		Sampling method	Sent by client	
Sampler	----		Amount of samples	----	
Sampling place	----		Quantity of samples	1 Pcs	
Production date	----	Sampling date	----	Application data	2016.8.8
Test date	2016.8.10		Environment condition	15~35℃, 45~75%RH	
Sample description:					
One sample, in good condition before test. Number: 1#					
Test item:					
Dust-proof Test、Water-proof Test..					
Reference documents:					
IEC60529 :1989+A1:1999 Degrees of protection provided by enclosures (IP Code).					
Summary:					
According to the requirement, sample have been performed Environment Test IP67, refer to followed report for detail.					
Test conclusion:					
Pass.					
(Stamp)					
Tested by:		Inspected by:		Approved by:	
	2016Y 8M 12D		2016Y 8M 12D		2016Y 8M 12D

**Test Result**

No.	Test Item	Test Requirement	Test Result
			1 <sup>#</sup>
1	Proof of dust (IP6X)	<p>The talcum powder used shall be able to pass through a square-meshed sieve the nominal wire diameter of which is 50 <math>\mu</math> m and the nominal width of a gap between wires 75 <math>\mu</math> m. The amount of talcum powder to be used is 2kg per cubic metre of the test chamber volume. It shall not have been used for more than 20 tests.</p> <p>Test time: 8h</p> <p>After the dust-proof test, no dust found in the sample.</p>	Pass
2	Water-proof Test (IPX7)	<p>Sample were all immersed in the water by the regulation</p> <p>a) the lowest point of enclosures with a height less than 850 mm is located 1 000 mm below the surface of the water</p> <p>b) the duration of the test is 30 min</p> <p>c) the water temperature does not differ from that of the equipment by more than 5 K However</p> <p>After the water-proof test, no water founded in the sample .normal operation.</p>	Pass

Photo



Water-proof Test




Atfer Water-proof Test

Photo



Dust-proof Test



After Dust-proof Test



### Test Equipment List

No.	Name	Model No.	Serial No.	Cal. Due to
1	Pendular WaterProof Tester	KXT302	A1109744	2017.08.25
2	Sand and dust Tryout case	KXT1410	A1109745	2017.08.25

Notes: The above instrument is within the metering test cycle.



## STATEMENT

1. **The test report is invalid without stamp of laboratory.**
2. **The test report is invalid without signature of person(s) testing and authorizing.**
3. **The test report is invalid if erased and corrected.**
4. **Test results of the report is valid to the test samples if sampling by client.**
5. **“☆” item cannot be Accredited by CNAS.**
6. **The test report shall not be reproduced except in full, without written approval of the laboratory.**
7. **If there is any objection to report, the client should inform issuing laboratory within 15 days from the date of receiving test report.**

Address: Electronic Testing Building, No. 43 Shahe Road, Xili Jiedao, Nanshan District, Shenzhen, Guangdong, China  
P.C.: 518055

TEL: 86-755-26628093、26627338

FAX: 86-755-26627238

Internet: <http://www.ccic-set.com>

E-Mail: [manager@ccic-set.com](mailto:manager@ccic-set.com)