
MANHATTAN 50









Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability or any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDG stems and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estopped or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Outsomers using or selling MDG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any damages arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.







| Application | Outdoor and Indoor ¹ | | |
|--------------------|--|----------------------|--|
| Materials | Fluid Concrete or Teak, Grade 304 Stainless Steel Burner | | |
| Weight (approx) | Concrete 58.4kg [128.5lbs] Teak 52.8kg [116.2lbs] Weight includes burner and black glass charcoal. | | |
| Concrete SKU's | Natural | ESF.5.O.MHA.50.NA | |
| | Bone | ESF.5.O.MHA.50.BO | |
| | Graphite | ESF.5.O.MHA.50.GH | |
| Teak SKU | Natural (Oile | d) ESF.5.O.MHA.50.TN | |

BURNER INFORMATION*

| AB8 Burner | Without Efficiency Ring | With Efficiency Ring (EN Compliant) |
|--------------------------------------|--|---|
| Heats on Average (when used indoors) | Over 60m ² [645f ²] | Over 30m ² [322.9f ²] |
| Burn Time (approx) | 7 - 11 hours | 9 - 11 hours |
| Fuel Type | e-NRG Bioethanol | |
| Fuel Capacity | 8 Litres [2.1 Gallons] | |
| Minimum Room Size | 116 cubic metres [4096 cubic feet] per fireplace. | |
| | | |


^{*}These values are indicative only and may vary depending on the model purchased, installation, and the seasonal resource used to manufacture e-NRG.

¹For Indoor Use, additional parts are required. Your chosen application is the ONLY application the model can be used in due to modified configuration of the model. Please advise your Sales Representative at time of purchase so that the product can be configured accordingly.

Global Compliance

This model complies with existing standards in the USA, Europe, UK and Australia. UL Listed, EN 16647 BSI Certified ACCC Safety Mandate compliant. To comply with EN 16647 the Indoor Safety Tray and included Burner Efficiency Ring must be installed before operating indoors.

Studio image and line drawing show the optional Fire Screen accessory.



FOR MORE INFORMATION PLEASE REFERENCE THE CLEARANCE & INSTALLATION MANUAL

Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability or any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDGs terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or sesulting MDG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any damages arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.

This model comes with fixing brackets for permanently locating into a fixed position.