

HEATSTRIP® 

HEATSTRIP® 

OUTDOOR HEATING RANGE

HEATSTRIP® Elegance

With superior technology and style, world-leading element design and unique "off-white" colour, the HEATSTRIP Elegance will blend in with the white ceiling in your alfresco area.

FEATURES


- Electric radiant heater perfect for your protected alfresco area, pergola, verandah, cafe or difficult to heat indoor area
- World leading element design produces a more compact and higher output heater
- Corrosion-resistant to handle tough outdoor environments
- Convenient DIY installation of 1800W and 2400W models. 3600W model must be hardwired.
- 2 year residential and 1 year commercial warranty
- Australian designed, engineered and assembled

MODEL	RUNNING COSTS	POWER (watts)	CURRENT (amps)	DIMENSIONS (LxWxD)mm	WEIGHT (kgs)	LEAD LENGTH (mm)	PLUG	HEATING AREA (m ²)
THE1800	45c/hr	1800	7.5	974x170x48.5	4	1000	Yes	3-4
THE2400	60c/hr	2400	10	1204x170x48.5	7	1000	Yes	4-5
THE3600	90c/hr	3600	15	1804x170x48.5	9	1000	No	5-6

*Running costs based on \$0.25/kWh. Heating area is for a protected outdoor site.

Materials of Construction:	High temperature off-white ceramic coated extruded alloy. IP55 Rated.
----------------------------	-----------------------------------------------------------------------

TABLE LAYOUT



HEATSTRIP® Classic

Premium quality, stylish & slimline electric radiant heaters perfect for protected outdoor and indoor applications.

FEATURES

- Electric radiant heater ideal for your protected alfresco area, pergola, verandah, cafe or difficult to heat indoor area
- Stylish, sleek, unobtrusive design with black front profile
- Efficient, cost effective heating providing gentle warmth
- Corrosion protected for even the toughest environment
- Easy DIY installation for 3 models and multiple mounting options
- 2 year residential warranty and 1 year commercial warranty
- Australian designed, engineered and assembled

MODEL	RUNNING COSTS	POWER (watts)	CURRENT (amps)	DIMENSIONS (LxWxD)mm	WEIGHT (kgs)	LEAD LENGTH (mm)	PLUG	HEATING AREA (m ²)
THH1500A	37c/hr	1500	6.3	924x165x48	5	1000	Yes	2-3
THH1800A	45c/hr	1800	7.5	1104x165x48	6	1000	Yes	3-4
THH2400A	60c/hr	2400	10	1364x165x48	7	1000	Yes	4-5
THH3200A	80c/hr	3200	13.3	1774x165x48	9	1000	No	5-6

*Running costs based on \$0.25/kWh. Heating area is for a protected outdoor site.

Materials of Construction:	High temperature ceramic coated extruded alloy. IP55 Rated.
----------------------------	-------------------------------------------------------------

TABLE LAYOUT



HEATSTRIP® Max

High performance, low glow electric radiant heaters for tough residential and commercial heating projects.

FEATURES

- High temperature electric radiant heater ideal for higher ceilings or more exposed locations
- Unique "low glow" Incoloy element – no more blinding light
- Commercial grade quality and construction
- Corrosion resistance provided by the anodized alloy casing
- DIY (THX 2400) or hard wired (THX 3600)
- 2 year warranty
- Australian designed, engineered and assembled

MODEL	RUNNING COSTS	POWER (watts)	CURRENT (amps)	DIMENSIONS (LxWxD)mm	WEIGHT (kgs)	HEATING* AREA (m ²)
THX2400	60c/hr	2400	10	854x170x80	6	10 Supplied with lead & plug DIY
THX3600	90c/hr	3600	15	1184x170x80	8	15 Must be hard wired

*Running costs based on \$0.25/kWh. Heating area for an enclosed outdoor area.

Materials of Construction: Anodised alloy casing and end caps, chromed grille. IPX5 Rated.

TABLE LAYOUT



Optional Controllers

DIY (TT-MTR-PLUG)

TT-MTR-PLUG timer switch provides an easy DIY installation and remote control of plug-in heaters.

- Plug-in DIY timer switch
- On/Off function with LED indicators
- Automatic timer – 1 / 2 / 4 hour options
- Remote control included
- Max. 10 amps








HARDWIRED (TT-MTM)

TT-MTM wall mounted controller and remote control provides ON/OFF control, 3 heat options and a timer setting.

- On/Off function with LED indicators
- 3 Heat settings - High / Medium / Low
- Automatic timer control - 1/2/4 hour options
- Remote control included
- Suitable for operation of single or multiple heaters
- Must be hard-wired. Maximum 16 amps direct wired capacity (for additional heaters, use a relay/contacter)






	 Ceiling Mounts	 Chain/Wire Suspension*	 Flush Mount Enclosure	 Extension Mount Bracket
	 Wall Mount			
	Standard Bracket (*Chain not included)		Flush Mount Enclosure Optional Accessories	Extension Mount Bracket Optional Accessories
ELEGANCE	ZBRAK-113W [Included with heater]		THEAC-040 (for THE1800) THEAC-041 (for THE2400) THEAC-042 (for THE3600)	THEAC-043 (300mm) THEAC-044 (600mm) THEAC-045 (900mm) THEAC-046 (1200mm)
CLASSIC	ZBRAK-113S [Included with heater]		THHAC-009 (for THH1500A) THHAC-010 (for THH1800A) THHAC-011 (for THH2400A) THHAC-012 (for THH3200A)	THHAC-005 (300mm) THHAC-006 (600mm) THHAC-007 (900mm) THHAC-008 (1200mm)
MAX	ZBRAK-104 [Included with heater]		THXAC-030 (for THX2400) THXAC-031 (for THX3600)	THXAC-020 (300mm) THXAC-021 (600mm) THXAC-022 (900mm) THXAC-023 (1200mm)

Which product do I need?

APPLICATION	ELEGANCE (THE)	CLASSIC (THH-A)	MAX (THX)
Outdoor Heating – undercover, well protected area with ceiling height less than 2.7m (al-fresco, verandah, café)	✓	✓	✓
Outdoor Heating – undercover, well protected area with ceiling height from 2.7m to 3.0m (al-fresco, verandah, café)			✓
Outdoor Heating – exposed area (al-fresco,café, verandah, balcony)			✓
Indoor Insulated areas – commercial (classrooms, offices, nursing homes,hospitals) residential (shed, garage etc)	✓	✓	
Indoor Open-nu-insulated areas requiring spot heating - factory, halls, warehouse, workshop, shed, garage, sports facility	✓	✓	✓

Mounting Heights



HEATSTRIP® Portable Electric Heater (THH1800AP)

NEW



The new HEATSTRIP electric heater is the classy and refined solution, for when a portable, easy DIY electric heating option is required. Incorporating a sleek and robust stand with a 1800W HEATSTRIP Classic heater, it is ideal for spot heating of tables, lounges, entertaining areas and work stations, both indoors and outdoors.


FEATURES

- Stylish, high quality portable, free-standing outdoor heater stand
- Ideal for alfresco areas, balconies, apartments & hospitality (internal & external use)
- Concealed power cable ensures a sleek appearance. Black, no glow heater
- Components are sub-assembled for easy DIY installation
- In-built wheels for easy portability, perfect for residential and commercial applications
- Corrosion protected for even the toughest environment.
- 2 year residential and 1 year commercial warranty

Materials of Construction

Heater: High temperature ceramic coated extruded alloy. IP55 rated
Stand: E-coated mild steel with powder coat finish

MODEL	RUNNING COSTS	POWER [watts]	CURRENT [amps]	DIMENSIONS [WxDxH]mm	WEIGHT [kgs]	HEATING AREA (m ²)	LEAD LENGTH (mm)
THH1800AP	45c/hr	1800	7.5	1104x670x2150	22	3-4	3000



Note: Connection to power source is at bottom of stand, not shown in image.

HEATSTRIP® Portable LPG Outdoor Heater (TGH34PL)

NEW



Optional heater cover available (TGHCOVER)

The new HEATSTRIP portable LPG heater incorporates world leading design, quality, heat performance and efficiency to provide a stylish, robust and elegant solution for your outdoor area, alfresco, balcony, patio etc.

FEATURES


- 34 MJ, 4 tile commercial quality ceramic burner
To be used with 9kg LPG bottle (not included)
- Manual integrated Piezo ignition, with tilt safety switch and flame failure device. Fully concealed gas pipes and bottle
- In-built wheels for easy portability and storage
- Components are sub-assembled for easy DIY installation
- High/Low heating output. Directional heat performance allows you to heat exactly where you want it
- Protective grille and reflector included as standard, to guarantee safe operation. Reflector design ensures that only a minimum of 500mm overhead clearance is required
- 2 year residential and 1 year commercial warranty

Materials of Construction

E-coated mild steel with powder coat finish.
Grille & reflector with extra high temperature protection.

MODEL	TILES	MJ	IGNITION	DIMENSIONS (WxDxH)mm	RUNNING COST*	WEIGHT (kg)	HEATING AREA (sqm ²)
TGH34PL	4	34	Manual, Piezo	650x670x2118	\$1.60 on high \$1.12 on low	31.5	16


* Based on \$20 per gas bottle refill and run time of 12.5 hrs on high / 18 hrs on low



Note: Suitable for outdoor use only.

HEATSTRIP® Wall Mounted Natural Gas Heater (TGH34WN)


NEW



Wall mounting bracket



ON / OFF switch with electronic ignition



4 tile commercial ceramic burner

The new HEATSTRIP Wall Mounted Natural Gas (NG) heater is a stylish addition to any outdoor area, where mains Natural Gas is preferred. World class design aesthetics, heat output and performance, for both residential and commercial applications.


FEATURES

- 34MJ, 4 tile commercial quality ceramic burner, for connection to mains Natural Gas (NG)
- Electronic battery ignition with micro-switch On/Off operation and stainless steel pull cords. Electrical connection not required
- Protective grille and reflector included as standard, to guarantee safe operation. Reflector design ensures that only a minimum of 500mm overhead clearance is required (add TGHSHIELD for 300mm clearance)
- Wall mounting bracket allows for multiple mounting angles, and is extremely robust to provide strength and support
- Conversion to use with LPG is optional (Model TGH34WLPG)
- 2 year residential and 1 year commercial warranty

Materials of Construction


E-coated mild steel with powder coat finish.
Grille & reflector with extra high temperature protection.

MODEL	TILES	MJ	IGNITION	DIMENSIONS (WxDxH)mm	RUNNING COST	WEIGHT (kg)	HEATING AREA (sqm ²)
TGH34WN	4	34	Electronic Battery	650x190x380	\$0.68/hr (based on a 2¢/MJ)	11.5	16



HEATSTRIP®

OUTDOOR HEATERS



HEATSTRIP® by Thermofilm Australia Pty Ltd

HEATSTRIP is a range of world class electric and gas heaters designed for both indoor and outdoor applications. Awarded the coveted Australian Business Award for Product Value and Victorian Manufacturer of the Year. HEATSTRIP electric range is proudly designed, engineered and assembled in Australia, and exported to the world.



Thermofilm Australia Pty Ltd
17 Johnston Court, Dandenong South, Victoria 3175, Australia.
p: (03) 9562 3455 | f: (03) 9548 3979 | e: sales@thermofilm.com.au
www.facebook.com/ThermofilmAustralia

heatstrip.com.au