

MODERNFLAMES.COM.AU



MODERN  FLAMES®  
ELECTRIC FIREPLACES

2023/2024  
Electric Fireplaces





## ABOUT US


Modern Flames was established in 2008 and has quickly become the innovative leader in contemporary electric fireplace design and technology. After pioneering the linear electric fireplace throughout North America, Modern Flames' brand has skyrocketed with many firsts to market which include; the first linear recessed electric fireplace, the first fully built-in electric fireplace, the first outdoor electric and now the first virtual electric fireplace. Modern Flames innovative Orion® virtual fireplace that utilizes the most optimized technology Heliovision®, creating the most life like-fire in an electric fireplace on the market.

Modern Flames' products have gained worldwide notoriety with architects, designers, builders and homeowners for its unbelievable life-like flame appearance, ease of installation and affordable cost to the builder compared to wood and gas. With global movement into greener building and high efficiency products, With our corporate headquarters and expanded warehouse in Phoenix, Arizona, Modern Flames continues to be a leader in the electric fireplace industry. Modern Flames is innovating the industry standards of tomorrow.

Modern Flames, a subsidiary of RPG Brands, was Founded by Kris Richardson (President) - whose Arizona-based family legacy and leadership within the hearth industry goes back nearly a half century - RPG Brands is the parent company that contains innovative Hearth and BBQ Brands, featuring: Modern Flames Electric Fireplaces, Grand Canyon Gas Logs, and Wildfire Outdoor Living.



Stay current with our products and accessories on our [modernflames.com.au](http://modernflames.com.au) web site.



# INTRODUCING THE ORION® SERIES, THE FIRST OF IT'S KIND

## The future of electric flame technology is virtual

Experience the innovative Orion® virtual fireplace that utilizes the most optimized technology, creating the most life like-fire in an electric fireplace. Make every presentation brilliant with three flame choices and color options for the flame, embers, and downlighting, six colors which offers 18 different flame color displays as well and color options for ember bed and downlighting. No matter where you stand or sit, the image quality is consistent. Heliovision® technology gives you the premium flame you desire.

Orion is offered in two different series Multi and Slim. Multi which offers five sizes, four install options and a 18" high viewing area. Slim which offers four sizes from 52" to 100", 2 install options, and a 15" high Viewing area.


- ▶ NEW Innovative Heliovision® Flame Technology
- ▶ Multiple Flame Styles to Choose from
- ▶ WiFi, Remote & Manual Controls
- ▶ Multi Dimensional Flame Appearance
- ▶ Multi-Color Down Lighting to Accent Logs
- ▶ Multi-Color Ember Bed Lighting to Accent Reflective Glass
- ▶ No Gas Lines or Venting
- ▶ 100% Electric!



*Orion® Multi 60" - Three Sided  
Install Flame One (Hybrid)*

# ORION® ADVANCED FEATURES

Modern Flames Orion® Electric Fireplaces featuring NEW HELIOVISION® flame technology.  
Our Orion® electric fireplaces with the most advanced features that fits all your needs.



Shown: Flame One - Hybrid



*Orion® Multi 52" - Right Corner Bay Install Flame One (Hybrid)*

## ORION® MULTI™

*Multi-Sided Electric Fireplace Featuring NEW HELIOVISION® Flame Technology*

*One Fireplace Fits All – Our Orion® Linear Electric Fireplace with the Most Versatile Installation Options*

### **Installation**

- ▶ *Front View, Left Corner, Right Corner, Bay*
- ▶ *Built-In Clean Face or Wall Mount*
- ▶ *Wall Mount Installs flush to Wall with Flames Offset Only 4 cm (Wall Mount Bracket Included)*
- ▶ *Available in Sizes: 52" – 60" – 76" – 100" & 120"*

### **Flame Display**

- ▶ *Features NEW HELIOVISION® Flame Technology*
- ▶ *45cm High Viewing Area – 12.5cm Deep Ember Bed*
- ▶ *3 Flame Patterns – 6 Flame Colors*
- ▶ *Adjustable Flame Speed*
- ▶ *Adjustable Ambient Crackling Sound*
- ▶ *Multi-Color Ember Bed*
- ▶ *Multi-Color Downlighting*
- ▶ *Multi-Dimensional Flame Appearance*
- ▶ *6,800 BTU Heater*

### **Units**

- ORION® 52" MULTI ..... OR52-MULTI*
- ORION® 60" MULTI ..... OR60-MULTI*
- ORION® 76" MULTI ..... OR76-MULTI*
- ORION® 100" MULTI ..... OR100-MULTI*
- ORION® 120" MULTI ..... OR120-MULTI*

### **Model #**



Orion® Slim™ 76" - Single Sided Install Flame Three (Gas)

## ORION® SLIM™

*Single-Sided Electric Fireplace Featuring NEW HELIOVISION® Flame Technology  
Simple Slide-In Installation into 15cm Wall or Wall Mounted in Any Room in the House*

### Installation

- ▶ *Single-Sided Built-In Linear Fireplace*
- ▶ *Slide-In Installation 15cm Wall or Wall Mounted*
- ▶ *Slide-In Clean Face Design*
- ▶ *Available in Sizes: 52" - 60" - 76" & 100"*

### Flame Display

- ▶ *Features NEW HELIOVISION® Flame Technology*
- ▶ *38cm High Viewing Area*
- ▶ *3 Flame Patterns - 6 Flame Colors*
- ▶ *Adjustable Flame Speed*
- ▶ *Adjustable Ambient Crackling Sound*
- ▶ *Multi-Color Ember Bed*
- ▶ *Multi-Color Downlighting*
- ▶ *Multi-Dimensional Flame Appearance*
- ▶ *5,800 BTU Heater*

### Units

### Model #

- ORION® 52" SLIM .....OR52-SLIM
- ORION® 60" SLIM ..... OR60-SLIM
- ORION® 76" SLIM .....OR76-SLIM
- ORION® 100" SLIM ..... OR100-SLIM

# FLAME STYLES



*FLAME ONE (HYBRID)*



*FLAME TWO (WOOD)*



*FLAME THREE (GAS)*

# FLAME COLORS



*YELLOW*



*BLUE*




*YELLOW*



*BLUE*



*YELLOW*




*BLUE*



*GREEN*




*ORANGE*



*GREEN*



*ORANGE*



*GREEN*



*ORANGE*



*PURPLE*



*WHITE*




*PURPLE*



*WHITE*



*PURPLE*



*WHITE*



# MEDIA AND LOG SET

*REFLECTIVE BLACK CRUSHED GLASS AND LOG SET - WESTERN DRIFTWOOD are included with each fireplace; you choose the set up.*



**LOG SET - WESTERN DRIFTWOOD**  
*with REFLECTIVE BLACK CRUSHED GLASS*



**REFLECTIVE BLACK CRUSHED GLASS**

# WIFI APP CONTROLS



MODERN FLAMES  
MOBILE APP





Orion® Multi® 60" - Three Sided Bay Install - Flame Two (Wood)

ORION® MULTI™ SPECIFICATIONS

ORION® MULTI™ INSTALL OPTIONS



*Three Sided Bay Install*



*Left Corner Install*




*Right Corner Install*



*Single Sided Install*


# ORION® MULTI™ FRAMING SPECIFICATIONS

## MULTI SPECIFICATIONS




PRODUCT DIMENSIONS											
MODEL NUMBER	A	B	C	D	E	F	G	H	I	J	K
OR52-MULTI	51-1/2" 1308MM	24-5/16" 618MM	9-9/16" 240MM	50-5/8" 1286MM	23-7/8" 606MM	8-15/16" 143MM	50-1/8" 1274MM	18-7/16" 468MM	2" 52MM	3-7/16" 87MM	5-3/16" 132MM
OR60-MULTI	60" 1524MM	24-5/16" 618MM	9-9/16" 240MM	59-1/8" 1502MM	23-7/8" 606MM	8-15/16" 143MM	58-5/8" 1410MM	18-7/16" 468MM	2" 52MM	3-7/16" 87MM	5-3/16" 132MM
OR76-MULTI	75-3/4" 1925MM	24-5/16" 618MM	9-9/16" 240MM	74-15/16" 1904MM	23-7/8" 606MM	8-15/16" 143MM	74-7/16" 1891MM	18-7/16" 468MM	2" 52MM	3-7/16" 87MM	5-3/16" 132MM
OR100-MULTI	100" 2542MM	24-5/16" 618MM	9-9/16" 160MM	99-1/4" 2521MM	23-7/8" 606MM	8-15/16" 143MM	98-3/4" 2508MM	18-7/16" 468MM	2" 52MM	3-7/16" 87MM	5-3/16" 132MM
OR120-MULTI	124-3/8" 3159MM	24-5/16" 618MM	9-9/16" 240MM	123-1/2" 3137MM	23-7/8" 606MM	8-15/16" 143MM	123" 3125MM	18-7/16" 468MM	2" 52MM	3-7/16" 87MM	5-3/16" 132MM


# ORION® MULTI™ FRAMING SPECIFICATIONS




FRAMING DIMENSIONS			
MODEL NUMBER	A	B	C
OR52-MULTI	51" 1295MM	24-3/4" 629MM	9" MINIMUM 229MM MIN.
OR60-MULTI	59-1/2" 1511MM	24-3/4" 629MM	9" MINIMUM 229MM MIN.
OR76-MULTI	75-1/4" 1911MM	24-3/4" 629MM	9" MINIMUM 229MM MIN.
OR100-MULTI	99-1/2" 2527MM	24-3/4" 629MM	9" MINIMUM 229MM MIN.
OR120-MULTI	124" 3150MM	24-3/4" 629MM	9" MINIMUM 229MM MIN.



**FINISHED WALL  
- THREE SIDED  
BAY INSTALL**



**FINISHED WALL  
- RIGHT CORNER INSTALL**




**FINISHED WALL  
- SINGLE SIDED INSTALL**



Orion® Slim™ 76" Flame One (Hybrid)

# ORION® SLIM™ SPECIFICATIONS AND FRAMING SPECIFICATIONS

## SLIM SPECIFICATIONS



PRODUCT DIMENSIONS									FRAMING DIMENSIONS		
MODEL NUMBER	A	B	C	D	E	F	G	H	I	J	K
OR52-SLIM	52-3/8" 1330MM	19-5/8" 499MM	6-5/16" 160MM	50-1/4" 1276MM	18-3/4" 476MM	5-3/4" 146MM	47-7/8" 1216MM	14-3/8" 364MM	50-3/4" 1289MM	19-1/8" 486MM	6" MINIMUM 152MM MIN.
OR60-SLIM	60" 1524MM	19-5/8" 499MM	6-5/16" 160MM	58" 1473MM	18-3/4" 476MM	5-3/4" 146MM	55-1/2" 1410MM	14-3/8" 364MM	58-1/2" 1486MM	19-1/8" 486MM	6" MINIMUM 152MM MIN.
OR76-SLIM	76-5/8" 1947MM	19-5/8" 499MM	6-5/16" 160MM	74-5/8" 1895MM	18-3/4" 476MM	5-3/4" 146MM	72-3/16" 1833MM	14-3/8" 364MM	75-1/8" 1908MM	19-1/8" 486MM	6" MINIMUM 152MM MIN.
OR100-SLIM	101" 2564MM	19-5/8" 499MM	6-5/16" 160MM	98-7/8" 2511MM	18-3/4" 476MM	5-3/4" 146MM	96-7/16" 2450MM	14-3/8" 364MM	99-1/2" 2527MM	19-1/8" 486MM	6" MINIMUM 152MM MIN.



 Hybrid-FX™  
FLAME TECHNOLOGY



# LANDSCAPE PRO™ MULTI

*The Most Versatile Electric Fireplace on the Market*

- MULTI SIZES: **44" (1118mm) | 56" (1422mm) | 68" (1727mm) | 80" (2032mm) | 96" (2438mm)**
- MULTI INSTALL DEPTHS: BUILT-IN CLEAN FACE - PARTIAL 51mm x 102mm RECESS - WALL MOUNT
- MULTI CONFIGURATIONS: SINGLE SIDED, LEFT CORNER, RIGHT CORNER & 3-SIDED (BAY)
- MULTI LIGHT CONTROL: FLAME COLOR, EMBER BED COLOR & DOWNLIGHTING COLOR
- MULTI LIGHT COLORS: FULL RGB COLOR SPECTRUM IN ALL LIGHTING FEATURES

*Up to 12 different install configurations included standard in the box!*

*Choose a beautiful single sided installation or get creative and design the fireplace exactly how you want into the feature wall of your dreams.*



*Landscape Pro™ Multi - LPM 5616*



*Landscape Pro™ Multi - LPM 8016*

*New high intensity multi-color flame technology paired with matching up lighting and downlighting to create the full customizable experience in the home.*

*Hundreds of different stunning color combinations to select from!*

## STANDARD FEATURES

### LIGHTING

- ✓ New Hybrid-FX™ Flame Technology
- ✓ Random, Beautiful Flame Image
- ✓ High Intensity RGB Flame Colors
- ✓ RGB Ember Bed Colors
- ✓ RGB Downlighting Colors
- ✓ Individually Contoled or Synchronized
- ✓ Full Color Spectrum in Each Light Feature
- ✓ Active Ember Bed
- ✓ Adjustable Flame Speed

### MEDIA

- ✓ Clear Acrylic Stone Media
- ✓ Black Smoke Acrylic Crystals
- ✓ Hand-Painted Canyon Driftwood Log Set – Highly Detailed Realism

### HEAT

- ✓ Up To 6,820 BTU Heat Output
- ✓ Whisper Quiet Fan
- ✓ High Efficiency PTC Ceramic Heater

### CONTROLS & FUNCTIONS

- ✓ Basic Features Manual Controls
- ✓ Full Feature Remote Control
  - RGB Color Wheel
  - Brightness Slide Bar
- ✓ Full Feature Modern Flames App

### OPTIONAL CONTROL

- ✓ Wireless Thermostat & Full Wall Control

# LIGHTING - INDEPENDENT COLOR CONTROL

FULL COLOR SPECTRUM FLAME, EMBER BED & DOWNLIGHTING



# MEDIA - PREMIUM LOG SET STANDARD

CANYON DRIFTWOOD LOG SET, SMOKE GLACIER CRYSTALS & CLEAR STONES



# HEAT - 6,820 BTU

240V HIGH EFFICIENCY CERAMIC HEATER



FLAMES & LIGHTING  
15 WATTS  
NO HEAT



1500 WATT HEATER  
240V 6,820 BTU  
UP TO 40 SQM

**MODERN FLAMES**  
ELECTRIC FIREPLACES

Landscape Pro™ Multi Fireplaces are equipped with adjustable heaters controlled by remote or phone app. Wall tether has thermostat controls.

Landscape Pro™ Multi - LPM 5616



# STANDARD CONTROLS

REMOTE CONTROL & MANUAL CONTROL



MODERN FLAMES  
ELECTRIC FIREPLACES  
FULL FEATURED  
WiFi APP

# UPGRADE CONTROL


WIRELESS WALL TETHER WITH THERMOSTAT CONTROL




# LANDSCAPE PRO™ MULTI INSTALLATIONS - OVER 12 DIFFERENT CONFIGURATIONS

- BUILT-IN/ CLEAN FACE INSTALLATION
- WALL MOUNT INSTALLATION
- BUILT-IN RECESSED INSTALLATION (51mm X 102mm wall)
- FLOATING WALL CABINET
- FLOOR CABINET
- SINGLE SIDED
- LEFT CORNER
- RIGHT CORNER



**SINGLE SIDED**  
[Trim Included]




**BUILT-IN RECESSED**  
(51mm X 102mm)




**WALL MOUNT\***




**LEFT CORNER**




**RIGHT CORNER**



**3 SIDED (BAY)**



FRONT VIEW



SIDE VIEW

MODEL & CONFIGURATION		VIEWING AREA			FIREBOX DIMENSIONS					
MODEL #	CONFIGURATION	A FRONT GLASS WIDTH	B SIDE GLASS WIDTH	C GLASS HEIGHT	D OVERALL WIDTH	E OVERALL HEIGHT	F OVERALL DEPTH	G BOTTOM TO VIEWING	H TOP TO VIEWING	I BACK TO VIEWING
<b>LPM-4416V2/INT</b>	SINGLE SIDED	1077mm (40-3/8")	-	390mm (15-3/8")	1124mm (44-1/4")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	-
	CORNER (L/R)	1077mm (40-3/8")	127mm (5")	390mm (15-3/8")	1124mm (44-1/4")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	105mm (4-1/8")
	3-SIDED (BAY)	1077mm (40-3/8")	127mm (5")	390mm (15-3/8")	1124mm (44-1/4")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	105mm (4-1/8")
<b>LPM-5616V2/INT</b>	SINGLE SIDED	1377mm (54-1/4")	-	390mm (15-3/8")	1424mm (56")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	-
	CORNER (L/R)	1377mm (54-1/4")	127mm (5")	390mm (15-3/8")	1424mm (56")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	105mm (4-1/8")
	3-SIDED (BAY)	1377mm (54-1/4")	127mm (5")	390mm (15-3/8")	1424mm (56")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	105mm (4-1/8")
<b>LPM-6816V2/INT</b>	SINGLE SIDED	1677mm (66")	-	390mm (15-3/8")	1724mm (67-7/8")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	-
	CORNER (L/R)	1677mm (66")	127mm (5")	390mm (15-3/8")	1724mm (67-7/8")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	105mm (4-1/8")
	3-SIDED (BAY)	1677mm (66")	127mm (5")	390mm (15-3/8")	1724mm (67-7/8")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	105mm (4-1/8")
<b>LPM-8016V2/INT</b>	SINGLE SIDED	1977mm (77-13/16")	-	390mm (15-3/8")	2024mm (79-5/8")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	-
	CORNER (L/R)	1977mm (77-13/16")	127mm (5")	390mm (15-3/8")	2024mm (79-5/8")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	105mm (4-1/8")
	3-SIDED (BAY)	1977mm (77-13/16")	127mm (5")	390mm (15-3/8")	2024mm (79-5/8")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	105mm (4-1/8")
<b>LPM-9616V2/INT</b>	SINGLE SIDED	2388mm (94")	-	390mm (15-3/8")	2438mm (96")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	-
	CORNER (L/R)	2388mm (94")	127mm (5")	390mm (15-3/8")	2438mm (96")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	105mm (4-1/8")
	3-SIDED (BAY)	2388mm (94")	127mm (5")	390mm (15-3/8")	2438mm (96")	632mm (24-7/8")	292mm (11-1/2")	114mm (4-1/2")	114mm (4-1/2")	105mm (4-1/8")

\*Wall mount bracket sold separately by special order and mantel not sold in Australia



Hybrid-FX™  
FLAME TECHNOLOGY















# LANDSCAPE PRO™ SLIM SERIES

## *Electric Fireplace with Unique Frameless Design*

The Landscape Pro™ Slim electric fireplace is the perfect option for any customer looking for a unique frameless look installed into a 52mm x 152mm wall. This new Slim model in the Landscape Pro™ Series features independently controlled flame plus up & down lighting with an edge-to-edge viewing area. This Pro Series model features NEW Hybrid-FX™ flame technology, high intensity LED lighting and active ember bed, Driftwood Logs & Wi-Fi controls all as standard features. The Landscape Pro™ Slim features a 6,820 BTU heater, remote and wireless control and comes in 5 linear sizes, 44" (1118mm), 56" (1422mm), 68" (1727mm), 80" (2032mm), & 96" (2438mm).





### STANDARD FEATURES

-  12 Different Flame & Ember Bed Color Options
-  Back Flame & Ember Bed Controlled Independently or Together
-  New Hybrid-FX™ Flame Technology
-  Driftwood Log Set
-  Full Flame Viewing Area
-  Fully Finished Clean Face Installation
-  Finish Trim Kit Included
-  High Efficiency Ceramic Heater
-  Whisper Quite Fan
-  Variable Flame and Speed
-  Remote Control
-  Wi-Fi Controls with Modern Flames App

# LANDSCAPE PRO™ SLIM SERIES

*Driftwood Logs & Acrylic Ember Bed Included Standard*

Available in 5 Standard Widths with Driftwood Log Set & Acrylic Ember Bed:



Flames & Ember Bed Colors - Several Color Combinations Available & Controlled Independently



Comes Standard with 2 Types of Acrylic Media: Smoke & Clear




# LANDSCAPE PRO™ SLIM

## Dimension Specs

### LANDSCAPE PRO™ SLIM DIMENSIONAL SPECS

Model #	A	B	C	D	E	FRAMING (W x H x D)
LPS-4414V2/INT	356mm (14")	1111mm (44")	141mm (6")	603mm (24")	1124mm (44-1/4")	1130mm (44-1/2") W x 613mm (24-1/4") H x 153mm (5-1/2") D
LPS-5614V2/INT	356mm (14")	1416mm (56")	141mm (6")	603mm (24")	1430mm (56-1/4")	1436mm (56-1/2") W x 613mm (24-1/4") H x 153mm (5-1/2") D
LPS-6814V2/INT	356mm (14")	1721mm (68")	141mm (6")	603mm (24")	1735mm (68-1/4")	1741mm (68-1/2") W x 613mm (24-1/4") H x 153mm (5-1/2") D
LPS-8014V2/INT	356mm (14")	2026mm (80")	141mm (6")	603mm (24")	2040mm (80-1/4")	2046mm (80-1/2") W x 613mm (24-1/4") H x 153mm (5-1/2") D
LPS-9614V2/INT	356mm (14")	2432mm (96")	141mm (6")	603mm (24")	2446mm (96-1/4")	2452mm (96-1/2") W x 613mm (24-1/4") H x 153mm (5-1/2") D

### LANDSCAPE PRO™ SLIM - LPS 5614 (1416mm) DIMENSIONAL DRAWING SHOWN



## STANDARD CONTROLS REMOTE CONTROL & MANUAL CONTROL



## UPGRADE CONTROL

WIRELESS WALL TETHER WITH  
THERMOSTAT CONTROL



Model
LPS-44
LPS-56
LPS-68
LPS-80
LPS-96



 Hybrid-FX™  
FLAME TECHNOLOGY














# SPECTRUM SLIMLINE SERIES

## *Recessed Flush Mount or Wall Mount Electric Fireplace*

Modern Flames new Spectrum Slimline has revamped the recessed electric fireplace category. This 51mm x 102mm or wall mount installation electric fireplace has removed the large black glass surround and is finished off with a sleek 16mm trim to maximize the viewing area. Hardwoods or tile can be finished right up to the opening of the fireplace while still keeping in mind serviceability. The Spectrum Slimline features high intensity flame and ember bed lighting showcasing our new Hybrid-FX™ flame technology independently controlled with 10 different color options. Other standard features include variable & thermostatic heat, variable motor controls, timer, push button, and remote controls. The acrylic crystal media and driftwood logs are both standard media and the Spectrum Slimline is available in 50" (1270mm), 60" (1524mm), 72" (1880mm), and 100" (2540mm) sizes.



### STANDARD FEATURES

-  Hybrid-FX™ Flame Technology
-  10 Color Flame Combinations
-  Glacier Glass Ember Bed
-  Low Energy LED Flame Technology
-  Touch Button Controls
-  New Sleek Remote
-  Can be Installed Beneath a TV
-  Variable Heat with Thermostat
-  Variable Flame Controls
-  240 Volt Plug
-  Do it Yourself Installation Instructions

# SPECTRUM SLIMLINE SERIES

## Independent Flame & Ember Bed Color Combinations

The 6 button control panel is located at the top right of fireplace including a digital readout thermostat. From right to left, button #1 turns the fireplace on or off. Button #2 controls ember bed lights. #3 controls the flame colors #4 turns the heater on or off. Button #5 controls timer setting to turn off fireplace at selected time, and button #6 adjusts the desired heater temperature.



10 Flame & Ember Bed Colors Controlled Independently - Examples Shown Below



Blue Flames & Blue Ember Bed



Blue Flames & Orange Ember Bed



Orange Flames & Orange Ember Bed



Gold Flames & Gold Ember Bed



Green Flames & Green Ember Bed



Magenta Flames & Magenta Ember Bed



Pink Flames & Blue Ember Bed



Red Flames & Red Ember Bed



Purple Flames & Blue Ember Bed



Orange Flames & Blue Ember Bed



Gold Flames & Green Ember Bed



Purple Flames & Purple Ember Bed

# SPECTRUM SLIMLINE

## Dimension Specs


### SPECTRUM PRO SLIMLINE DIMENSIONAL SPECS

Model Number	A	B	C	D	E	F	G	H	I	L	K
SPS-50B/INT	1264mm (49-3/4")	430mm (17")	121mm (4-3/4")	1235mm (48-5/8")	410mm (16-1/8")	102mm (4")	1168mm (46")	305mm (12")	118mm (4-5/8")	25.4mm (1")	1829mm (72")
SPS-60B/INT	1518mm (59-3/4")	430mm (17")	121mm (4-3/4")	1489mm (58-5/8")	410mm (16-1/8")	102mm (4")	1418mm (55-13/16")	305mm (12")	118mm (4-5/8")	25.4mm (1")	1829mm (72")
SPS-74B/INT	1873mm (73-3/4")	430mm (17")	121mm (4-3/4")	1845mm (72-5/8")	410mm (16-1/8")	102mm (4")	1772mm (69-3/4")	305mm (12")	118mm (4-5/8")	25.4mm (1")	1829mm (72")
SPS-100B/INT	2534mm (99-3/4")	430mm (17")	121mm (4-3/4")	2505mm (98-5/8")	410mm (16-1/8")	102mm (4")	2435mm (95-7/8")	305mm (12")	118mm (4-5/8")	25.4mm (1")	1829mm (72")



**REMOTE CONTROL**  
Separate controls for on/off variable heat and variable flame, with independent flame & ember bed variable colors.

### SPS-50B DIMENSIONAL DRAWING SHOWN















# REDSTONE SERIES

## *Built-in Flush Mount Conventional Electric Fireplace*

Modern Flames has revamped its built-in, flush mount conventional fireplace category with its new RedStone electric fireplace. The RedStone features our new Hybrid-FX™ flame technology maximizing the flame height in an enlarged vertical viewing area. Some of the eye-catching features include high intensity RGB independently controlled up lighting, down lighting & flame color. Other standard features include 10 different unique colors to choose from, variable and thermostatically controlled heat, variable motor controls, timer, push button and remote controls. This conventional design can slide into an existing Zero Clearance wood burning fireplace or will need 255mm of depth in a wall for the built-in flush mount look. The RedStone plugs into a standard outlet and includes a 5000 BTU heater. Acrylic crystal media and driftwood logs are both standard media.



### STANDARD FEATURES

-  Hybrid-FX™ Flame Technology
-  10 Unique Flame Colors
-  Acrylic Crystal Ember Bed
-  Low Energy LED Flame Technology
-  Touch Button Controls
-  New Sleek Remote
-  Can be Installed Beneath a TV
-  Variable Heat with Thermostat
-  Variable Flame Controls
-  240 Volt Plug
-  Do it Yourself Installation Instructions
-  Finish Trim Kit Included

# REDSTONE SERIES

## *Independent Flame & Ember Bed Color Combinations*

The 6 button control panel is located at the top right on fireplace and includes a digital readout thermostat. From right to left, button **#1** turns the fireplace on or off. Button **#2** controls ember bed lights. **#3** controls the flame colors. Button **#4** turns the heater on or off. Button **#5** controls timer setting to turn off fireplace at selected time, and button **#6** adjusts the desired heater temperature.

Flame & Ember Bed Colors Controlled Independently



Blue Flames - Logs on



Blue Flames - Logs off



Orange Flames - Logs on




Orange Flames - Logs off



Red Flames - Logs on



Red Flames - Logs off



Touch Button Control



**REMOTE CONTROL INCLUDED**  
Separate controls for on/off variable heat and variable flame with independent flame and ember bed variable colors.


Full Color Spectrum Lighting for Flames, Ember Bed & Downlighting

# REDSTONE SERIES

## Dimension Specs

RS Model # of Fireplace	Trim Width	A	B	C	D	E	F	G	H	Overlap Trim 41mm	Finished Opening (W x H x D)
RS-2621-AU	16mm	610mm	479mm	250mm	578mm	578mm	578mm	234mm	470mm	660mm x 529mm	584mm x 477mm x 254mm
RS-3021-AU	16mm	743mm	480mm	250mm	390mm	710mm	593mm	234mm	470mm	794mm x 530mm	718mm x 477mm x 254mm
RS-3626-AU	16mm	857mm	610mm	250mm	521mm	824mm	707mm	234mm	600mm	908mm x 661mm	829mm x 607mm x 254mm
RS-4229-AU	16mm	1009mm	686mm	250mm	597mm	977mm	858mm	234mm	676mm	1059mm x 736mm	985mm x 680mm x 254mm
RS-5435-AU	16mm	1322mm	838mm	305mm	749mm	1290mm	1146mm	289mm	829mm	1372mm x 888mm	1294mm x 832mm x 305mm

\*16mm & 41mm trim included in box for built-in installations





Redstone RS-5435



## Modern Flames Australia

Exim International (Australia) Pty LTD  
18 Blue Rock Dr  
Luscombe, QLD 4207

Phone: 07-5630 6840  
Toll Free: 1300 361557

Email: [Info@ModernFlames.com](mailto:Info@ModernFlames.com)



INNOVATING THE INDUSTRY STANDARDS OF TOMORROW

April 2023