





The Mosman is the latest edition into the Coonara family. With its panoramic view it has all the charm and romance you would expect from an Australian made Coonara heater. **Top Image:** Pictured with our logs and pebbles media together with our black mirrored glass, and 40ml trim as standard. **Bottom Image:** Pictured with all pebbles media with optional high res mirrors and 40ml trim. **Front Page Image:** Pictured with ember bed and logs media with black 40ml trim as standard.



Up to **4.7** star energy rating (Short flue)







The Mosman will add style and elegance to any living area, with its realistic flame patterns and the cosy heat being circulated by a quiet 3 speed fan. **Top Image:** Pictured with glass media, optional high res mirrors and optional stainless steel 40mm trim. **Bottom Image:** Pictured with ember bed and logs, optional high res mirrors and without 40mm trim fitted.



star energy rating







COONARA FIREPLACE WIFI MODULE AND THERMOSTAT APP

With the optional wifi module you can control your fireplace from your IOS or Android device!

- 1. Control the temperature from anywhere
- 2. Adjust the flame and light settings from anywhere#
- Turn on and off times via the 7 day programmable times
- Listen to the built in wood fire sound effect

Pictured with the Logs and ember bed in our new White Wall.



Pictured with the logs and ember bed in our new Black Wall Unit.

Coonara's new architecturally designed modular wall unit has made installation of your new fireplace that much easier. The wall unit comes in kit form and you simply clip and screw the pieces together. The wall also comes painted in a range of colours. This new modular wall unit ensures a no mess, hassle free installation which can be completed in a day.





THE MOSMAN TECHNICAL SPECIFICATIONS





		1	
		MOSMAN	MOSMAN EMBERBED
HEATING CAPACITY UP TO SQUARES SQUARE METRES* NAT / GAS		15 150	20 200
HEATING CAPACITY UP TO SQUARES SQUARE METRES* LPG		10 100	
EFFICIENCY RATING		Up to 83%	Up to 74.6%
ENERGY STAR RATING	SHORT FLUE LONG FLUE	4.7 4.2	3.2 2.2
FIRE BOX DIMENSIONS	HEIGHT (mm) WIDTH (mm) DEPTH (mm)	870 inc. Spigot 1160 495	870 inc. Spigot 1160 495
OVERALL DIMENSIONS	HEIGHT (mm) WIDTH (mm) DEPTH (mm)	520 1225 500	520 1225 500
GLASS VIEWING AREA	HEIGHT (mm) WIDTH (mm)	415 1120	415 1120
FLUEING OPTIONS	VERTICAL HORIZONTAL	YES YES	YES YES
THERMOSTAT CONTROLLER		YES	YES
HEAT TRANSFER KIT		NO	NO
NATURAL GAS & LPG		вотн	NAT GAS
NATURAL GAS INPUT		30MJH - High 27MJH - Low	34MJH - High 29.6MJH - Low
LPG GAS INPUT		22MJH - High 16MJH - Low	
DESPATCH WEIGHT (KG)		82	86

Tested and approved


Tested and approved to the most stringent quality standards for safety and efficiency. IAPMO approved. Certificate No. GMK10272-01.

Coonara Warranty

All current Coonara gas heaters are warranted to be free from defects in material and workmanship under normal use and service. The warranty of the actual firebox and heat exchanger is 5 years – to the initial purchaser. All other components (except accidental breakage of door glass) are warranted for a period of 24 months. Coonara gas log fires are designed and tested for use with Coonara manufactured flue kits. For the full warranty statement. refer to the Shamic Sheetmetal (Aust) P/L website (www.shamic.com), the product installaion manual, or your Coonara dealer. Shamic goods come with quarantees that cannot be excluded under Australian Consumer Law. The purchaser is entitled to a replacement or a refund for a major failure and compensation for any reasonably forseeable loss or damage. The purchaser is also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

Note: All Coonara heaters must be installed by our authorised installers to be covered by our warranty statement.

FRAMING SPECIFICATIONS NO FIREPLACE NECESSARY



MOSMAN


- Al 1255mm
- 535mm
- Cl 925mm
- Gas Inlet to be 1/2" FEM BSP
- · Power Outlet right hand side
- · Cement Sheet required (for flat level base)

THERMOSTAT WALL CONTROLLER TECHNICAL



- Ability to control room temperature and LED lighting.
- Programmable heating levels to enhance comfort control.
- Large easy to read backlit LCD
- Powered by 2x AA batteries for approximately 12 months of operation
- Full seven-day program capability

DRAWINGS



STANDARD SIZE (mm)

* WALL EXTENSION KITS CAN BE MADE TO ORDER. REFER TO DIMENSION "A".

*IMPORTANT: Heating areas provided are based on open plan living areas and 2.4 metre ceiling height. Note: Lack of insulation, large window areas and cathedral ceilings reduce heating effectiveness.

Your Legendary Coonara dealer is:



14-18 Research Dve, Croydon Sth. 3136 Tel: **(03) 9737 5300** Fax: **(03)** 9761 6455 A.B.N. 61 007 251 569 www.shamic.com



All of the information contained in this brochure was correct at the time of printing, February 2018. However, the manufacturer reserves the right to make changes to design and specification without notice. You can confirm current designs, specifications, optional extras and financial details by consulting your nearest authorised Coonara dealer.

Please note: Due to the nature of the printing process, colours may vary from those shown in this catalogue. Ask your dealer to show you a colour sample. All heaters pictured in this brochure are operating on natural gas.