Product datasheet

OSRAM COOL BLUE INTENSE (NEXT GEN) H15

Extra white light for LED look





Extra white light for stylish LED look



Up to 5,000 Kelvin 1), 2)

High contrast and brilliantly white light for most stylish and modern look on the road



Up to 100% more brightness 1), 3) More light allows to see farther and therefore react sooner



The extra white light with up to 5,000 K

Discover COOL BLUE INTENSE - high-tech halogen lamps, almost in the league of LED lamps. With its powerful and bright extra white light up to 5,000 Kelvin, whose cool beam makes it look very like a LED lamp, it gives real design fans their money's worth. The automotive lamp also provides a high-contrast light similar to daylight, which makes it easier on the eyes than the light from standard lamps. In comparison to minimum ECE requirements, the OSRAM COOL BLUE INTENSE range is up to 100% more brightness! The modern design with silver cap (H4/H7/H8/H11/HB4) is ideal for use in clear-glass headlights. That gives your car a stylish look. 1) H1, H4, H7, H11, HB3, HB4, HIR2. 2) Measured in headlamps. 3) Compared to minimum ECE R112 requirements.

Product datasheet

Technical data

Product information

Order reference	64176CBN	
Application (Category and Product specific)	Halogen headlight lamp	

Electrical data

Power input	19 / 64 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	55/15 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	260/1350 lm
Luminous flux tolerance	±10 / ±10 %
Color temperature	up to 3700 K

Dimensions & weight

Diameter	13.0 mm
Product weight	23.00 g
Length	79.0 mm

Lifespan

Lifespan B3	1000 / 100 h
Lifespan Tc	2000 / 200 h

Additional product data

Base (standard designation)	PGJ23t-1
-----------------------------	----------

Capabilities

	Technology	Halogen lamp
--	------------	--------------

Certificates & standards

ECE category	H15
Approval marks – approval	E1 approval

Country specific categorizations

Product datasheet

Logistical Data

-				
Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
COOL BLUE INTENSE (NEXT GEN) H15	Hard Cover Box 2	114 mm x 48 mm x 106 mm	0.58 dm³	138.00 g
COOL BLUE INTENSE (NEXT GEN) H15	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm ³	775.00 g
COOL BLUE INTENSE (NEXT GEN) H15	Folding carton box 1	36 mm x 36 mm x 82 mm	0.11 dm³	27.00 g
COOL BLUE INTENSE (NEXT GEN) H15	Bundle 10	- x - x -		
COOL BLUE INTENSE (NEXT GEN) H15	Shipping carton box 100	373 mm x 191 mm x 178 mm	12.68 dm³	2880.00 g
	COOL BLUE INTENSE (NEXT GEN) H15 COOL BLUE INTENSE (NEXT GEN) H15 COOL BLUE INTENSE (NEXT GEN) H15 COOL BLUE INTENSE (NEXT GEN) H15 COOL BLUE INTENSE	(Pieces/Unit)COOL BLUE INTENSE (NEXT GEN) H15Hard Cover Box 2COOL BLUE INTENSE (NEXT GEN) H15Shipping carton box 10COOL BLUE INTENSE (NEXT GEN) H15Folding carton box 1COOL BLUE INTENSE (NEXT GEN) H15Bundle 10COOL BLUE INTENSE (NEXT GEN) H15Bundle 10COOL BLUE INTENSE (NEXT GEN) H15Shipping carton box	COOL BLUE INTENSE (NEXT GEN) H15Hard Cover Box 2114 mm x 48 mm x 106 mmCOOL BLUE INTENSE (NEXT GEN) H15Shipping carton box 10268 mm x 126 mm x 125 mmCOOL BLUE INTENSE (NEXT GEN) H15Folding carton box 136 mm x 36 mm x 82 mmCOOL BLUE INTENSE (NEXT GEN) H15Folding carton box 136 mm x 36 mm x 82 mmCOOL BLUE INTENSE (NEXT GEN) H15Bundle 10- x - x - 10COOL BLUE INTENSE (NEXT GEN) H15Shipping carton box 373 mm x 191 mm x	COOL BLUE INTENSE (NEXT GEN) H15Hard Cover Box 2114 mm x 48 mm x 106 mm0.58 dm3COOL BLUE INTENSE (NEXT GEN) H15Shipping carton box 10268 mm x 126 mm x 125 mm4.22 dm3COOL BLUE INTENSE (NEXT GEN) H15Folding carton box 136 mm x 36 mm x 82 mm0.11 dm3COOL BLUE INTENSE (NEXT GEN) H15Folding carton box 136 mm x 36 mm x 82 mm0.11 dm3COOL BLUE INTENSE (NEXT GEN) H15Bundle 10- x - xCOOL BLUE INTENSE (NEXT GEN) H15Shipping carton box 10373 mm x 191 mm x12.68 dm3

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

P

File 360 Degree Image COOL BLUE INTENSE H15 64176CBN

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

