# Product datasheet



# **NBL 9005NL**

NIGHT BREAKER LASER | Halogen headlight lamps for cars



#### Product benefits

- More light allows to see further and therefore react faster
- Better visibility
- Modern look
- Signs, obstacles and hazards can be recognized sooner
- Premium quality made in Germany/USA

#### **Product features**

- Up to 150% more brightness compared to the minimum legal standard
- Up to 150 m long beam
- Up to 20% whiter light compared to the minimum legal standard
- More light performance due to innovative laser ablation technology (H4/H7/H8/H11/HB3/HB4)
- Unique design with laser-etched product name (H4/H7/H8/H11/HB3/HB4)

# Product datasheet

#### Technical data

### **Electrical data**

Power input	73 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	60.00 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

#### Photometrical data

Luminous flux	1700 lm
Luminous flux tolerance	±12 %

#### **Dimensions & weight**

Length	80.3 mm
Diameter	12.0 mm
Product weight	21.00 g

#### Lifespan

Lifespan B3	110 h
Lifespan Tc	210 h

#### Additional product data

Base (standard designation) P20d
----------------------------------

#### **Certificates & standards**

ECE category	HB3

# Country specific categorizations

Order reference	9005NL-HCB 60W

# Product datasheet

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899992054	NBL 9005NL	Hard Cover Box 2	114 mm x 48 mm x 106 mm	0.58 dm³	226.16 g
4052899992061	NBL 9005NL	Shipping carton box 20	260 mm x 242 mm x 122 mm	7.68 dm <sup>3</sup>	1480.00 g
4052899998858	NBL 9005NL	Folding carton box 1	47 mm x 47 mm x 71 mm	0.16 dm <sup>3</sup>	29.00 g
4052899998865	NBL 9005NL	Bundle 10	- x - x -		
4052899998872	NBL 9005NL	Shipping carton box 100	485 mm x 250 mm x 160 mm	19.40 dm³	3183.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Legal advice

Disclaimer

Compared to minimum ECE R112/R37 requirements

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.