

# 2827

## ORIGINAL | Lamps with glass wedge bases



### Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting

#### **Product benefits**

- OEM Quality
- Wide product range
- Reliable quality

#### **Product features**

- Original spare parts

#### Technical data

### **Electrical data**

Power input	5 W
Nominal voltage	12.0 V
Nominal wattage	5.00 W
Power input tolerance	±10 %
Test voltage	13.5 V

### Photometrical data

Luminous flux	30 lm

### **Dimensions & weight**





IEC 7005-91 DIN 49642 T 4

Length	26.8 mm
Diameter	10.0 mm
Product weight	1.37 g

### Lifespan

Lifespan B3	350 h
Lifespan Tc	1000 h

### Additional product data

Base (standard designation)	W2.1x9.5d	
Product remark	Amber lamp for clear indicators	

### Certificates & standards

ECE category	WY5W
--------------	------

### **Country specific categorizations**

Order reference	2827

### Country specific information

Product code	METEL-Code	SEG-No.	STK number	UK Org
4008321149411	-	-	4730324	-

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321149411	2827	Blister 2	95 mm x 70 mm x 18 mm	0.12 dm³	12.72 g
4008321149428	2827	Shipping carton box 20	137 mm x 105 mm x 84 mm	1.21 dm³	115.33 g
4052899148000	2827	Unpacked 1	- x - x -		
4052899148017	2827	Folding carton box 10	46 mm x 29 mm x 112 mm	0.15 dm <sup>3</sup>	24.70 g
4052899148024	2827	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm <sup>3</sup>	153.50 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.