



SAFETY DATA SHEET

Section 1 Product and Company Identification

Chemical Product or Sample Name: Luna XPC1 Part A
CAS Number: Mixture
Synonyms: Conductive structural adhesive
Recommended Use(s): Research sample
Company Information: Luna Innovations Incorporated
 706 Forest Street Suite A
 Charlottesville, VA 22903
e-mail: solutions@lunainnovations.com
Web: www.lunainnovations.com
Telephone: (434) 972-9950 (M-W; 8:00 a.m. – 5:00 p.m. EDT)
Fax: (434) 972-9956

Section 2 Hazards Identification

EMERGENCY OVERVIEW

Hazardous Materials Identification System (HMIS III)

Physical state: Paste	HEALTH: 2
Color: Black	FLAMMABILITY: 1
Odor: Mild	PHYSICAL HAZARDS: 1
	Personal Protective Equipment: See SDS Section 8.

Health Hazard WARNING
Signal Words / Route of Entry: Causes eye irritation.
 May cause allergic skin reaction.
 May cause skin irritation.

Other Hazards / Comments: None

OSHA /HCS Status: This material is considered to be hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

GHS Classification: Unknown

POTENTIAL HEALTH EFFECTS

Potential routes of entry: Inhalation, skin, eyes.
Inhalation: May cause nose and throat irritation.
Skin Contact: Contact made with uncured resin may cause skin irritation or rash.
Eye Contact: Will cause eye irritation.



SAFETY DATA SHEET

Ingestion: Not a likely route of exposure.
Existing conditions aggravated by exposure: Eye, skin and respiratory disorders.

See Section 11 for additional toxicological information

POTENTIAL ENVIRONMENTAL EFFECTS

Unknown

Section 3 Composition and Information on Ingredients

Nanomaterial or contains nanomaterials (engineered) with at least one dimensions of <100 nm)? Yes

Component	CAS #	% (by wt)
Epoxy resin	Trade secret	85-99%
Carbon fiber	Trade secret	1-10%

Section 4 First Aid Measures

Eye Contact: Rinse immediately with plenty of water and seek medical advice.
Skin Contact: Remove any contaminated clothing and shoes. Wash skin thoroughly with soap and water. If skin irritation occurs, or if person feels unwell, consult a physician.
Inhalation: Remove person to fresh air. If symptoms develop and persist get medical attention.
Ingestion: Do not induce vomiting. Drink water as a precaution and obtain medical attention. Never give anything by mouth to an unconscious person.
Notes to physician: Treat symptomatically and supportively

Section 5 Fire Fighting Measures

See Section 9 for flammable properties.

Special Fire Fighting Procedures: See below under protective equipment.
Extinguishing media: Water spray (fog), foam, dry chemical or carbon dioxide.
Protective Equipment: Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. Cartridge respirators do not provide adequate protection for fire fighters or exotherm mitigation.
Unusual Fire or Explosion Hazards:
Hazardous combustion products: Oxides of carbon. Oxides of nitrogen. Hydrocarbons.

Section 6 Accidental Release Measures

Isolate the spill and deny entry to unnecessary and unprotected personnel.

Personal Protection: Wear PPE per Section 8.
Spill Procedures: Prevent further leakage or spillage if safe to do so. Contain spill. Do not let product enter drains. Do not flush into surface water. Soak up with inert absorbent material (e.g. sand silica gel, acid binder, universal binder, sawdust). Recover as much material as possible and store in a closed container until ready for disposal.



SAFETY DATA SHEET

Environmental Precautions and Cleanup Methods:

Do not put down drain and see Section 13.

Section 7 Handling and Storage

Precautions: Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Do not heat Part A at temperature greater than 80 °C (176 °F). This material may self-react at higher temperatures and cause an exotherm. The exotherm has the potential for release of excessive energy and toxic gasses. Empty containers will retain product residue and thus the same associated hazards.

Storage: Keep in a cool, well ventilated area. Keep container closed.

Section 8 Exposure Controls and Personal Protection

Engineering Controls/Ventilation Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.

Eye Protection: Safety glasses/goggles

Respiratory Protection: Use NIOSH approved respirator. Observe OSHA regulations for respiratory use (29 CFR 1910.134).

Skin Protection: Use chemical resistant gloves, such as nitrile, and other protective clothing to prevent skin contact.

Component(s)	CAS #	OSHA/PEL	ACGIH/TLV
Epoxy resin	Trade secret	None	None
Carbon fiber	Trade secret	Unknown	Unknown

Section 9 Physical and Chemical Properties

Appearance (color, physical form, shape): Black paste
Odor Characteristics: Mild
Odor Threshold: Not determined
pH: Not determined
Flash Point: Greater than 93 °C (200 °F)
Flammability (solid, gas): Not determined
Initial Boiling Point and Boiling Range: Not determined
Evaporation Rate: Not determined
Melting/Freezing Point: Not determined
Upper/Lower Flammability or Explosive Limits: Not determined
Vapor Pressure: Not determined
Vapor Density: Greater than 1
Specific Gravity or Relative Density: Not determined
Solubility (specify solvent): Not determined
Auto-ignition Temperature: Not determined
Decomposition Temperature: Not determined
% Volatile: Not determined
Partition Coefficient: Not determined
Viscosity: Not determined



SAFETY DATA SHEET

Section 10 Stability and Reactivity

Stability:	Stable under normal conditions of storage and use.
Hazardous polymerization:	May occur
Hazardous Decomposition Products:	Oxides of nitrogen. Oxides of carbon. Hydrocarbons.
Incompatibilities:	Keep away from strong oxidizing agents, strong acids, strong bases, amines
Conditions to avoid:	Temperatures above 80 °C.

Section 11 Toxicological Information

Carcinogenicity

Carcinogenic listed by IARC: No **If yes, list groups:** N/A

Carcinogenic by NTP: No

Carcinogenic by OSHA: No

Acute or Chronic Toxicity

Acute Effects: Mixture has not been tested as a whole. Oral, dermal and inhalation toxicity testing has been performed for some mixture components and LD50 and LC50 data is available for these components. Contact Luna Innovations Incorporated for additional information.

Chronic Effects: Contact made with uncured resin may cause skin irritation or rash.

Section 12 Environmental Information

Ecotoxicological Information: No specific studies have been conducted on the ecotoxicity of this sample material.

Chemical Fate Information: No specific studies have been conducted on the environmental fate of this sample material.

Section 13 Disposal Considerations

Recover or recycle if possible.

Do not discard into any sewers, on the ground, or into any body of water.

Upon completion of tests, dispose of material safely and in accordance with local, state, and federal regulations. It is the responsibility of the waste generator to determine the proper waste identification and disposal methods.

Section 14 Transportation Information

DOT:

Proper Shipping Name: Not regulated

Hazard Class: None

Packing Group: None

UN Number: None



SAFETY DATA SHEET

IATA:

Proper Shipping Name: Not regulated
Hazard Class: None
Packing Group: None
UN Number: None

24-hr Transportation Emergency Numbers:

For Hazardous Materials [or Dangerous Goods] Incident (Spill, Leak, Fire, Exposure, or Accident):

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

Section 15 Regulatory Information

TSCA Inventory Status: All components comprising this sample are either listed on or exempt from the TSCA Inventory.

Section 313: None above reporting de minimis

California Proposition 65: This sample contains chemicals known to the State of California to cause cancer—Epoxy resin

Section 16 Other Information

Research Notice: The information provided herein is for a research sample and represents the results of preliminary investigations. This research sample is for use by qualified research personnel only. It is offered in good faith, consistent with 29 CFR 1910.1200, recognizing that additional information, including data on hazardous properties, may be developed at a later time.

Disclaimer:

Any information or materials are being provided to you "as is" and Luna Innovations makes no representation or warranty as to the comprehensiveness or accuracy of any information or of the suitability for any purpose of any material. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Recipients must exercise their independent judgment in determining its appropriateness for a particular purpose and are responsible for making sure their use is safe and lawful and does not infringe on the rights of any third parties. Luna Innovations hereby disclaims any representations or warranties, either express or implied, including without limitation any implied warranties of fitness for a particular purpose, merchantability or non-infringement. Luna Innovations will not be responsible for damages arising from the use of or reliance upon the information or materials provided and recipient hereby agrees to indemnify Luna Innovations for any such damages, including without limitation legal fees and expenses.