

- and Laboratory Standards document M2-A9 [ISBN 1-56238-586-0] Clinical and Laboratory Standards Institute: Wayne, PA, USA.
- Creech II CB, Kernodle DS, Alsentzer A, Wilson C, Edwards KM. (2005). Increasing rates of nasal carriage of methicillin-resistant *Staphylococcus aureus* in healthy children. *Pediatr Infect Dis J* **24**: 617–621.
- Del Vecchio VG, Petroziello JM, Gress MJ, McCleskey FK, Melcher GP, Crouch HK *et al.* (1995). Molecular genotyping of methicillin-resistant *Staphylococcus aureus* via fluorophore-enhanced repetitive-sequence PCR. *J Clin Microbiol* **33**: 2141–2144.
- Devine J, Cooke RP, Wright EP. (2001). Is methicillin-resistant *Staphylococcus aureus* (MRSA) contamination of ward-based computer terminals a surrogate marker for nosocomial MRSA transmission and hand-washing compliance? *J Hosp Infect* **48**: 72–75.
- Eguia JM, Chambers HF. (2003). Community-acquired methicillin-resistant *Staphylococcus aureus*: epidemiology and potential virulence factors. *Curr Infect Dis Rep* **5**: 459–466.
- Fellowes C, Kerstein R, Clark J, Azadian BS. (2006). MRSA on tourniquets and keyboards. *J Hosp Infect* **64**: 86–88.
- Forbes BA, Schaberg DR. (1983). Transfer of resistance plasmids from *Staphylococcus epidermidis* to *Staphylococcus aureus*: evidence for conjugative exchange of resistance. *J Bacteriol* **153**: 627–634.
- Graham P, Lin S, Larson EA. (2006). US population-based survey of *Staphylococcus aureus* colonization. *Ann Intern Med* **144**: 318–325.
- Hanssen AM, Kjeldsen GG, Sollid JU. (2004). Local variants of Staphylococcal cassette chromosome mec in sporadic methicillin-resistant *Staphylococcus aureus* and methicillin-resistant coagulase-negative Staphylococci: evidence of horizontal gene transfer? *Antimicrob Agents Chemother* **48**: 285–296.
- Hidron AI, Kourbatova EV, Halvosa JS, Terrell BJ, McDougal LK, Tenover FC *et al.* (2005). Risk factors for colonization with methicillin-resistant *Staphylococcus aureus* (MRSA) in patients admitted to an urban hospital: emergence of community-associated MRSA nasal carriage. *Clin Infect Dis* **41**: 159–166.
- Jonas D, Speck M, Daschner FD, Grundmann H. (2002). Rapid PCR-based identification of methicillin-resistant *Staphylococcus aureus* from screening swabs. *J Clin Microbiol* **40**: 1821–1823.
- Lescure FX, Locher G, Eveillard M, Biendo M, Van Agt S, Le Loup G *et al.* (2006). Community-acquired infection with healthcare-associated methicillin-resistant *Staphylococcus aureus*: the role of home nursing care. *Infect Control Hosp Epidemiol* **27**: 1213–1218.
- Leski T, Oliveira D, Trzcinski K, Sanches IS, Aires de Sousa M, Hryniewicz W *et al.* (1998). Clonal distribution of methicillin-resistant *Staphylococcus aureus* in Poland. *J Clin Microbiol* **36**: 3532–3539.
- Martineau F, Picard FJ, Roy PH, Ouellette M, Bergeron MG. (1996). Species-specific and ubiquitous DNA-based assays for rapid identification of *Staphylococcus epidermidis*. *J Clin Microbiol* **34**: 2888–2893.
- Mason WJ, Blevins JS, Beenken K, Wibowo N, Ojha N, Smeltzer MS. (2001). Multiplex PCR protocol for the diagnosis of staphylococcal infection. *J Clin Microbiol* **39**: 3332–3338.
- Muyzer G, de Waal EC, Uitterlinden AG. (1993). Profiling of complex microbial populations by denaturing gradient gel electrophoresis analysis of polymerase chain reaction-amplified genes coding for 16S rRNA. *Appl Environ Microbiol* **59**: 695–700.
- Neely AN, Holder IA, Wiener-Kronish JP, Sawa T. (2005). Passive anti-PcrV treatment protects burned mice against *Pseudomonas aeruginosa* challenge. *Burns* **31**: 153–158.
- Purcell K, Fergie J. (2005). Epidemic of community-acquired methicillin-resistant *Staphylococcus aureus* infections: a 14-year study at Driscoll Children's Hospital. *Arch Pediatr Adolesc Med* **159**: 980–985.
- Weber JT. (2005). Community-associated methicillin-resistant *Staphylococcus aureus*. *Clin Infect Dis* **4**: S269–S272.
- Wilson AP, Hayman S, Folan P, Ostro PT, Birkett A, Batson S *et al.* (2006). Computer keyboards and the spread of MRSA. *J Hosp Infect* **62**: 390–392.