

## Canadian Equipment Outfitters Inc. Cannon Stock List

| Item #        | Item Description   | On Hand | On PO | Next Delivery |
|---------------|--|---------|-------|---------------|
| CBT-CS-325-M  | CANNON REPLACEMENT SPROCKET NOSE for CSM in 0.325 Pitch CBT-CS-325-M                               | 2.00    | 0.00  |               |
| CBT-CS-325-S  | CANNON REPLACEMENT SPROCKET NOSE for CCB, CRS, CSB, 0.325 PITCH CBT-CS-325-S                       | 1.00    | 0.00  |               |
| CBT-CS-370-LM | CANNON REPLACEMENT SPROCKET NOSE for CCM,CSM in 0.370 (Low Profile) Pitch CBT-CS-370-LM            | 2.00    | 0.00  |               |
| CBT-CS-375-S  | CANNON REPLACEMENT SPROCKET NOSE for CCB, CRS,CSB in 0.375 Pitch CBT-CS-375-S                      | 2.00    | 0.00  |               |
| CBT-CS-404-S  | CANNON REPLACEMENT SPROCKET NOSE for CCB, CRS,CSB, 0.404 Pitch CBT-CS-404-S                        | 0.00    | 0.00  |               |
| CBW-20020     | CANNON BAR ADAPTOR PLATE, S1 (12.10 mm) TO H1 (9.00 mm), 38 mm Centre to Centre Studs CBW-20020    | 3.00    | 0.00  |               |
| CBW-20030     | CANNON BAR ADAPTOR PLATE, S1 (12.10MM) TO H1 (9MM) 44MM CENTRE TO CENTRE STUDS CBW-20030           | 0.00    | 5.00  | 2023-12-31    |
| CBW-20035     | CANNON BAR ADAPTOR PLATE, S2 (14.00 mm) TO H1 (9.00 mm) 44 mm CENTRE TO CENTRE STUDS CBW-20035     | 4.00    | 0.00  |               |
| CBW-20040     | CANNON BAR ADAPTOR PLATE, S1 (12.10 mm) TO C1 (8.00 mm), 36 mm CENTRE TO CENTRE STUDS CBW-20040    | 2.00    | 2.00  | 2023-12-31    |
| CBW-20050     | CANNON BAR ADAPTOR PLATE, S1 (12.10 mm) TO P4 (8.00 mm), 40 mm Centre to Centre Studs CBW-20050    | 4.00    | 0.00  |               |
| CBW-20060     | CANNON BAR ADAPTOR PLATE, S1 (12.10 mm) TO H1 (9.00 mm), 30 mm Centre to Centre Studs CBW-20060    | 5.00    | 0.00  |               |
| CBW-20080     | CANNON BAR ADAPTOR PLATE, S2 (14.00 mm) TO S1 (12.10 mm), 35 mm Centre to Centre Studs CBW-20080   | 3.00    | 0.00  |               |
| CBW-20090     | CANNON BAR ADAPTOR PLATE, S1 (12.10 mm) TO H1 (9.00 mm), 46 mm Centre to Centre Studs CBW-20090    | 3.00    | 0.00  |               |
| CBW-20095     | CANNON BAR ADAPTOR PLATE, S2 (14.00 mm) TO H1 (9.00 mm), 46 mm Centre to Centre Studs CBW-20095    | 2.00    | 0.00  |               |
| CCD-C1-12-43  | CANNON CARVING BAR, DIME TIP, C1 Mount, 12 Inches, .043 Gauge, 0.250 Pitch, 64 Drive Links CCD-... | 0.00    | 3.00  | 2023-12-26    |
| CCD-C1-12-50  | CANNON CARVING BAR DIME TIP, C1 MOUNT, 12", .050 GAUGE, 0.250 PITCH, 64 DRIVE LINKS CCD-C1-12-50   | -1.00   | 3.00  | 2023-12-26    |

## Canadian Equipment Outfitters Inc. Cannon Stock List

| Item #       | Item Description  | On Hand | On PO | Next Delivery |
|--------------|---|---------|-------|---------------|
| CCD-C1-14-50 | CANNON CARVING BAR, DIME TIP, C1 Mount, 14 Inches, .050 Gauge, 0.250 Pitch, 77 Drive Links CCD-...  | 4.00    | 0.00  |               |
| CCD-C1-16-50 | CANNON CARVING BAR, DIME TIP, C1 Mount, 16 Inches, .050 Gauge, 0.250 Pitch, 85 Drive Links CCD-...  | 0.00    | 2.00  | 2023-12-26    |
| CCD-C1-8-43  | CANNON CARVING BAR, DIME TIP, C1 Mount, 8 Inches, .043 Gauge, 0.250 Pitch, 48 Drive Links CCD-C...  | 0.00    | 2.00  | 2023-12-26    |
| CCD-C1-8-50  | CANNON CARVING BAR, DIME TIP, C1 Mount, 8 Inches, .050 Gauge, 0.250 Pitch, 48 Drive Links CCD-C...  | 1.00    | 1.00  | 2023-12-26    |
| CCQ-C1-12-50 | CARVING BAR, QUARTER TIP, C1 Mount, 12", .050 Gauge (0.250 Pitch = 64 Drive Links, 0.325 Pitch =... | 1.00    | 2.00  | 2023-12-26    |
| CCQ-C1-14-50 | CANNON CARVING BAR, QUARTER TIP, C1 Mount, 14 Inches, .050 Gauge (0.250 Pitch = 78 Drive Links, ... | 2.00    | 2.00  | 2023-12-26    |
| CCQ-C1-16-50 | CANNON CARVING BAR, QUARTER TIP, C1 Mount, 16 Inches, .050 Gauge (0.250 Pitch = 86 Drive Links, ... | 0.00    | 1.00  | 2023-12-26    |
| CCQ-C1-20-50 | CANNON CARVING BAR, QUARTER TIP, C1 Mount, 20 Inches, .050 Gauge (0.250 Pitch = 102 Drive Links,... | 1.00    | 1.00  | 2023-12-26    |
| CCQ-S1-14-50 | CANNON CARVING BAR, QUANTER TIP - S1 MOUNT - 14" - .325 - .050 - 61DL CCQ-S1-14-50                  | 1.00    | 1.00  | 2023-12-26    |
| CCQ-S1-16-50 | CANNON CARVING BAR, QUARTER TIP, S1 Mount, 16 Inches, .050 Gauge (0.250 Pitch = 86 Drive Links, ... | 1.00    | 1.00  | 2023-12-26    |
| CCT-C1-16-50 | CANNON CARVING BAR, TOONIE TIP, C1 Mount, 16 Inches, .050 Gauge (0.250 Pitch = 86 Drive Links, 0... | 0.00    | 2.00  | 2023-12-26    |
| CCT-H1-20-50 | CANNON CARVING BAR, TOONIE TIP, H1 Mount, 20 Inches, .050 Gauge (0.250 Pitch = 102 Drive Links, ... | 0.00    | 1.00  | 2023-12-26    |
| CCT-S1-16-50 | CANNON CARVING BAR, TOONIE TIP, S1 Mount, 16 Inches, .050 Gauge (0.250 Pitch = 86 Drive Links, 0... | 0.00    | 3.00  | 2023-12-26    |
| CDE-G1-56-63 | CANNON MILLING BAR, DOUBLE ENDED, G1 Mount, 56 Inches, .063 Gauge (0.375 Pitch = 170 Drive Links... | 1.00    | 0.00  |               |
| CDE-G1-66-63 | CANNON MILLING BAR, DOUBLE ENDED, G1 Mount, 66 Inches, .063 Gauge (0.375 Pitch = 200 Drive Links... | 2.00    | 0.00  |               |
| CDE-G1-72-63 | CANNON MILLING BAR, DOUBLE ENDED, G1 Mount, 72 Inches, .063 Gauge (0.375 Pitch = 213 Drive Links... | 0.00    | 0.00  |               |

## Canadian Equipment Outfitters Inc. Cannon Stock List

| Item #         | Item Description   | On Hand | On PO | Next Delivery |
|----------------|--|---------|-------|---------------|
| CDE-G1-84-63   | CANNON MILLING BAR, DOUBLE ENDED, G1 Mount, 84 Inches, .063 Gauge (0.375 Pitch = 246 Drive Links...  | 1.00    | 0.00  |               |
| CPP-C1-12-50   | CANNON PRUNER, C1 MOUNT, 12", .050 Gauge (0.250 Pitch = 61 Drive Links, 0.325 Pitch = 47 Drive L...  | 0.00    | 0.00  |               |
| CPP-H8-12-50   | CANNON PRUNER, H8 MOUNT, 12", .050 Gauge (0.250 Pitch = 66 Drive Links, 0.370 Pitch (Low Profile...  | 0.00    | 1.00  | 2023-12-26    |
| CPP-P5-10-43   | CANNON PRUNER, P5 MOUNT, 10", .043 Gauge (0.250 Pitch = 56 Drive Links, 0.370 Pitch (Low Profil...   | 1.00    | 0.00  |               |
| CPP-S5-10-43   | CANNON PRUNER, S5 MOUNT, 10", .043 Gauge (0.250 Pitch = 56 Drive Links, 0.370 Pitch (Low Profile)... | 1.00    | 0.00  |               |
| CPP-S5-10-50   | CANNON PRUNER, S5 MOUNT, 10", .050 Gauge (0.250 Pitch = 56 Drive Links, 0.370 Pitch (Low Profile...  | 1.00    | 0.00  |               |
| CPP-S5-12-43   | CANNON PRUNER, S5 MOUNT, 12", .043 Gauge (0.250 Pitch = 66 Drive Links, 0.370 Pitch (Low Profile)... | 1.00    | 0.00  |               |
| CPP-S5-12-50   | CANNON PRUNER, S5 MOUNT, 12", .050 Gauge (0.250 Pitch = 66 Drive Links, 0.370 Pitch (Low Profile...  | 1.00    | 0.00  |               |
| CSB-C1-16-58-2 | CANNON SUPERBAR, C1 MOUNT, 16", .058 Gauge, 0.325 Pitch, 68 Drive Links CSB-C1-16-58-2               | 2.00    | 0.00  |               |
| CSB-C1-18-58-3 | CANNON SUPERBAR, SPROCKET NOSE, C1 Mount, 18 Inches, .058 Gauge, 0.375 Pitch, 68 Drive Links CS...   | 1.00    | 0.00  |               |
| CSB-C1-20-50-3 | CANNON SUPERBAR, C1 MOUNT, 20", .050 Gauge, 0.375 Pitch, 72 Drive Links CSB-C1-20-50-3               | 1.00    | 1.00  | 2023-12-26    |
| CSB-C1-20-58-2 | CANNON SUPERBAR, C1 MOUNT, 20", .058 Gauge, 0.325 Pitch, 81 Drive Links CSB-C1-20-58-2               | 1.00    | 2.00  | 2023-12-26    |
| CSB-H1-16-58-3 | CANNON SUPERBAR, SPROCKET NOSE, H1 Mount, 16 Inches, .058 Gauge, 0.375 Pitch, 60 Drive Links CS...   | 2.00    | 0.00  |               |
| CSB-H1-18-58-3 | CANNON SUPERBAR, H1 MOUNT, 18", .058 Gauge, 0.375 Pitch, 68 Drive Links CSB-H1-18-58-3               | 0.00    | 2.00  | 2023-12-26    |
| CSB-H1-20-50-3 | CANNON SUPERBAR, SPROCKET NOSE, H1 Mount, 20 Inches, .050 Gauge, 0.375 Pitch, 72 Drive Links CS...   | 1.00    | 1.00  | 2023-12-26    |
| CSB-H1-20-58-3 | CANNON SUPERBAR, H1 MOUNT, 20", .058 Gauge, 0.375 Pitch, 72 Drive Links CSB-H1-20-58-3               | 0.00    | 1.00  | 2023-12-26    |

## Canadian Equipment Outfitters Inc. Cannon Stock List

| Item #         | Item Description   | On Hand | On PO | Next Delivery |
|----------------|--|---------|-------|---------------|
| CSB-H1-24-50-3 | CANNON SUPERBAR, SPROCKET NOSE, H1 Mount, 24 Inches, .050 Gauge, 0.375 Pitch, 84 Drive Links CS... | 3.00    | 0.00  |               |
| CSB-H1-24-58-3 | CANNON SUPERBAR, H1 MOUNT, 24", .058 Gauge, 0.375 Pitch, 84 Drive Links CSB-H1-24-58-3             | 2.00    | 5.00  | 2023-12-26    |
| CSB-H1-28-63-3 | CANNON SUPERBAR, SPROCKET NOSE, H1 Mount, 28 Inches, .063 Gauge, 0.375 Pitch, 93 Drive Links CS... | 3.00    | 0.00  |               |
| CSB-H1-32-58-3 | CANNON SUPER BAR, H1 MOUNT, 32", .058 Gauge, 0.375 Pitch, 105 Drive Links CSB-H1-32-58-3           | 4.00    | 3.00  | 2023-12-26    |
| CSB-H1-32-63-3 | CANNON SUPERBAR, SPROCKET NOSE, H1 Mount, 32 Inches, .063 Gauge, 0.375 Pitch, 105 Drive Links C... | 1.00    | 1.00  | 2023-12-26    |
| CSB-H1-36-58-3 | CANNON SUPERBAR, H1 MOUNT, 36", .058 Gauge, 0.375 Pitch, 115 Drive Links CSB-H1-36-58-3            | 1.00    | 3.00  | 2023-12-26    |
| CSB-H1-36-63-3 | CANNON SUPERBAR, SPROCKET NOSE, H1 Mount, 36 Inches, .063 Gauge, 0.375 Pitch, 115 Drive Links C... | 1.00    | 3.00  | 2023-12-26    |
| CSB-H1-42-63-3 | CANNON SUPERBAR, SPROCKET NOSE, H1 Mount, 42 Inches, .063 Gauge, 0.375 Pitch, 135 Drive Links C... | 2.00    | 0.00  |               |
| CSB-H1-50-58-3 | CANNON SUPERBAR, H1 MOUNT, 50", .058 Gauge, 0.375 Pitch, 156 Drive Links 57X10X1 11LBS CSB-H...    | 0.00    | 2.00  | 2023-12-26    |
| CSB-H1-50-63-3 | CANNON SUPER BAR 50", .063 Gauge, 0.375 Pitch, 156 Drive Links CSB-H1-50-63-3                      | 3.00    | 2.00  | 2023-12-26    |
| CSB-H1-50-63-4 | CANNON SUPERBAR, SPROCKET NOSE, H1 Mount, 50 Inches, .063 Gauge, 0.404 Pitch, 142 Drive Links C... | 0.00    | 1.00  | 2023-12-26    |
| CSB-H1-60-63-3 | CANNON SUPERBAR, SPROCKET NOSE, H1 Mount, 60 Inches, .063 Gauge, 0.375 Pitch, 185 Drive Links C... | 0.00    | 2.00  | 2023-12-26    |
| CSB-H1-60-63-4 | CANNON SUPERBAR, SPROCKET NOSE, H1 Mount, 60 Inches, .063 Gauge, 0.404 Pitch, 167 Drive Links C... | 0.00    | 2.00  | 2023-12-26    |
| CSB-S1-20-50-3 | CANNON SUPERBAR, SPROCKET NOSE, S1 Mount, 20 Inches, .050 Gauge, 0.375 Pitch, 72 Drive Links CS... | 1.00    | 7.00  | 2023-12-26    |
| CSB-S1-24-50-2 | CANNON SUPERBAR, SPROCKET NOSE, S1 Mount, 24 Inches, .050 Gauge, 0.325 Pitch, 95 Drive Links CS... | 2.00    | 2.00  | 2023-12-26    |
| CSB-S1-24-50-3 | CANNON SUPERBAR, SPROCKET NOSE, S1 Mount, 24 Inches, .050 Gauge, 0.375 Pitch, 84 Drive Links CS... | 2.00    | 3.00  | 2023-12-26    |

## Canadian Equipment Outfitters Inc. Cannon Stock List

| Item #            | Item Description   | On Hand | On PO | Next Delivery |
|-------------------|--|---------|-------|---------------|
| CSB-S1-24-50-DL-3 | CANNON DURALITE SUPERBAR, SPROCKET NOSE, S1 MOUNT, 24", .050 GAUGE, 0.375 PITCH, 84 DRIVE LINKS ...  | -3.00   | 6.00  | 2023-12-31    |
| CSB-S1-24-58-DL-3 | CANNON DURALITE SUPERBAR, SPROCKET NOSE, S1 MOUNT, 24", .058 GAUGE, 0.375 PITCH, 84 DRIVE LINKS ...  | 0.00    | 2.00  | 2023-12-26    |
| CSB-S1-24-63-DL-3 | CANNON DURALITE SUPERBAR, SPROCKET NOSE, S1 MOUNT, 24", .063 GAUGE, 0.375 PITCH, 84 DRIVE LINKS ...  | 0.00    | 3.00  | 2023-12-26    |
| CSB-S1-28-50-DL-3 | CANNON DURALITE SUPERBAR, SPROCKET NOSE, S1 MOUNT, 28", .050 GAUGE, 0.375 PITCH, 91 DRIVE LINKS ...  | -4.00   | 9.00  | 2023-12-31    |
| CSB-S1-28-63-DL-3 | CANNON DURALITE SUPERBAR, SPROCKET NOSE, S1 MOUNT, 28", .063 GAUGE, 0.375 PITCH, 91 DRIVE LINKS ...  | 2.00    | 0.00  |               |
| CSB-S1-32-50-DL-3 | CANNON DURALITE LIGHTWEIGHT CHAINSAW BARS, SPROCKET NOSE, S1 Mount, 32Inches, .050 Gauge, 0.375 P... | 0.00    | 2.00  | 2023-12-26    |
| CSB-S1-32-63-DL-3 | CANNON DURALITE SUPERBAR, SPROCKET NOSE, S1 MOUNT, 32", .063 GAUGE, 0.375 PITCH, 105 DRIVE LINKS...  | 0.00    | 10.00 | 2023-12-26    |
| CSB-S1-36-63-3    | CANNON SUPERBAR, SPROCKET NOSE, S1 Mount, 36 Inches, .063 Gauge, 0.375 Pitch, 114 Drive Links C...   | 2.00    | 1.00  | 2023-12-26    |
| CSB-S1-36-63-DL-3 | CANNON DURALITE SUPERBAR, SPROCKET NOSE, S1 MOUNT, 36", .063 GAUGE, 0.375 PITCH, 114 DRIVE LINKS...  | 6.00    | 0.00  |               |
| CSB-S1-41-63-3    | CANNON SUPERBAR, SPROCKET NOSE, S1 Mount, 41 Inches, .063 Gauge, 0.375 Pitch, 129 Drive Links C...   | 2.00    | 3.00  | 2023-12-26    |
| CSB-S1-50-63-3    | CANNON SUPERBAR, SPROCKET NOSE, S1 Mount, 50 Inches, .063 Gauge, 0.375 Pitch, 156 Drive Links C...   | 3.00    | 3.00  | 2023-12-26    |
| CSB-S2-32-63-3    | CANNON SUPERBAR, SPROCKET NOSE, S2 Mount, 32 Inches, .063 Gauge, 0.375 Pitch, 105 Drive Links C...   | 0.00    | 1.00  | 2023-12-26    |
| CSB-S2-41-63-4    | CANNON SUPERBAR, SPROCKET NOSE, S2 Mount, 41 Inches, .063 Gauge, 0.404 Pitch, 122 Drive Links C...   | 0.00    | 8.00  | 2023-12-26    |
| CSB-S2-50-63-4    | CANNON SUPERBAR, SPROCKET NOSE, S2 Mount, 50 Inches, .063 Gauge, 0.404 Pitch, 142 Drive Links C...   | 0.00    | 1.00  | 2023-12-26    |

## Canadian Equipment Outfitters Inc. Cannon Stock List

| Item #           | Item Description   | On Hand | On PO | Next Delivery |
|------------------|--|---------|-------|---------------|
| CSB-S2-60-63-3   | CANNON SUPERBAR, SPROCKET NOSE, S2 Mount, 60 Inches, .063 Gauge, 0.375 Pitch, 190 Drive Links C...   | 2.00    | 2.00  | 2023-12-26    |
| CSB-S2-60-63-4-D | CSB -S2-60-63-4 CANNON SUPERBAR, SPROCKET NOSE, S2 MOUNT, 60", .063 GAUGE, 404 PITCH 172 DRIVE LINKS | 0.00    | 2.00  | 2023-12-26    |
| CSB-S2-72-63-4   | CANNON SUPERBAR, SPROCKET NOSE, S2 Mount, 72 Inches, .063 Gauge, 0.404 Pitch, 196 Drive Links C...   | 0.00    | 1.00  | 2023-12-26    |
| CSM-C1-14-50-2   | CANNON SUPERMINI BAR, NARROW KERF, C1 Mount, 14 Inches, .050 Gauge, 0.325 Pitch, 58 Drive Links ...  | 0.00    | 2.00  | 2023-12-26    |
| CSM-C1-16-50-2   | CANNON SUPERMINI, C1 MOUNT, 16", .050 Gauge, 0.325 Pitch, 69 Drive Links CSM-C1-16-50-2              | 0.00    | 1.00  | 2023-12-26    |
| CSM-C1-18-50-2   | CANNON SUPERMINI BAR, NARROW KERF, C1 Mount, 18 Inches, .050 Gauge, 0.325 Pitch, 75 Drive Links ...  | 0.00    | 1.00  | 2023-12-26    |
| CSM-C1-18-50-3LM | CANNON SUPERMINI BAR, NARROW KERF, C1 Mount, 18 Inches, .050 Gauge, 0.370 Pitch (Low Profile), 6...  | 0.00    | 2.00  | 2023-12-26    |
| CSM-C1-20-50-2   | CANNON SUPERMINI, C1 MOUNT, 20", .050 Gauge, 0.325 Pitch, 81 Drive Links CSM-C1-20-50-2              | 1.00    | 0.00  |               |
| CSM-C1-20-50-3LM | CANNON SUPERMINI BAR, NARROW KERF, C1 Mount, 20 Inches, .050 Gauge, 0.370 Pitch (Low Profile), 7...  | 1.00    | 1.00  | 2023-12-26    |
| CSM-C1-20-58-2   | CANNON SUPERMINI, C1 MOUNT, 20", .058 Gauge, 0.325 Pitch, 81 Drive Links CSM-C1-20-58-2              | 1.00    | 0.00  |               |
| CSM-C1-24-50-3LM | CANNON SUPERMINI BAR, NARROW KERF, C1 Mount, 24 Inches, .050 Gauge, 0.370 Pitch (Low Profile), 8...  | 1.00    | 1.00  | 2023-12-26    |
| CSM-H1-20-50-3LM | CANNON SUPERMINI, H1 MOUNT, 20", .050 Gauge, 0.370 Pitch (Low Profile), 72 Drive Links CSM-H1-...    | 2.00    | 0.00  |               |
| CSM-S1-20-50-2   | CANNON SUPERMINI BAR, NARROW KERF, S1 Mount, 20 Inches, .050 Gauge, 0.325 Pitch, 81 Drive Links ...  | 0.00    | 1.00  | 2023-12-26    |
| CSM-S1-20-50-3LM | CANNON SUPERMINI BAR, NARROW KERF, S1 Mount, 20 Inches, .050 Gauge, 0.370 Pitch (Low Profile), 7...  | 2.00    | 0.00  |               |
| CSM-S1-24-50-3LM | CANNON SUPERMINI BAR, NARROW KERF, S1 Mount, 24 Inches, .050 Gauge, 0.370 Pitch (Low Profile), 8...  | 2.00    | 0.00  |               |