

**Canadian Equipment Outfitters Inc.  
Cannon In Stock List**

<b>Item #</b>	<b>Item Description</b>	<b>On Hand</b>	<b>On PO</b>	<b>Next Delivery</b>
CBT-CS-325-M	CANNON REPLACEMENT SPROCKET NOSE for CSM in 0.325 Pitch CBT-CS-325-M	2	0	
CBT-CS-325-S	CANNON REPLACEMENT SPROCKET NOSE for CCB, CRS, CSB, 0.325 PITCH CBT-CS-325-S	2	0	
CBT-CS-370-LM	CANNON REPLACEMENT SPROCKET NOSE for CCM,CSM in 0.370 (Low Profile) Pitch CBT-CS-370-LM	2	0	
CBT-CS-375-S	CANNON REPLACEMENT SPROCKET NOSE for CCB, CRS,CSB in 0.375 Pitch CBT-CS-375-S	2	0	
CBT-CS-404-S	CANNON REPLACEMENT SPROCKET NOSE for CCB, CRS,CSB, 0.404 Pitch CBT-CS-404-S	0	0	
CBW-20020	CANNON BAR ADAPTOR PLATE, S1 (12.10 mm) TO H1 (9.00 mm), 38 mm Centre to Centre Studs CBW-20020	3	3	01-31-2024
CBW-20030	CANNON BAR ADAPTOR PLATE, S1 (12.10MM) TO H1 (9MM) 44MM CENTRE TO CENTRE STUDS CBW-20030	1	5	01-31-2024
CBW-20035	CANNON BAR ADAPTOR PLATE, S2 (14.00 mm) TO H1 (9.00 mm) 44 mm CENTRE TO CENTRE STUDS CBW-20035	5	0	
CBW-20040	CANNON BAR ADAPTOR PLATE, S1 (12.10 mm) TO C1 (8.00 mm), 36 mm CENTRE TO CENTRE STUDS CBW-20040	5	0	
CBW-20050	CANNON BAR ADAPTOR PLATE, S1 (12.10 mm) TO P4 (8.00 mm), 40 mm Centre to Centre Studs CBW-20050	5	0	
CBW-20060	CANNON BAR ADAPTOR PLATE, S1 (12.10 mm) TO H1 (9.00 mm), 30 mm Centre to Centre Studs CBW-20060	5	0	

**Canadian Equipment Outfitters Inc.  
Cannon In Stock List**

<b>Item #</b>	<b>Item Description</b>	<b>On Hand</b>	<b>On PO</b>	<b>Next Delivery</b>
CBW-20080	CANNON BAR ADAPTOR PLATE, S2 (14.00 mm) TO S1 (12.10 mm), 35 mm Centre to Centre Studs CBW-20080	3	0	
CBW-20090	CANNON BAR ADAPTOR PLATE, S1 (12.10 mm) TO H1 (9.00 mm), 46 mm Centre to Centre Studs CBW-20090	3	2	01-31-2024
CBW-20095	CANNON BAR ADAPTOR PLATE, S2 (14.00 mm) TO H1 (9.00 mm), 46 mm Centre to Centre Studs CBW-20095	2	0	
CCD-C1-10-43	CANNON CARVING BAR, DIME TIP, C1 Mount, 10 Inches, .043 Gauge, 0.250 Pitch, 56 Drive Links CCD-...	0	0	
CCD-C1-10-50	CANNON CARVING BAR, DIME TIP, C1 Mount, 10 Inches, .050 Gauge, 0.250 Pitch, 56 Drive Links CCD-...	0	0	
CCD-C1-12-43	CANNON CARVING BAR, DIME TIP, C1 Mount, 12 Inches, .043 Gauge, 0.250 Pitch, 64 Drive Links CCD-...	0	3	12-26-2023
CCD-C1-12-50	CANNON CARVING BAR DIME TIP, C1 MOUNT, 12", .050 GAUGE, 0.250 PITCH, 64 DRIVE LINKS CCD-C1-12-50	1	2	03-04-2024
CCD-C1-14-50	CANNON CARVING BAR, DIME TIP, C1 Mount, 14 Inches, .050 Gauge, 0.250 Pitch, 77 Drive Links CCD-...	4	0	
CCD-C1-16-50	CANNON CARVING BAR, DIME TIP, C1 Mount, 16 Inches, .050 Gauge, 0.250 Pitch, 85 Drive Links CCD-...	0	2	12-26-2023
CCD-C1-8-43	CANNON CARVING BAR, DIME TIP, C1 Mount, 8 Inches, .043 Gauge, 0.250 Pitch, 48 Drive Links CCD-C...	2	0	

**Canadian Equipment Outfitters Inc.  
Cannon In Stock List**

Item #	Item Description	On Hand	On PO	Next Delivery
CCD-C1-8-50	CANNON CARVING BAR, DIME TIP, C1 Mount, 8 Inches, .050 Gauge, 0.250 Pitch, 48 Drive Links CCD-C...	1	2	03-04-2024
CCQ-C1-12-50	CARVING BAR, QUARTER TIP, C1 Mount, 12", .050 Gauge (0.250 Pitch = 64 Drive Links, 0.325 Pitch =...	2	0	
CCQ-C1-14-50	CANNON CARVING BAR, QUARTER TIP, C1 Mount, 14 Inches, .050 Gauge (0.250 Pitch = 78 Drive Links, ...	2	0	
CCQ-C1-16-50	CANNON CARVING BAR, QUARTER TIP, C1 Mount, 16 Inches, .050 Gauge (0.250 Pitch = 86 Drive Links, ...	1	2	03-04-2024
CCQ-C1-20-50	CANNON CARVING BAR, QUARTER TIP, C1 Mount, 20 Inches, .050 Gauge (0.250 Pitch = 102 Drive Links,...	1	1	12-26-2023
CCQ-S1-14-50	CANNON CARVING BAR, QUARTER TIP - S1 MOUNT - 14" - .325 - .050 - 61DL CCQ-S1-14-50	1	1	12-26-2023
CCQ-S1-16-50	CANNON CARVING BAR, QUARTER TIP, S1 Mount, 16 Inches, .050 Gauge (0.250 Pitch = 86 Drive Links, ...	0	3	12-26-2023
CCT-C1-16-50	CANNON CARVING BAR, TOONIE TIP, C1 Mount, 16 Inches, .050 Gauge (0.250 Pitch = 86 Drive Links, 0...	1	1	03-04-2024
CCT-H1-20-50	CANNON CARVING BAR, TOONIE TIP, H1 Mount, 20 Inches, .050 Gauge (0.250 Pitch = 102 Drive Links, ...	0	1	12-26-2023
CCT-S1-16-50	CANNON CARVING BAR, TOONIE TIP, S1 Mount, 16 Inches, .050 Gauge (0.250 Pitch = 86 Drive Links, 0...	0	3	12-26-2023

**Canadian Equipment Outfitters Inc.  
Cannon In Stock List**

Item #	Item Description	On Hand	On PO	Next Delivery
CDE-G1-56-63	CANNON MILLING BAR, DOUBLE ENDED, G1 Mount, 56 Inches, .063 Gauge (0.375 Pitch = 170 Drive Links...	1	0	
CDE-G1-66-63	CANNON MILLING BAR, DOUBLE ENDED, G1 Mount, 66 Inches, .063 Gauge (0.375 Pitch = 200 Drive Links...	2	0	
CDE-G1-72-63	CANNON MILLING BAR, DOUBLE ENDED, G1 Mount, 72 Inches, .063 Gauge (0.375 Pitch = 213 Drive Links...	0	0	
CDE-G1-84-63	CANNON MILLING BAR, DOUBLE ENDED, G1 Mount, 84 Inches, .063 Gauge (0.375 Pitch = 246 Drive Links...	1	0	
CPP-C1-12-50	CANNON PRUNER, C1 MOUNT, 12", .050 Gauge (0.250 Pitch = 61 Drive Links, 0.325 Pitch = 47 Drive L...	0	0	
CPP-H8-12-50	CANNON PRUNER, H8 MOUNT, 12", .050 Gauge (0.250 Pitch = 66 Drive Links, 0.370 Pitch (Low Profile...	0	1	12-26-2023
CPP-P5-10-43	CANNON PRUNER, P5 MOUNT, 10", .043 Gauge (0.250 Pitch = 56 Drive Links, 0.370 Pitch (Low Profil...	1	0	
CPP-P5-12-50	CANNON PRUNING BAR, P5 Mount, 12 Inches, .050 Gauge (0.250 Pitch = 66 Drive Links, 0.375/0.370 P...	0	0	
CPP-S5-10-43	CANNON PRUNER, S5 MOUNT, 10", .043 Gauge (0.250 Pitch = 56 Drive Links, 0.370 Pitch (Low Profile)...	1	0	
CPP-S5-10-50	CANNON PRUNER, S5 MOUNT, 10", .050 Gauge (0.250 Pitch = 56 Drive Links, 0.370 Pitch (Low Profile...	1	0	

**Canadian Equipment Outfitters Inc.  
Cannon In Stock List**

Item #	Item Description	On Hand	On PO	Next Delivery
CPP-S5-12-43	CANNON PRUNER,S5 MOUNT, 12", .043 Gauge (0.250 Pitch = 66 Drive Links, 0.370 Pitch (Low Profile)...	1	0	
CPP-S5-12-50	CANNON PRUNER, S5 MOUNT,12 ", .050 Gauge (0.250 Pitch = 66 Drive Links, 0.370 Pitch (Low Profile...	1	0	
CSB-C1-16-58-2	CANNON SUPERBAR, C1 MOUNT, 16", .058 Gauge, 0.325 Pitch, 68 Drive Links CSB-C1-16-58- 2	2	0	
CSB-C1-18-58-3	CANNON SUPERBAR, SPROCKET NOSE, C1 Mount, 18 Inches, .058 Gauge, 0.375 Pitch, 68 Drive Links CS...	1	0	
CSB-C1-20-50-3	CANNON SUPERBAR, C1 MOUNT, 20", .050 Gauge, 0.375 Pitch, 72 Drive Links CSB-C1-20-50- 3	1	1	12-26-2023
CSB-C1-20-58-2	CANNON SUPERBAR, C1 MOUNT, 20",.058 Gauge, 0.325 Pitch, 81 Drive Links CSB-C1-20-58- 2	1	2	12-26-2023
CSB-H1-16-58-3	CANNON SUPERBAR, SPROCKET NOSE, H1 Mount, 16 Inches, .058 Gauge, 0.375 Pitch, 60 Drive Links CS...	2	0	
CSB-H1-18-58-3	CANNON SUPERBAR, H1 MOUNT, 18", .058 Gauge, 0.375 Pitch, 68 Drive Links CSB-H1-18-58- 3	2	0	
CSB-H1-20-50-3	CANNON SUPERBAR, SPROCKET NOSE, H1 Mount, 20 Inches, .050 Gauge, 0.375 Pitch, 72 Drive Links CS...	1	1	12-26-2023
CSB-H1-20-58-3	CANNON SUPERBAR, H1 MOUNT, 20", .058 Gauge, 0.375 Pitch, 72 Drive Links CSB-H1-20-58- 3	1	0	

**Canadian Equipment Outfitters Inc.  
Cannon In Stock List**

<b>Item #</b>	<b>Item Description</b>	<b>On Hand</b>	<b>On PO</b>	<b>Next Delivery</b>
CSB-H1-24-50-3	CANNON SUPERBAR, SPROCKET NOSE, H1 Mount, 24 Inches, .050 Gauge, 0.375 Pitch, 84 Drive Links CS...	3	0	
CSB-H1-24-58-3	CANNON SUPERBAR, H1 MOUNT, 24", .058 Gauge, 0.375 Pitch, 84 Drive Links CSB-H1-24-58-3	7	0	
CSB-H1-28-63-3	CANNON SUPERBAR, SPROCKET NOSE, H1 Mount, 28 Inches, .063 Gauge, 0.375 Pitch, 93 Drive Links CS...	3	0	
CSB-H1-32-58-3	CANNON SUPER BAR, H1 MOUNT, 32", .058 Gauge, 0.375 Pitch, 105 Drive Links CSB-H1-32-58-3	4	3	12-26-2023
CSB-H1-32-63-3	CANNON SUPERBAR, SPROCKET NOSE, H1 Mount, 32 Inches, .063 Gauge, 0.375 Pitch, 105 Drive Links C...	1	1	12-26-2023
CSB-H1-36-58-3	CANNON SUPERBAR, H1 MOUNT, 36", .058 Gauge, 0.375 Pitch, 115 Drive Links CSB-H1-36-58-3	4	0	
CSB-H1-36-63-3	CANNON SUPERBAR, SPROCKET NOSE, H1 Mount, 36 Inches, .063 Gauge, 0.375 Pitch, 115 Drive Links C...	4	0	
CSB-H1-42-63-3	CANNON SUPERBAR, SPROCKET NOSE, H1 Mount, 42 Inches, .063 Gauge, 0.375 Pitch, 135 Drive Links C...	2	0	
CSB-H1-50-58-3	CANNON SUPERBAR, H1 MOUNT, 50", .058 Gauge, 0.375 Pitch, 156 Drive Links 57X10X1 11LBS CSB-H...	0	2	12-26-2023
CSB-H1-50-63-3	CANNON SUPER BAR 50", .063 Gauge, 0.375 Pitch, 156 Drive Links CSB-H1-50-63-3	2	2	12-26-2023

**Canadian Equipment Outfitters Inc.**  
**Cannon In Stock List**

Item #	Item Description	On Hand	On PO	Next Delivery
CSB-H1-50-63-4	CANNON SUPERBAR, SPROCKET NOSE, H1 Mount, 50 Inches, .063 Gauge, 0.404 Pitch, 142 Drive Links C...	0	3	12-26-2023
CSB-H1-60-63-3	CANNON SUPERBAR, SPROCKET NOSE, H1 Mount, 60 Inches, .063 Gauge, 0.375 Pitch, 185 Drive Links C...	0	2	12-26-2023
CSB-H1-60-63-4	CANNON SUPERBAR, SPROCKET NOSE, H1 Mount, 60 Inches, .063 Gauge, 0.404 Pitch, 167 Drive Links C...	0	2	12-26-2023
CSB-S1-20-50-3	CANNON SUPERBAR, SPROCKET NOSE, S1 Mount, 20 Inches, .050 Gauge, 0.375 Pitch, 72 Drive Links CS...	0	7	12-26-2023
CSB-S1-24-50-2	CANNON SUPERBAR, SPROCKET NOSE, S1 Mount, 24 Inches, .050 Gauge, 0.325 Pitch, 95 Drive Links CS...	2	2	12-26-2023
CSB-S1-24-50-3	CANNON SUPERBAR, SPROCKET NOSE, S1 Mount, 24 Inches, .050 Gauge, 0.375 Pitch, 84 Drive Links CS...	2	3	12-26-2023
CSB-S1-24-50-DL-3	CANNON DURALITE SUPERBAR, SPROCKET NOSE, S1 MOUNT, 24", .050 GAUGE, 0.375 PITCH, 84 DRIVE LINKS ...	-4	9	12-26-2023
CSB-S1-24-58-DL-3	CANNON DURALITE SUPERBAR, SPROCKET NOSE, S1 MOUNT, 24", .058 GAUGE, 0.375 PITCH, 84 DRIVE LINKS ...	0	2	12-26-2023
CSB-S1-24-63-DL-3	CANNON DURALITE SUPERBAR, SPROCKET NOSE, S1 MOUNT, 24", .063 GAUGE, 0.375 PITCH, 84 DRIVE LINKS ...	0	3	12-26-2023
CSB-S1-28-50-DL-3	CANNON DURALITE SUPERBAR, SPROCKET NOSE, S1 MOUNT, 28", .050 GAUGE, 0.375 PITCH, 91 DRIVE LINKS ...	0	4	03-04-2024

**Canadian Equipment Outfitters Inc.  
Cannon In Stock List**

Item #	Item Description	On Hand	On PO	Next Delivery
CSB-S1-28-63-DL-3	CANNON DURALITE SUPERBAR, SPROCKET NOSE, S1 MOUNT, 28", .063 GAUGE, 0.375 PITCH, 91 DRIVE LINKS ...	2	0	
CSB-S1-32-50-DL-3	CANNON DURALITE LIGHTWEIGHT CHAINSAW BARS, SPROCKET NOSE, S1 Mount, 32Inches, .050 Gauge, 0.375 P...	0	2	12-26-2023
CSB-S1-32-63-DL-3	CANNON DURALITE SUPERBAR, SPROCKET NOSE, S1 MOUNT, 32", .063 GAUGE, 0.375 PITCH, 105 DRIVE LINKS...	8	2	12-26-2023
CSB-S1-36-63-3	CANNON SUPERBAR, SPROCKET NOSE, S1 Mount, 36 Inches, .063 Gauge, 0.375 Pitch, 114 Drive Links C...	3	0	
CSB-S1-36-63-DL-3	CANNON DURALITE SUPERBAR, SPROCKET NOSE, S1 MOUNT, 36", .063 GAUGE, 0.375 PITCH, 114 DRIVE LINKS...	6	0	
CSB-S1-41-63-3	CANNON SUPERBAR, SPROCKET NOSE, S1 Mount, 41 Inches, .063 Gauge, 0.375 Pitch, 129 Drive Links C...	5	0	
CSB-S1-50-63-3	CANNON SUPERBAR, SPROCKET NOSE, S1 Mount, 50 Inches, .063 Gauge, 0.375 Pitch, 156 Drive Links C...	3	3	12-26-2023
CSB-S2-32-63-3	CANNON SUPERBAR, SPROCKET NOSE, S2 Mount, 32 Inches, .063 Gauge, 0.375 Pitch, 105 Drive Links C...	0	1	12-26-2023
CSB-S2-41-63-4	CANNON SUPERBAR, SPROCKET NOSE, S2 Mount, 41 Inches, .063 Gauge, 0.404 Pitch, 122 Drive Links C...	0	8	12-26-2023
CSB-S2-50-63-4	CANNON SUPERBAR, SPROCKET NOSE, S2 Mount, 50 Inches, .063 Gauge, 0.404 Pitch, 142 Drive Links C...	0	1	12-26-2023



**Canadian Equipment Outfitters Inc.  
Cannon In Stock List**

Item #	Item Description	On Hand	On PO	Next Delivery
CSB-S2-60-63-3	CANNON SUPERBAR, SPROCKET NOSE, S2 Mount, 60 Inches, .063 Gauge, 0.375 Pitch, 190 Drive Links C...	2	2	12-26-2023
CSB-S2-60-63-4-D	CSB -S2-60-63-4 CANNON SUPERBAR, SPROCKET NOSE, S2 MOUNT, 60", .063 GAUGE, 404 PITCH 172 DRIVE LINKS	0	2	12-26-2023
CSB-S2-72-63-4	CANNON SUPERBAR, SPROCKET NOSE, S2 Mount, 72 Inches, .063 Gauge, 0.404 Pitch, 196 Drive Links C...	0	1	12-26-2023
CSM-C1-14-50-2	CANNON SUPERMINI BAR, NARROW KERF, C1 Mount, 14 Inches, .050 Gauge, 0.325 Pitch, 58 Drive Links ...	0	2	12-26-2023
CSM-C1-16-50-2	CANNON SUPERMINI, C1 MOUNT, 16", .050 Gauge, 0.325 Pitch, 69 Drive Links CSM-C1-16-50-2	-2	5	12-26-2023
CSM-C1-18-50-2	CANNON SUPERMINI BAR, NARROW KERF, C1 Mount, 18 Inches, .050 Gauge, 0.325 Pitch, 75 Drive Links ...	0	1	12-26-2023
CSM-C1-18-50-3LM	CANNON SUPERMINI BAR, NARROW KERF, C1 Mount, 18 Inches, .050 Gauge, 0.370 Pitch (Low Profile), 6...	0	2	12-26-2023
CSM-C1-20-50-2	CANNON SUPERMINI, C1 MOUNT, 20", .050 Gauge, 0.325 Pitch, 81 Drive Links CSM-C1-20-50-2	1	0	
CSM-C1-20-50-3LM	CANNON SUPERMINI BAR, NARROW KERF, C1 Mount, 20 Inches, .050 Gauge, 0.370 Pitch (Low Profile), 7...	2	0	
CSM-C1-20-58-2	CANNON SUPERMINI, C1 MOUNT, 20", .058 Gauge, 0.325 Pitch, 81 Drive Links CSM-C1-20-58-2	1	0	

**Canadian Equipment Outfitters Inc.  
Cannon In Stock List**

Item #	Item Description	On Hand	On PO	Next Delivery
CSM-C1-24-50-3LM	CANNON SUPERMINI BAR, NARROW KERF, C1 Mount, 24 Inches, .050 Gauge, 0.370 Pitch (Low Profile), 8...	2	0	
CSM-H1-20-50-3LM	CANNON SUPERMINI, H1 MOUNT, 20", .050 Gauge, 0.370 Pitch (Low Profile), 72 Drive Links CSM-H1-...	2	0	
CSM-S1-20-50-2	CANNON SUPERMINI BAR, NARROW KERF, S1 Mount, 20 Inches, .050 Gauge, 0.325 Pitch, 81 Drive Links ...	0	1	12-26-2023
CSM-S1-20-50-3LM	CANNON SUPERMINI BAR, NARROW KERF, S1 Mount, 20 Inches, .050 Gauge, 0.370 Pitch (Low Profile), 7...	2	0	
CSM-S1-24-50-3LM	CANNON SUPERMINI BAR, NARROW KERF, S1 Mount, 24 Inches, .050 Gauge, 0.370 Pitch (Low Profile), 8...	2	0	
CSM-S5-18-50-2	CANNON SUPERMINI BAR, NARROW KERF, S5 Mount, 18 Inches, .050 Gauge, 0.325 Pitch, 68 Drive Links ...	0	0	
CSM-S5-18-50-3LM	CANNON SUPERMINI BAR, NARROW KERF, S5 Mount, 18 Inches, .050 Gauge, 0.370 Pitch (Low Profile), 6...	0	0	
CSM-S5-18-58-2	CANNON SUPERMINI BAR, NARROW KERF, S5 Mount, 18 Inches, .058 Gauge, 0.325 Pitch, 68 Drive Links ...	0	0	