

THE  **ORD**

NEW!



COOKING & COOLING APPLIANCES

ALL THE COMFORTS OF HOME





INDEX

Refrigerators	3-9
Cooking appliances	10-15
Sinks	11
Hobs	12-13
Cookers	14
Ovens	15
Thetford service	16

WHY THETFORD

Today, we are the leading global supplier of mobile sanitation systems, cooking and refrigeration appliances, external service doors and a wide range of toilet care and maintenance products. We love leisure just as much as our customers and industry partners. Thetford aim to maintain their position at the forefront of the leisure equipment industry with reliable, sustainable, quality products and solutions that are easy to use. Thetford products are available worldwide through local dealers. We offer only the best quality products.

THE ADVANTAGES OF THETFORD

- ✔ Superior quality
- ✔ Practical in use
- ✔ Long durability
- ✔ Standard 3 year warranty
- ✔ Outstanding customer service
- ✔ Extensive service network

New products are available as from 2017.

Product range may vary per country. For more information about the product range and the availability please check your local dealer.

We continue to develop in terms of quality, design and easy handling.
Our refrigerators are extensively tested to high quality standards.
Rest assured that a Thetford refrigerator will always deliver high performance in any situation.

Thetford refrigerators

Consistently cool, constantly the best



N3141

N3142

The N3140 series is a valuable and unique addition to the latest successfully introduced N3000 series.

Remarkable is the contradictory fact of size and volume:

BIG IN VOLUME, small in size.

The refrigerator is only 418 mm wide compared to the standard 525 mm, but the volume is still big with over 140 L including a 15 L freezer.

The N3140 has a user friendly automatic power source with a LED control panel. We also offer a design with either an external (N3141) or internal drawer (N3142) to store, i.e. bottles and vegetables. Both models have a unique slide out box and of course a perfect cooling performance.



T1090, the first compressor refrigerator especially designed for the campervan

NEW!

Thetford presents the first compressor refrigerator especially designed for the campervan, the T1090. This refrigerator is made to perfectly fit the shape and user requirements of the campervan. The T1090 installs to a flush fit, and can be characterized as powerful in cooling, efficient, silent, and effective in use.



POWERFUL COOLING

The refrigerator has a strong 12V compressor, this results in a powerful cooling performance. The ventilation is integrated which also means that

outside vents are not required. Another advantage of the compressor refrigerator is that you can run it without a gas bottle.



PERFECT FIT

The design of the T1090 is made to fit the campervan like a glove. It completely follows the shape of the van. This results in a volume of 90 L of the refrigerator

with a size of only 975 x 418 x 485mm (HxWxD).



POWER OF SILENCE

The T1090 is also a very quiet compressor refrigerator. The standard noise level reaches 32 dB(A). If you want to reduce the noise level further, you

can activate the night mode, which drops the noise level an extra 3 decibel to 29 dB(A).



PERFECT IN USE

The T1090 is developed according to the campervan user requirements. The interior features a design containing two

vegetable bins, food retainers to keep your food in place while driving, and bottle retainers in the door bins. Therefore we say: Cheers and enjoy this new decade of van refrigeration.



EFFICIENT POWER

The power consumption is economical and gives you a lot freedom with less need to visit a pitch or campsite.

Accessories for absorption refrigeration

Thetford's unique N3000-E battery pack keeping it cool

There is a battery pack for LED **N3000-E models**. This battery operated (6 pcs 1.5V AA/LR6) pack is found under the control panel. Whether on the road or at a campsite with no hook ups to a 220-230V or 12V energy source, this battery pack will ensure constant power to the control panel. This allows you to keep the fridge powered up on gas for a continuous period of 7 days. Very handy when you're out in the middle of nowhere.



Ventilator Kit for perfect cooling

The refrigerator ventilator improves air circulation around the refrigerator and improves the airflow over the condenser, temperature control and maximises of the total cooling capacity. So even in environments with high temperatures, the Thetford refrigerator will keep food fresh, tasty and cool.



Vents for the ventilation opening for your refrigerator

Thetford ventilation registers give a nice finish to the ventilation opening on the outside of your camper or caravan. An opening necessary to keep your refrigerator operating properly. Our frames are available in different colors and sizes to best suit your vehicle.



Vent covers ideal for storage or during cleaning

A well designed cover that can be placed over the ventilation frame. This cover protects your refrigerator from cold air and ensures its continued optimal performance. Ideal:

- during the winter
- if the temperature is below 10 °C
- during storage
- when cleaning



Please refer to the comparison table to find out which refrigerator matches your requirements.



	T1090	N3145	N3150	N3170	N3175	N3141E+	N3142E+
Dimensions incl. depth door (h x w x d)	975 x 418 x 485 mm	1245 x 525 x 543 mm	1245 x 525 x 578 mm	1245 x 525 x 593 mm	1245 x 525 x 628 mm	1500 x 418 x 561 mm	1500 x 418 x 561 mm
Total volume incl. freezer	90 L	141 L	149 L	167 L	175 L	141 L	142 L
Freezer volume	6.5 L	23 L	25 L	29 L	31 L	15 L	15 L
Door type hinging*	Left	Left	Left	Left	Left	Left	Left
Wheel arch model	No	No	No	No	No	No	No
Energy consumption**	0.45 kWh/24h, 0.35 kWh/24h (Night mode)	4.0 kWh/24h	4.0 kWh/24h	4.0 kWh/24h	4.0 kWh/24h	3.9 kWh/24h	3.9 kWh/24h
Energy consumption gas**	-	420 g/24h	420 g/24h	420 g/24h	420 g/24h	400 g/24h	400 g/24h
Net weight	21 Kg	37 Kg	37.5 Kg	39 Kg	39.5 Kg	38 Kg	37 Kg
Control panel	LED	• N3145A: LCD • N3145E: LED	• N3150A: LCD • N3150E: LED	• N3170A: LCD • N3170E: LED	• N3175A: LCD • N3175E: LED	LED	LED
Power source selection	-	• N3145A: Automatic • N3145E: Manual	• N3150A: Automatic • N3150E: Manual	• N3170A: Automatic • N3170E: Manual	• N3175A: Automatic • N3175E: Manual	Automatic	Automatic
Door shape	Flat framed 10 mm	Flat framed 10 mm	• N3150A: Curved framed or curved frameless • N3150E: Curved frameless	Flat framed 10 mm	• N3175A: Curved framed or curved frameless • N3175E: Curved frameless	Flat framed 10 mm	Flat framed 10 mm
Exterior	-	-	-	-	-	External bottle drawer	Internal bottle drawer

* The refrigerator door can be easily converted from left to right.

** Refrigerators originally built in by a caravan manufacturer can have different specifications.
Average energy consumption at an ambient temperature of 25°C.

Absorption




	N3080E	N3090	N3097	N3100	N3104	N3108	N3112
Dimensions incl. depth door (hwxwxd)	821 x 486 x 543 mm	821 x 525 x 543 mm	821 x 525 x 578 mm	821 x 525 x 543 mm	821 x 525 x 578 mm	821 x 525 x 593 mm	821 x 525 x 628 mm
Total volume incl. freezer	81 L	89 L	96 L	97 L	105 L	106 L	113 L
Freezer volume	10 L	11 L	11 L	11 L	11 L	14 L	14 L
Door type hinging*	Left	Left	Left	Left	Left	Left	Left
Wheel arch model	Yes	Yes	Yes	No	No	Yes	Yes
Energy consumption**	2.4 kWh/24h	2.6 kWh/24h	2.6 kWh/24h	2.8 kWh/24h	2.8 kWh/24h	2.6 kWh/24h	2.6 kWh/24h
Energy consumption gas**	240 g/24h	270 g/24h	270 g/24h	330 g/24h	330 g/24h	270 g/24h	270 g/24h
Net weight	22.5 Kg	22.5 Kg	23.5 Kg	27 Kg	27 Kg	24 Kg	24 Kg
Control panel	LED	• N3090A: LCD • N3090E: LED	• N3097A: LCD • N3097E: LED	• N3100A: LCD • N3100E: LED	• N3104A: LCD • N3104E: LED	• N3108A: LCD • N3108E: LED	• N3112 A: LCD • N3112 E: LED
Power source selection	Manual	• N3090A: Automatic • N3090E: Manual	• N3097A: Automatic • N3097E: Manual	• N3100A: Automatic • N3100E: Manual	• N3104A: Automatic • N3104E: Manual	• N3108 A: Automatic • N3108E: Manual	• N3112A: Automatic • N3112E: Manual
Door shape	Flat framed 30 mm	Flat framed 10 mm	• N3097A: Curved framed or curved frameless • N3097E: Curved frameless	Flat framed 10 mm	• N3104A: Curved framed or curved frameless • N3104E: Curved frameless	Flat framed 10 mm	• N3112A: Curved framed or curved frameless • N3112E: Curved frameless
Exterior	-	-	-	-	-	-	-


* The refrigerator door can be easily converted from left to right.

** Refrigerators originally built in by a caravan manufacturer can have different specifications.
Average energy consumption at an ambient temperature of 25°C.


T1090




N3145




N3150




N3170




N3175




N3141E+









N3142E+




N3080E



N3090**N3097****N3100****N3104****N3108****N3112****SECURING THE DOOR**

When driving, always make sure the refrigerator door is locked.

- Close the door securely. On some models, the door automatically locks.
- For an additional lock, slide the black latch over the pin at the bottom of the door.

**KEEP YOUR REFRIGERATOR FRESH, EVEN IN STORAGE**

Prevent moisture, mold and unpleasant odours in the refrigerator by opening the refrigerator. Keep the door open by using the sliding latch at the top of the door. Remember to keep the freezer door open too. This way, your refrigerator will always stay fresh!

SAFETY

Ensure the safe storage of your camper or caravan by tightly closing off the gas cylinder and valves.

Who says you can't enjoy culinary cooking in your camper, caravan or holiday home? With well designed hobs, ovens, grills and sinks from Thetford, you can! Our cooking appliances are designed to be as home like as possible. We use the highest quality materials and thoroughly test each appliance to ensure its ultimate safety - and your satisfaction.

Thetford cooking appliances

Now you're cooking!

Cooking in a camper, caravan or holiday home can leave some holiday goers disappointed. Not so with Thetford hobs, ovens, grills and sinks. Our quality cooking appliances are world-renowned for their easy to use, home-like designs. Whether you are on the road with a camper or caravan or relaxing for a few weeks in a holiday home, Thetford has the cooking appliances to suit your situation and budget!

QUALITY APPLIANCES

At Thetford, we pride ourselves on bringing the comforts of home to your holiday. That is why we have designed all our cooking appliances with high quality domestic-size knobs, luxurious door handles, and robust smooth action door hinges. After all, you like your home kitchen designed in a certain way; why not your camper, caravan or holiday home?

Most of Thetford cooking appliances are fitted with either piezo-electric, 12V or 240V spark ignition systems (depends on the model). Our appliances feature domestic style burners and gas valves with flame safety systems as standard, also with strong and stable pan supports. Made with uncompromising quality, these are just a few of the many advantages of Thetford cooking appliances.

Of course, every Thetford product is thoroughly tested to ensure ultimate safety and customer satisfaction. Furthermore, all Thetford products are approved and meet the latest European domestic gas cooking standards (EN30).

ADVANTAGES

- High-quality materials and components
- Contemporary, home-like design
- Domestic size knobs and handles
- Superior cooking performance
- Easy to clean
- Optimal use of space
- Excellent finishing
- 3 year warranty



Please refer to the comparison table to find out which sink matches your requirements.



NEW!



	Basic Line 30	Basic Line 33	Basic Line 34	Argent Bowl	Argent Sink	Series 23 Spun bowl
Overall dimensions (h _x w _x d)	Ø 405 x 145 mm	140 x 480 x 480 mm	140 x 400 x 445 mm	153 x 360 x 470 mm	152 x 630 x 470 mm	Ø 461 x 127 mm
Worktop cut-out dimensions (w _x d)	Ø 390 mm	460 x 460 mm	387 x 429 mm	335 x 430 mm	605 x 415 mm	Ø 405 mm
Inside bowl dimensions (h _x w _x d)	Ø 328 x 93 mm	92 x 455 x 276 mm	92 x 338 x 280 mm	99 x 290 x 368 mm	99 x 290 x 368 mm	Ø 397 x 123 mm
Capacity	7.4 L	8.7 L	7.5 L	9.5 L	9.5 L	12.9 L
Bowl material	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Glass lid	Yes	Yes	Yes	Yes	Yes	No
Water drain (included)	Ø 25 mm	Ø 25 mm	Ø 25 mm	Ø 19 mm	Ø 19 mm	Ø 25 mm
Tap hole	No	Yes (Ø 35 mm)	Yes (Ø 35 mm)	No	No	No
Fixation	Surface mounted	Surface mounted	Surface mounted	Surface mounted	Surface mounted	Surface mounted
Net. Weight	2.4 Kg	2.9 Kg	2.9 Kg	3.2 Kg	4.8 Kg	1.0 Kg
Features	-	Glass lid hinges possible for left or right handed	-	Accessory Kit to upgrade into Kitchen Centre	Drainer possible for left or right handed	-

ACCESSORY KIT

To upgrade your Argent Bowl into a beautiful space saver. It contains a chopping board, drainage rack, drainer, lid retainer, a plastic bowl, a rack plate and a template for bonding.



Please refer to the comparison table to find out which hob matches your requirements.



	Topline 111	Topline 165	Topline 169	Topline 922	Topline 931	Topline 902	Topline 981
Overall dimensions [hwxwd]	195 x 900 x 370 mm	106 x 576 x 361 mm	105 x 546 x 482 mm	95 x 305 x 500 mm	95 x 770 x 350 mm	53 x 305 x 500 mm	100 x 500 x 380 mm
Worktop cut-out dimensions [wxwd]	888 x 358 mm	566 x 349 mm	514 x 450 mm	285 x 485 mm	740 x 322 mm	274 x 482 mm	480 x 360 mm
Total heat input (gas)	3.0 kW	4.0 kW	5.5 kW	3.0 kW	5.0 kW	n/a	2.5 kW
Total heat input (electric)	n/a	n/a	n/a	n/a	n/a	2.3 kW	1.4 kW
Fuel	All gas	All gas	All gas	All gas	All gas	Electric	Dual Fuel
Gas burners	2 x 1.5 kW	1 x 1.5 kW 1 x 2.5 kW	2 x 1.5 kW 1 x 2.5 kW	2 x 1.5 kW	1 x 1.0 kW 1 x 1.5 kW 1 x 2.5 kW	n/a	1 x 1.0 kW 1 x 1.5 kW
Induction zones	n/a	n/a	n/a	n/a	n/a	1 x 1.4 kW (1.8 kW Boost) 1 x 1.8 kW (2.3 kW Boost)	1 x 1.4 kW
Ignition	12 V	12 V	12 V	12 V	12 V	n/a	12 V
Total power use	n/a	n/a	n/a	n/a	n/a	230 V / 10 A	230 V / 7 A
Hob material	Black glass	Black glass	Black glass	Black glass	Black glass	Black ceramic glass	Black ceramic glass
Knobs	Matt nickel straight	Matt nickel straight	Matt nickel straight	Matt nickel straight	Matt nickel straight	Touch controls	Matt nickel straight
Glass lid	Yes	Yes	Yes	No	No	No	No
Fixation	Surface mounted	Surface mounted	Surface mounted	Invisible foam seal	Invisible foam seal	Invisible foam seal	Invisible foam seal
Net. Weight	11.0 Kg	8.0 Kg	10.5 Kg	5.0 Kg	6.0 Kg	5.5 Kg	6.5 Kg
Features	<ul style="list-style-type: none"> Combination unit with stainless steel bowl [inside bowl Ø 235x140 mm, water drain Ø 25 mm included] 	<ul style="list-style-type: none"> Coated steel trim and frame Glass lid hinges possible at long or short side 	<ul style="list-style-type: none"> Coated steel trim and frame Unique curved design 	-	-	<ul style="list-style-type: none"> Auto heat up Individual zone timers Pan detection Power boost function Safety indication if glass is hot Pause function Low temperature function 	<ul style="list-style-type: none"> Auto heat up Pan detection Safety indication if glass is hot Child safety lock Automatic safety cut-off



	9 series	Hotplate	Basic Line 330	Basic Line 345	Argent
Overall dimensions (hxwx d)	125 x 540 x 480 mm	160 x 445 x 345 mm	100 x 480 x 480 mm	100 x 540 x 445 mm	110 x 570 x 470 mm
Worktop cut-out dimensions (wx d)	490 x 455 mm	n/a	453 x 460 mm	527 x 429 mm	545 x 433 mm
Total heat input (gas)	6.0 kW	4.8 kW	4.5 kW	5.5 kW	5.5 kW
Total heat input (electric)	n/a	n/a	n/a	n/a	n/a
Fuel	All gas	All gas	All gas	All gas	All gas
Gas burners	4 x 1.5 kW	2 x 1.6 kW	3 x 1.5 kW	2 x 1.5 kW 1 x 2.5 kW	2 x 1.5 kW 1 x 2.5 kW
Induction zones	n/a	n/a	n/a	n/a	n/a
Grill burners	n/a	1 x 1.6 kW	n/a	n/a	n/a
Ignition	230 V	n/a	12 V	12 V	12 V
Total power use	230 V / 0.1 A	n/a	n/a	n/a	n/a
Hob material	Black glass	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Knobs	Matt nickel straight	Matt nickel straight	Matt nickel teardrop	Matt nickel teardrop	Matt nickel straight
Glass lid	No	No	Yes	Yes	Yes
Fixation	Invisible foam seal	n/a	Surface mounted	Surface mounted	Surface mounted
Net. Weight	8.0 Kg	6.5 Kg	4.5 Kg	6.0 Kg	6.5 Kg
Features	-	<ul style="list-style-type: none"> Free standing and portable unit Stainless steel lid/cover 	<ul style="list-style-type: none"> Glass lid hinges possible for left or right handed Matching with Basic Line 33 Bowl 	<ul style="list-style-type: none"> Matching with Basic line 34 Bowl 	<ul style="list-style-type: none"> Glass lid hinges possible for left or right handed Matching with Argent Bowl

Please refer to the comparison table to find out which cooker matches your requirements.



	Aspire Mk2	Caprice Mk3 Gas	Caprice Mk3 Dual Fuel	Triplex	Minigrill	Enigma	Cocina
Overall dimensions (h x w x d)	677 x 517 x 535 mm	844 x 513 x 500 mm	844 x 513 x 500 mm	468 x 463 x 500 mm	311 x 513 x 500 mm	760 x 620 x 600 mm	766 x 618 x 600 mm
Build-in dimensions (h x w x d)	670 x 503 x 530 mm	846 x 496 x 490 mm	846 x 496 x 490 mm	463 x 445 x 493 mm	312 x 496 x 490 mm	750 x 602 x 600 mm	766 x 602 x 600 mm
Total heat input (gas)	7.1 kW	8.6 kW	7.1 kW	9.2 kW	7.1 kW	8.9 kW	10.8 kW
Total heat input (electric)	0.8 kW	n/a	0.8 kW	n/a	n/a	n/a	n/a
Fuel	Dual Fuel	All gas	Dual Fuel	All gas	All gas	All gas (LPG)	All gas (LPG)
Gas burners	1 x 1.0 kW 2 x 1.5 kW	1 x 1.0 kW 3 x 1.5 kW	1 x 1.0 kW 2 x 1.5 kW	2 x 1.8 kW 1 x 2.4 kW	1 x 1.0 kW 3 x 1.5 kW	1 x 1.0 kW 3 x 1.5 kW	1 x 1.0 kW 2 x 1.5 kW 1 x 2.5 kW
Electric hotplate	800 W	n/a	800 W	n/a	n/a	n/a	n/a
Grill burner	1.6 kW	1.6 kW	1.6 kW	1.6 kW	1.6 kW	1.6 kW	2.5 kW
Oven burner	1.5 kW	1.5 kW	1.5 kW	1.6 kW	n/a	1.8 kW	1.8 kW
Ignition	12 V	12 V	12 V	12 V	12 V	230 V	230 V
Oven capacity	37 L	36 L	36 L	36 L	n/a	53 L	56 L
Grill capacity	16 L	13 L	13 L	n/a	13 L	20 L	25 L
Knobs	Matt nickel straight	Matt nickel straight	Matt nickel straight	Matt nickel straight	Matt nickel straight	Matt nickel straight	Matt nickel straight
Net. Weight	31.5 Kg	27.5 Kg	29.0 Kg	21.5 Kg	14.5 Kg	35.0 Kg	40.0 Kg
Features	<ul style="list-style-type: none"> • Grill pan kit • 2 Oven shelves • Enamelled pan support • Enamelled oven and grill cavities • Pop out deflector 	<ul style="list-style-type: none"> • Grill pan kit • 2 Oven shelves • Chrome pan support • Lower door for extra storage 	<ul style="list-style-type: none"> • Grill pan kit • 2 Oven shelves • Chrome pan support • Lower door for extra storage 	<ul style="list-style-type: none"> • Grill pan kit • 2 Oven shelves • Chrome pan support 	<ul style="list-style-type: none"> • Grill pan kit • Chrome pan support 	<ul style="list-style-type: none"> • Grill pan kit • 2 Oven shelves • Enamelled pan support • Enamelled oven and grill cavities 	<ul style="list-style-type: none"> • Grill pan kit • 2 Oven shelves • Enamelled pan support • Enamelled oven and grill cavities • Fan cooling

Please refer to the comparison table to find out which oven matches your requirements.



	Duplex	Midi Prima Mk3	Midi Prima Mk3	420 Oven
Overall dimensions (h x w x d)	445 x 456 x 490 mm	644 x 444 x 450 mm	844 x 444 x 450 mm	335 x 418 x 440 mm
Build-in dimensions (h x w x d)	438 x 445 x 490 mm	646 x 445 x 490 mm	846 x 445 x 490 mm	336 x 420 x 580 mm
Total heat input	3.2 kW	3.1 kW		1.0 kW
Grill burner	1.6 kW	1.5 kW		n/a
Oven burner	1.6 kW	1.6 kW		1.0 kW
Ignition	Piezo or 12 V	12 V		12 V
Oven capacity	36 L	36 L		23 L
Grill capacity	n/a	13 L		n/a
Knobs	Matt nickel straight	Matt nickel straight		Chrome and black cylinder
Net. Weight	13.5 Kg (Piezo) 14.0 Kg (12v)	18.0 Kg	19.5 Kg	10.5 Kg
Features	<ul style="list-style-type: none"> • 2 Oven shelves • Grill pan kit 	<ul style="list-style-type: none"> • 2 Oven shelves • Grill pan kit 	<ul style="list-style-type: none"> • 2 Oven shelves • Grill pan kit • Additional lower door for extra storage 	<ul style="list-style-type: none"> • 2 Oven shelves • Oven light • Left hand, Swappable to Right hand



420 Oven, perfect fit

Made to match the slim refrigerators of 420mm width (N3140 series)

- Extremely easy maintenance with removable fascia
- Protruding or flush installation
- Easy stand alone installation
- Easy installation on top of a slim refrigerator





THETFORD OFFICES

EUROPEAN HEADQUARTERS (THE NETHERLANDS)

T +31 76 504 22 00

E info@thetford.eu

UNITED KINGDOM

T +44 844 997 1960

E infogb@thetford.eu

SPAIN AND PORTUGAL

T +34 938 154 389

E infosp@thetford.eu

GERMANY

T +49 2129 94250

E infod@thetford.eu

SCANDINAVIA

T +46 31 336 35 80

E infos@thetford.eu

FRANCE

T +33 1 30 37 58 23

E infof@thetford.eu

AUSTRALIA

T +61 3 9358 0700

E infoau@thetford.eu

www.thetford.com.au

ITALY

T +39 0744 709071

E infoi@thetford.eu

CHINA

T +86 755 8627 1393

E info@thetford.cn

www.thetford.cn

SALES AND SERVICE POINTS

In Europe, there are more than 3,000 Thetford-approved sales and service points which can provide further help and advice about our products. Visit www.thetford-europe.com and fill in your location (address, postcode and/or place) and click 'Find locations' to find the nearest Thetford sales point or service centre. Of course, you are also welcome to contact us directly.

THETFORD IS THE WORLD'S NO. 1 MANUFACTURER OF:



© 2016 Thetford