


# Thule Omnistor 5200



## INFO

- Installation Wall mounting
- Length 1.92 m - 5.02 m
- Projection 1.40 m - 2.50 m
- Cassette White  
Anodised: not with fabric 22  
Anthracite: 2.62 m - 5.02 m - only fabric 31 (Mystic Grey)
- Fabric 31 - Mystic Grey  
32 - Sapphire Blue  
22 - Uni White
- Weight 14.2 kg - 32.8 kg (without motor)  
Motorised version: +1 kg



## FEATURES

- Flat adapter delivered as standard. Special adapters for wall mounting need to be ordered separately
- Perfect fabric tension: sturdy spring arms with patented integrated tension arms ensure a perfectly tensioned awning fabric for increased wind resistance. Standard integrated for awning lengths from 4.02 m and more, optional for a 3.02 m or 3.52 m awning length
- Thule Quick Release support legs:
  - sturdy metal connection parts
  - easy unlocking and storing into the lead rail of the awning
  - can be removed vertically from the lead rail: no risk of damaging the vehicle wall
  - inner arm remains blocked during the set up
- Thule Quick-Lock: user-friendly system to help you set up and adjust the support legs to the right heights
- Optional Thule Tent LED Mounting Rail TO 5200:
  - covers the gap under the awning = wall adapters are no longer visible
  - possible to mount a Thule QuickFit awning tent thanks to the integrated rail
  - possible to hang up the Thule Organizers
  - possible to add a Thule LED Strip
- Thule look:
  - matches the contemporary RV design
  - better integrated on the vehicle side
- Optional 12V DC motor:
  - operate awning lengths from 3.00 m and more without any effort
  - control is made with a switch through one touch command
  - integrated manual override with hand crank in case of power failure
  - can be retrofitted installed as an accessory on a manual Thule Omnistor 5200 from awning length 3.00 m (+ 1kg)
- Patented roller tube support for better fabric tension and reduced wrinkling of the fabric
- Easy roller tube adjustment: perfect closing of the cassette on the side opposite to the gear
- Improved masking and finish of the technical parts
- Integrated anti-rattling solutions
- Integrated fixation for an optional 3rd support leg to ensure a higher stability (from 3.75 m awning length)
- Increased reliability: built-in durable systems for long life performance
- Thule Adjustable Pitch system: the incline of the awning fabric can be set as you please to easily open the door of your vehicle without touching the awning fabric

## ACCESSORIES

- Thule Wall Adapters
- Thule Motor Kit TO 5200
- Thule Tent LED Mounting Rail TO 5200
- Thule LED Strip
- Thule Tension Arm Set TO 5200
- Thule Tension Rafter G2
- Thule 3<sup>rd</sup> Support Leg
- Thule Hold Down Kit
- Thule Hold Down Side Strap Kit
- Thule Sealing Rubber
- Thule Gutter
- Thule Sun Blocker G2 Front
- Thule Sun Blocker G2 Side
- Thule Rain Blocker G2 Front
- Thule Rain Blocker G2 Side
- Thule View Blocker G2 Side
- Thule View Blocker Front
- Thule Windscreen
- Thule Panorama
- Thule Residence G3
- Thule QuickFit

## MAINTENANCE

- Thule PVC Cleaner
- Thule Repair Patch

THULE OMNISTOR 5200 - MANUAL					
LENGTH	PROJECTION	WEIGHT	CASSETTE	FABRIC	SKU N°
1.92 m	1.40 m	14.2 kg	White	22 Uni White	301005
				31 Mystic Grey	301003
				32 Sapphire Blue	301004
			Anodised	31 Mystic Grey	301103
2.32 m	1.80 m	17 kg	White	22 Uni White	301015
				31 Mystic Grey	301013
				32 Sapphire Blue	301014
			Anodised	31 Mystic Grey	301113
2.62 m	2.00 m	19 kg	White	22 Uni White	301025
				31 Mystic Grey	301023
				32 Sapphire Blue	301024
			Anodised	31 Mystic Grey	301123
				32 Sapphire Blue	301124
			Anthracite	31 Mystic Grey	301203
3.02 m	2.50 m	22.6 kg	White	22 Uni White	301035
				31 Mystic Grey	301033
				32 Sapphire Blue	301034
			Anodised	31 Mystic Grey	301133
				32 Sapphire Blue	301134
			Anthracite	31 Mystic Grey	301213
3.15 m	2.50 m	24.6kg	Anthracite	31 Mystic Grey	301220 *
3.52 m	2.50 m	25.4 kg	White	22 Uni White	301045
				31 Mystic Grey	301043
				32 Sapphire Blue	301044
			Anodised	31 Mystic Grey	301143
				32 Sapphire Blue	301144
			Anthracite	31 Mystic Grey	301223
3.75 m	2.50 m	27.4 kg	Anthracite	31 Mystic Grey	301230 **

\* Special model for Ducato/Jumper/Boxer Van with Lift Roof - mounted with Ducato H2 Lift Roof Adapter - 301950

\*\* Special model for Ducato/Jumper/Boxer Van with Lift Roof - mounted with Ducato H2 Lift Roof Adapter - 301951

LENGTH	PROJECTION	WEIGHT	CASSETTE	FABRIC	SKU N°
4.02 m	2.50 m	28 kg	White	22 Uni White	301055
				31 Mystic Grey	301053
				32 Sapphire Blue	301054
			Anodised	31 Mystic Grey	301153
				32 Sapphire Blue	301154
			Anthracite	31 Mystic Grey	301233 *
4.52 m	2.50 m	30.4 kg	White	22 Uni White	301065
				31 Mystic Grey	301063
				32 Sapphire Blue	301064
			Anodised	31 Mystic Grey	301163
				32 Sapphire Blue	301164
			Anthracite	31 Mystic Grey	301243
5.02 m	2.50 m	32.8 kg	White	22 Uni White	301075
				31 Mystic Grey	301073
				32 Sapphire Blue	301074
			Anodised	31 Mystic Grey	301173
				32 Sapphire Blue	301174
			Anthracite	31 Mystic Grey	301264

\* Special model for Ducato/Jumper/Boxer Van with Lift Roof - mounted with Ducato H2 Lift Roof Adapter - 301940

THULE OMNISTOR 5200 - WITH MOTOR					
LENGTH	PROJECTION	WEIGHT	CASSETTE	FABRIC	SKU N°
3.05 m	2.50 m	23.6 kg	White	31 Mystic Grey	301080
			Anodised		301180
			Anthracite		301190
3.55 m	2.50 m	26.4 kg	White	31 Mystic Grey	301081
			Anodised		301181
			Anthracite		301191
4.05 m	2.50 m	29 kg	White	31 Mystic Grey	301082
			Anodised		301182
			Anthracite		301192
4.55 m	2.50 m	31.4 kg	White	31 Mystic Grey	301083
			Anodised		301183
			Anthracite		301193
5.05 m	2.50 m	33.8 kg	White	31 Mystic Grey	301084
			Anodised		301185
			Anthracite		301198