

Prepare for installation


Parts included



FOGATTI Tankless Water Heater



Instruction Manual



*Bag Fittings



Wired Digital Controller

*Bag Fittings: Wood screw*12、Cross Recessed Round Head Screws*2、insulated slice*1、plastic bag*1

Tools needed




Screw Driver



Wrench




Scissor



Hammer Drill with Concrete Bits




Pliers



Ruler


Materials needed




12V DC Power




Soapy Water



Pipe Fittings



Threaded Tee Fitting (Middle 3/4" both ends 1/2")



Washers




*T&P Relief Valve



Electrical Adhesive Tape



*Thermostatic Mixing Valve





Gas Pressure Regulator

* Instashower 7 & Instashower 9 unwanted



* optional

⚠ WARNING

The instant heating RV water heater needs to be installed on the RV. Improper installation will cause unexpected consequences




1 It is suggested to open a hole with A = 330mm, B = 330mm and C > 450mm at the side wall of the RV to place the RV water heater.





2 Connect the water heater inlet pipe (G1/2 thread), the outlet pipe (G1/2 thread) and the air inlet pipe (UNF 5/8 thread). Power cable (DC12V black wire is positive, white wire is negative), two blue wires are connected to the wire controller.

3 If you buy an RV without a built-in pressure relief valve, you will need to install a separate T&P relief valve (which you will need to buy locally).





4 If you have purchased our machine with internal relief valve, you do not need to install additional T&P relief valve on the outside .




5 Apply Butyl Seal Tape to the edge of the caravan cavity, Installation of the RV water heater into the caravan cavity

6 One screw per hole position, 12 in total (ST5*12)



7 Apply glass glue to seal around the door panel after the screws have been driven in.

8 The wire controller is fixed in the caravan room with two screws.



9 If you have previously used other models of RV water heater in your caravan and need to enlarge the door panel, we also have two sizes available.
1.15*18 inches, 18*18 inches