



GARDNER-GIBSON
 4161 E. 7th AVENUE
 TAMPA, FL, 33605
 USA
 813-248-2101

PRODUCT: LEAK STOPPER RUBBERIZED CLEAR SEALANT

CODE: 0339-GA-F

SECTION 01: IDENTIFICATION

Supplier identifier..... Gardner-Gibson
 4161 E. 7th Avenue
 Tampa, FL 33605
 USA
 813-248-2101
 Product identifier..... LEAK STOPPER RUBBERIZED CLEAR SEALANT
 Product code..... 0339-GA-F
 Product use..... Stops roof leaks.
 Emergency telephone number..... CANUTEC 24-hour number (613-996-6666). CHEMTREC 1-800-424-9300.

SECTION 02: HAZARD IDENTIFICATION

Hazard classification..... Not a hazardous substance or mixture.
 Signal word..... None.
 Hazard statement..... None.
 Precautionary statements..... None.
 Other hazards..... None.

SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS	CAS #	WT. %
2-Amino-2-methyl-1-propanol	124-68-5	1-2

SECTION 04: FIRST-AID MEASURES

Routes of exposure
 Inhalation..... Remove to fresh air. If irritation persists, consult a physician.
 Ingestion..... Rinse mouth and then drink plenty of water. Do not induce vomiting. Seek medical attention if necessary.
 Skin contact..... Wash off with soap and water. Get medical attention if irritation develops and persists.
 Eye contact..... Take off contaminated clothing and wash before reuse. Promptly flush with large amounts of cold water for at least 15 minutes. If irritation persists, consult a physician.
 Most important symptoms and effects, both acute and delayed . The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.
 Medical attention and special treatment..... If you feel unwell, seek medical attention. If possible, show this SDS to doctor in attendance. No hazards which require special first aid measures.

SECTION 05: FIRE-FIGHTING MEASURES

Extinguishing media..... Not flammable. Use an extinguishing agent suitable for the surrounding fire. Use water spray or fog, foam, carbon dioxide or dry chemical. Do not use water jet as an extinguisher, as this will spread the fire.
 Hazardous combustion products..... Harmful vapours. Carbon monoxide, carbon dioxide, hydrocarbons, metal oxides.
 Special protective equipment and precautions Firefighters should be equipped with self-contained breathing apparatus and turn-out gear. Material can be slippery when wet.
 Sensitivity to static discharge..... Product is not sensitive to static discharge.
 Sensitivity to mechanical impact..... Product is not sensitive to mechanical impact.
 Further information..... During fire, gases hazardous to health may be formed. Cool closed containers exposed to fire with water spray.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Use personal protective clothing. Eliminate all sources of ignition. Ventilate area if indoors.
 Environmental precautions..... Do not discharge into drains/surface waters/groundwater.
 Methods and materials for containment and cleaning up Pick up wipe and place into an appropriate container for disposal . Clean surface thoroughly to remove residual contamination. Following product recovery, flush area with water. Dispose of absorbed material in accordance with regulations.

PRODUCT: LEAK STOPPER RUBBERIZED CLEAR SEALANT

CODE: 0339-GA-F

SECTION 07: HANDLING AND STORAGE

Handling precautions..... Wear appropriate personal protective equipment. Do not get in eyes, on skin or on clothing. Avoid inhalation of mists/vapours/fumes. Wash thoroughly after handling. Keep container tightly closed .

Storage needs..... Keep containers tightly closed when not in use. Keep containers from excessive heat and freezing.

Materials to avoid..... Keep away from strong acids. Keep away from strong bases. Keep away from oxidizing agents.

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	ACGIH TLV STEL	PEL	OSHA PEL STEL	REL NIOSH
2-Amino-2-methyl-1-propanol	not available	not available	not available	not available	not available
Engineering controls.....	No special ventilation requirements.				
Individual protection measures					
Eye/type.....	None required under normal conditions of use. . Wear face shield if splashing hazard exists.				
Clothing/type.....	Wear clean long legged, long sleeved work clothes.				
Gloves/ type.....	Wear chemical resistant protective gloves.				
Respiratory/type.....	Generally not required. Wear respiratory protection if ventilation is inadequate.				
Hygiene measures.....	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke during work. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.				

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Appearance..... thick liquid.

Color..... milky white.

Odour..... latex.

Odour threshold..... no data available.

pH..... 7.5-8.5.

Melting point (°C)..... no data available.

Freezing point (°C)..... no data available.

Initial boiling point (°C)..... 100.

Flash point (°C), Method..... >94 CC.

Evaporation rate..... no data available.

Upper flammability limit (% vol)..... no data available.

Lower flammability limit (% vol)..... no data available.

Vapour pressure (mm Hg)..... 17.5.

Vapour density (air=1)..... no data available.

Relative density/Specific Gravity..... 1.06.

Water solubility..... dispersible.

Solubility in other solvents..... no data available.

Partition coefficient — n-octanol/water..... no data available.

Auto ignition temperature (°C)..... > 200 °C.

Thermal decomposition temperature..... no data available.

Viscosity..... 240,000-360,000 cP.

% volatile by volume..... no data available.

VOC g/l..... <100.

SECTION 10: STABILITY AND REACTIVITY

Reactivity..... No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability..... The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions..... No hazardous reactions when stored and handled according to instructions. The product is chemically stable.

Conditions to avoid..... Keep away from heat. Keep away from sources of ignition. Keep away from incompatibles such as oxidizing agents.

Incompatible materials..... Acids and bases. Strong oxidizing agents.

Hazardous decomposition products..... Decomposition will not occur if handled and stored properly. In case of fire, oxides of carbon (CO and CO2), fumes and smoke may be produced.

PRODUCT: LEAK STOPPER RUBBERIZED CLEAR SEALANT

CODE: 0339-GA-F

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50
2-Amino-2-methyl-1-propanol	not available	2,900 mg/kg (oral-rat)
Routes of exposure		
Inhalation.....	Inhalation of vapours may cause irritation to the nose, throat and respiratory tract.	
Ingestion.....	Ingestion of this product may cause nausea, vomiting and diarrhea.	
Skin contact.....	May cause irritation.	
Eye contact.....	Contact may cause eyes irritation.	
Acute effects		
Acute oral toxicity.....	Acute toxicity estimate > 2,000 mg/kg. Method: calculation method. Virtually nontoxic after a single ingestion.	
Acute dermal toxicity.....	LD50 (Rabbit) : > 2,000 mg/kg. Method: calculation method. Virtually nontoxic after a single skin contact.	
Acute inhalation toxicity.....	Acute toxicity estimate : > 20 mg/l. Exposure time: 4 h. Method: calculation method. Virtually nontoxic by inhalation.	
Skin corrosion/irritation.....	Result: slight irritation.	
Serious eye damage/eye irritation.....	Result: mild eye irritation.	
Respiratory or skin sensitisation.....	Non-sensitizing.	
Specific target organ toxicity (STOT) single exposure	Based on the available information there is no specific target organ toxicity to be expected after a single exposure.	
Aspiration hazard.....	No aspiration hazard expected.	
Chronic toxicity/effects		
Specific target organ toxicity (STOT) repeated exposure	No known significant effects or critical hazards.	
Carcinogenicity.....	No carcinogenic substances as defined by IARC, NTP, OSHA and/or ACGIH.	
Reproductive toxicity.....	No known significant effects or critical hazards.	
Germ cell mutagenicity.....	No known significant effects or critical hazards.	
Remarks.....	The product has not been tested. The statement has been derived from the properties of the individual components.	

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity.....	There is a high probability that the product is not acutely harmful to aquatic organisms.
Persistence and degradability.....	The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.
Bioaccumulative potential.....	No data available.
Mobility in soil.....	No data available.
Other adverse effects.....	No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods.....	Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
-----------------------	---

SECTION 14: TRANSPORT INFORMATION

TDG classification.....	Not regulated as a dangerous good.
-------------------------	------------------------------------

SECTION 15: REGULATORY INFORMATION

WHMIS regulatory status.....	This product has been classified in accordance with the hazard criteria of the Canadian Hazardous Products Regulations and the Safety Data Sheet contains all the information required by the Hazardous Products Regulations (WHMIS 2015). Not WHMIS 2015 controlled.
------------------------------	---

SECTION 16: OTHER INFORMATION

Disclaimer.....	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.
Prepared by:	CanChem Consultant
Preparation date.....	MAY 25/2017