SAFETY DATA SHEET



GH INTERNATIONAL SEALANTS ULC 2540 RENA ROAD MISSISSAUGA, ONTARIO, L4T 3C9 CANADA 1-905-677-5522

PRODUCT: SS76 WALLSIZE POWDER **CODE: 8776**

SECTION 01: IDENTIFICATION

GH INTERNATIONAL SEALANTS ULC Supplier identifier.....

2540 Rena Road

Mississauga, ON. L4T 3C9 1-905-677-5522

SS76 WALLSIZE POWDER Product identifier.....

Product code.....

Product use..... Wallpaper adhesive.

Emergency telephone number..... CANUTEC 24-hour number (613-996-6666). CHEMTREC 1-800-424-9300.

SECTION 02: HAZARD IDENTIFICATION

Hazard classification..... Combustible Dusts — Category 1.

Signal word..... WARNING.

Hazard statement..... May form combustible dust concentrations in air.

Precautionary statements..... None.

Other hazards..... Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Supplemental Information..... None.

SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS HAZARDOUS INGREDIENTS WT. % CAS#

100 Non-hazadous and other ingredients below reportable level not available

SECTION 04: FIRST-AID MEASURES

Routes of exposure If dust from the material is inhaled, remove the affected person immediately to fresh air. . If Inhalation.....

symptoms persist, obtain medical attention. Rinse mouth and then drink plenty of water. Do not induce vomiting. Seek medical Ingestion.....

attention if necessary.

Skin contact.....

Brush off loose particles from skin. Wash affected area immediately with water for 15 minutes. Remove contaminated clothing and wash before reuse. . If irritation develops, get

Eye contact..... Promptly flush with large amounts of cold water for at least 15 minutes. If irritation persists,

Most important symptoms and effects, both .

acute and delayed

Medical attention and special treatment......

consult a physician.
The most important known symptoms and effects are described in the labelling (see

section 2) and/or in section 11.

No special measures required.

SECTION 05: FIRE-FIGHTING MEASURES

Foam, Carbon dioxide (CO2), Dry chemical. Do not use water jet as an extinguisher, as Extinguishing media.....

this will spread the fire.

Carbon monoxide, carbon dioxide, hydrocarbons. Hazardous combustion products.....

Special protective equipment and precautions Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Cool closed containers exposed to

fire with water spray.

Expected to be sensitive. Take precautionary measures against static discharge. Sensitivity to static discharge.....

Sensitivity to mechanical impact..... Product is not sensitive to mechanical impact.

Further information..... Apply extinguishing media carefully to avoid creating airborne dust. During fire, gases

hazardous to health may be formed.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Keep unnecessary and unprotected personnel from entering. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid dust formation. Ventilate area if indoor. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

CODE: 8776

PRODUCT: SS76 WALLSIZE POWDER

SECTION 06: ACCIDENTAL RELEASE MEASURES

Environmental precautions.....

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Methods and materials for containment and cleaning up

Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Ensure vacuum cleaners are approved for explosible dusts. Do not place into containers where ignition sources such as cigarettes or other ignition sources may be discarded. Dispose of absorbed material in accordance with regulations.

SECTION 07: HANDLING AND STORAGE

use.

Materials to avoid...... Keep away from oxidizing agents.

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	ACG TWA	IH TLV STEL	OS PEL	SHA PEL STEL	NIOSH REL
Non-hazadous and other ingredients below reportable level	not available	not available	not available	not available ı	not available
Engineering controls		Good general ventilation (typically 10 air changes per hour) should be used. Safety glasses with side-shields. Wear clean long legged, long sleeved work clothes. None required under normal conditions of use. For prolonged exposure, use butyl rubber gloves. Respiratory protection is required when there is a potential for airborne exposures in excess of applicable limits. When required wear NIOSH/MSHA approved respiratory protection.			
Hygiene measures		Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke during work. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.			

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

CODE: 8776

PRODUCT: SS76 WALLSIZE POWDER

SECTION 10: STABILITY AND REACTIVITY

No hazardous reactions if stored and handled as prescribed/indicated. Chemical stability..... The product is stable if stored and handled as prescribed/indicated. Possibility of hazardous reactions..... No hazardous reactions when stored and handled according to instructions. The product is chemically stable. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark Conditions to avoid..... or flame). Contact with incompatible materials. Incompatible materials..... Strong oxidizing agents.

Decomposition will not occur if handled and stored properly. In case of fire, oxides of Hazardous decomposition products..... carbon (CO and CO2), fumes and smoke may be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS LC50 LD50

Non-hazadous and other ingredients below reportable level not available not available

Routes of exposure

Inhalation Ingestion....Skin contact.... May cause irritation of the stomach. May cause mechanical irritation (abrasion). May cause mechanical irritation (abrasion). Eye contact.....

Acute effects

Acute oral toxicity..... Virtually nontoxic after a single ingestion. Acute dermal toxicity......Acute inhalation toxicity...... Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Skin corrosion/irritation..... Result: slight irritation. Result: Mild eye irritation. Serious eye damage/eye irritation.....

Respiratory or skin sensitisation..... Specific target organ toxicity (STOT) single

exposure

Aspiration hazard..... Chronic toxicity/effects

Specific target organ toxicity (STOT)

repeated exposure Carcinogenicity.....

Reproductive toxicity.....

Germ cell mutagenicity..... Remarks.....

Non-sensitizing.

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

No aspiration hazard expected.

No known significant effects or critical hazards.

No carcinogenic substances as defined by IARC, NTP, OSHA and/or ACGIH.

No known significant effects or critical hazards.

No known significant effects or critical hazards. The product has not been tested. The statement has been derived from the properties of

the individual components.

SECTION 12: ECOLOGICAL INFORMATION

Not expected to be harmful to aquatic organisms. Ecotoxicity.....

Persistence and degradability..... The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Bioaccumulative potential..... No data available. Mobility in soil..... No data available. Other adverse effects..... No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods..... Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Waste disposal of substance

SECTION 14: TRANSPORT INFORMATION

TDG classification..... Not regulated as a dangerous good.

SECTION 15: REGULATORY INFORMATION

WHMIS regulatory status..... This product has been classified in accordance with the hazard criteria of the Canadian Hazardous Products Regulations and the Safety Data Sheet contains all the information required by the Hazardous Products Regulations (WHMIS 2015). This product is WHMIS

2015 controlled.

CODE: 8776

PRODUCT: SS76 WALLSIZE POWDER

SECTION 16: OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. Disclaimer..... CanChem Consultant MAY 03/2017

Prepared by:
Preparation date.....