



100 Plus® Standard Blade and Tip Screwdrivers

Cat. #	Blade Length	Blade Diameter	Tip Thickness	Tip Width	Overall Length
HT66-163	3"	7/32"	.032"	7/32"	6 3/4"
HT66-164	4"	1/4"	.037"	1/4"	8 1/4"
HT66-166	6"	5/16"	.042"	5/16"	11"
HT66-168	8"	3/8"	.050"	3/8"	13 1/4"
HT66-160	10"	3/8"	.060"	3/8"	15 1/4"
HT66-162	12"	3/8"	.060"	3/8"	17 1/4"



100 Plus® Square Blade/Standard Tip Screwdrivers

Cat. #	Blade Length	Blade Diameter	Tip Thickness	Tip Width	Overall Length
HT66-174	4"	1/4"	.037"	1/4"	8 1/4"
HT66-176	6"	5/16"	.042"	5/16"	11"
HT66-178	8"	3/8"	.050"	3/8"	13 1/4"
HT66-170	10"	3/8"	.060"	1/2"	15 1/4"
HT66-172	12"	3/8"	.060"	1/2"	17 1/4"

100 Plus® Light Blade/Cabinet Tip Screwdrivers

- Square shank allows the use of a wrench for added torque.

Cat. #	Blade Length	Blade Diameter	Tip Thickness	Tip Width	Overall Length
HT66-183	3"	3/16"	.030"	3/16"	6 3/4"
HT66-186	6"	3/16"	.030"	3/16"	9 3/4"
HT66-188	8"	3/16"	.030"	3/16"	11 3/4"
HT66-180	10"	3/16"	.030"	3/16"	13 3/4"
HT66-182	12"	3/16"	.030"	3/16"	15 3/4"



Crescent® Dura Driver Interchangeable Bit Screwdrivers

- Ergonomic, high efficiency, high torque handle
- Cushioned rubber cover for comfort and slippage control
- Industrial strength 52 steel bits for longest service without breakage.
- Includes: 1/4" x 5/16" nut driver, 7/16" nut driver, No. 1 Phillips® x 3/16" slotted, No. 2 Phillips® x 9/32" slotted



100 Plus® Stubby Screwdrivers

- Blades are polished and chrome plated to resist rust

Cat. #	Blade Length	Blade Diameter	Tip Thickness	Tip Width	Overall Length
HT66-161	1 1/2"	1/4"	.037"	1/4"	3 1/2"



Genuine Phillips® Screwdrivers

- Blades are polished and chrome plated to resist rust

Cat. #	Blade Length	Point Size	Overall Length
HTSDFP31	1 1/4"	#1	3 7/8"
HTSDFP33V	3"	#1	7 1/8"
HTSDFP33	3"	#1	7 1/8"
HTSDFP38V	8"	#1	12 1/8"
HTSDFP38	8"	#1	12 1/8"
HTSDFP41V	1 1/4"	#2	3 7/8"
HTSDFP41	1 1/4"	#2	3 7/8"
HTSDFP44V	4"	#2	8 3/4"
HTSDFP44	4"	#2	8 3/4"
HTSDFP46V	6"	#2	10 3/4"
HTSDFP46	6"	#2	10 3/4"
HTSDFP410	10"	#2	14 3/4"
HTSDFP56V	6"	#3	11"
HTSDFP56	6"	#3	11"
HTSDFP88	8"	#4	13"



#HTSDF44V

#HTSDF56

Mechanics Round Screwdrivers

- Blades are polished and chrome plated to resist rust

Cat. #	Blade Length	Tip Width	Overall Length
HTSDF41V	1 1/4"	1/4"	3 7/8"
HTSDF41	1 1/4"	1/4"	3 7/8"
HTSDF44V	4"	1/4"	8 3/4"
HTSDF44	4"	1/4"	8 3/4"
HTSDF46V	6"	1/4"	10 3/4"
HTSDF46	6"	1/4"	10 3/4"
HTSDF410	10"	1/4"	14 3/4"
HTSDF56V	6"	5/16"	11"
HTSDF56	6"	5/16"	11"

Tack Claw

#HT69-010

- Tack claw, tough handle
- Overall Length: 7 3/8"



Hammers & Pliers

Stanley Professional™ Steel Handle Nail Hammers

- Octagon head pattern
- Chrome plated tubular handle

Curved Claw

Cat. #	Weight	Length
HT51-033	20 oz	13 1/4"
HT51-031	16 oz	13 1/4"



FatMax® Xtreme AntiVibe® Rip Claw

Cat. #	Weight	Length
HT51-165	20 oz	13 1/2"
HT51-163	16 oz	13 1/2"



Plumb Hi-Viz Solid Steel Hammers

- Comfortable sport grip in Hi-Viz orange is easy to find on the job site
- Well-balanced for power

Curved Claw

Cat. #	Weight	Length
HT11381	16 oz	13"
HT11382	20 oz	13 1/2"

Ripping Claw

Cat. #	Weight	Length
HT11377	22 oz	15 13/16"
HT11378	24 oz	15 13/16"
HT11379	28 oz	15 13/16"
HT11383	16 oz	13"
HT11384	20 oz	13 1/2"



Plumb Autograf Hammers

- Octagon-shaped pole
- PermaBond® construction between head and handle
- Red hickory handle

Premium Curved Claw

Cat. #	Weight	Length
HT11435	20 oz	13"
HT11436	16 oz	13"
HT11437	16 oz	15 1/2"
HT11438	13 oz	12 1/2"



Stanley Rubber Malet

- Tough rubber head molded to a lacquered handle

Cat. #	Weight	Length
HT57-522	18 oz	13 1/2"



Stanley Professional Hammer Holster

#HT51-900



Pump Pliers

- Secure tongue and groove design for nonslip grip, even under pressure
- Wide range of versatile jaw positions
- D = Handle Finish plastic dipped
- HD = Handle Finish heavy-duty plastic dipped

Cat. #	Overall Length	Max Jaw Capacity	Weight
HTD502-6	6 1/2"	7/8"	.41 lbs.
HTHD502-6	6 5/8"	7/8"	.44 lbs.
HTD502-10	10"	1 3/4"	.97 lbs.
HTHD502-10	10 1/8"	1 3/4"	1.01 lbs.
HTD502-12	12 1/4"	2 3/8"	1.37 lbs.
HTHD502-12	12 3/8"	2 3/8"	1.48 lbs.
HTD502-16	16 3/4"	4 1/4"	3.22 lbs.



Slip Joint Pliers

- Shear-type cutter for precision wire cutting.
- Two versatile jaw positions
- Serrated jaws provide sure gripping power.
- Nickel-chrome plate for long life.
- Knurled handles for greater leverage
- Supplied with plain handle. A "D" indicates the handle is plastic dipped.

Cat. #	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Weight
HT511-6	6 1/2"	1 3/16"	1 3/16"	3/8"	.36 lbs.
HTD511-6	6 9/16"	1 3/16"	1 3/16"	3/8"	.39 lbs.
HT511-8	8"	1 3/8"	1 1/4"	7/16"	.57 lbs.
HTD511-8	8 1/16"	1 3/8"	1 1/4"	7/16"	.62 lbs.
HT511-10	9 3/4"	1 3/4"	1 3/8"	15/32"	.81 lbs.
HTD511-10	9 7/8"	1 3/4"	1 3/8"	15/32"	.83 lbs.



Standard Long Nose Pliers

- Knurled jaws for sure wrapping and looping
- Curved handle provides greater tool control
- Handle is plastic dipped

Cat. #	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Weight
HTD203-5	5 5/8"	1 1/2"	11/16"	3/8"	.36 lbs.



Heavy Duty Diagonal Cutting Pliers

- Heavy duty tapered nose design
- One inch jaws easily reach into confined spaces.
- Handle is plastic dipped

Cat. #	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Weight
HTD220-7	7 11/16"	1"	31/32"	1/2"	.54 lbs.



Stanley SharpTooth™ Heavy Duty Saw

- Aggressive multi-purpose saw for fast cutting
- For use on laminates, plastic pipe, and all wood types
- SharpTooth™ Saw technology uses three cutting surfaces to cut 50% faster than conventional Stanley™ Hand Saws
- Induction hardened teeth stays sharp 3 to 5 times longer than standard teeth
- Back of saw can be used to mark 45° and 90° angles
- Total length of 18" fits conveniently in most tool boxes
- Hardwood handle

Cat. #	Points per Inch	Blade Length
HT15-085	9	15"



Stanley SharpTooth™ Fine Finish Saw

- Multi-purpose saw for a high quality finish
- For use on MDF, plasterboard, and all wood types
- SharpTooth™ Saw technology uses three cutting surfaces to cut 50% faster than conventional Stanley™ Hand Saws
- Induction hardened teeth stays sharp 3 to 5 times longer than standard teeth
- Back of saw can be used to mark 45° and 90° angles
- Total length of 18" fits conveniently in most tool boxes
- Hardwood handle

Cat. #	Points per Inch	Blade Length
HT15-088	12	20"



Stanley SharpTooth™ Fine Finish Saw

- Multi-purpose saw for high quality finish
- For use on laminate, plastic pipe, and all wood types
- SharpTooth™ Saw technology uses three cutting surfaces to cut 50% faster than conventional Stanley™ Hand Saws
- Induction hardened teeth stays sharp 3 to 5 times longer than standard teeth
- Back of saw can be used to mark 45° and 90° angles
- Hardwood handle

Cat. #	Points per Inch	Blade Length
HT15-086	12	15"

Stanley Coping Saw

- Hardened, tempered blade provides clean, controllable cutting action
- Blade made of highest grade high carbon steel

Cat. #	Frame Depth	Blade Length
HT15-104	4 3/4"	6 3/8"



Stanley High Tension Hacksaw

- Rugged design for heavy duty use
- Fully adjustable tension holds blade up to 32,000 PSI
- Delivers fast, accurate cuts and longer blade life
- Blade storage is integrated into frame
- Quick release, blade changing mechanism in handle, maintains tension
- Tension guide on handle lever

Cat. #	Depth of Throat	Blade Length
HT15-113	3 7/8"	12"



Stanley SharpTooth™ Drywall Saw

- Uses three cutting surfaces to cut 50% faster than conventional Stanley hand saws
- Induction hardened teeth holds up against abrasive drywall materials
- Hardwood handles for durability and comfort

Cat. #	Points per Inch	Blade Length
HT15-025	9	15"



Stanley Traditional Saw

- This traditional saw has a 26" blade length
- Ground tooth design offers professional performance beyond standard filed teeth
- Large hardwood handles is more comfortable than traditionally shaped handle

Cat. #	Points per Inch	Blade Length
HT15-777	10	26"



Stanley Jab Saw

#HT15-033

- For close quarter sawing
- Accepts standard reciprocating blade or hacksaw blade
- Tough resin handle is comfortable to use

Cutters & Multi-Purpose Tools

Cooper Tool Hand Operated Cutters



- An all around plant maintenance tool for cutting soft, medium or hard materials
- Maximum hardness of material to be cut - Brinell 400, Rockwell C42

Cat #	Approx. Weight lbs	Length	Soft, Medium & Hard Materials (Up to Brinell 300, Rockwell C31)	Hard Materials (Up to Brinell 400, Rockwell C31)	Replacement Cutterhead Cat. #
HT1490MC	2 3/4	14"	5/16"	3/16"	1413C
HT0090MC	3 1/2	18"	3/8"	1/4"	0013C
HT0190MC	5 1/4	24"	7/16"	5/16"	0113C
HT0290MC	8 1/2	30"	1/2"	3/8"	0213C
HT0390MC	12 7/7	36"	9/16"	7/16"	1313C
HT0590MC	17 1/8	42"	11/16"	1/2"	0513C

Cooper Tool Heavy Duty Industrial Shears

- Hot drop-forged handles. Polished blades

Cat. #	Length
HT20	10 1/4"
HT20LH	10 1/4" Left Hand Model
HT22	14 1/2"



Rope Cutters

Cat. #	Cap. tube (in)	Weight (lbs)
HTPS2011/8 to 1 1/4	6 1/2	



Glass Cutter

#HT14-120

- 3 break off notches for various depths
- Length - 5 1/8"

Cooper Tool Metalmaster Compound Action Snips

M-1R cuts left from tight curves to straight

Cat. #	Length	Recommended max. capacity low carbon cold rolled steel
HTM-1R	9 3/4"	18 Gauge Steel

Red Grips



M-2R cuts right from tight curves to straight.

Cat. #	Length	Recommended max. capacity low carbon cold rolled steel
HTM-2R	9 3/4"	18 Gauge Steel

Green Grips



M-3R cuts straight (or wide curves left or right in light stock)

Cat. #	Length	Recommended max. capacity low carbon cold rolled steel
HTM-3R	9 3/4"	18 Gauge Steel

Yellow Grips



Leatherman Wave®

#HTWAVE

- The most popular full-size Leatherman tool is now better than ever. Larger knives, stronger pliers, longer wire cutters and all locking blades make the new Wave an essential piece of equipment for most any job or adventure.

Key features include:

- Needlenose Pliers
- Regular Pliers
- Wire Cutters
- Clip Point Knife
- Hard Wire cutters
- Clip Point Knife
- Serrated Knife
- Saw
- Scissors
- Wood/Metal File
- Diamond Coated File
- Large Bit Driver
- Small Bit Drive
- Large Screwdriver
- Ruler (8 inch/19cc)
- Bottle/Can Opener
- Wire Stripper
- Lanyard Attachment
- Two Double Ended Bits
- Optimum grade hardness for each tool/blade

Length: 4 inches closed - 6.3 inches open
Material: 100% stainless steel

Included Screw Bits:

- Phillips and flat tip eyeglass screwdriver
- Phillips #1-2 and screwdriver 3/16"

Wire-Stripping & Cutting Tools



All-Purpose 6-in-One Tool

#HT1000

- Shears bolts clean, cuts wire, strips wire, measures stud sizes, gauges wire sizes, crimps terminals. Red plastic covered handles



Crimping Tool

#HT1005

- Thin nose permits work in confined space. Crimping die marked for insulated and non-insulated solderless terminals and connectors.

Cable Splicer's Kit



#HT46037

- Complete, compact splicing kit contains cable splicer's knife, electrician's scissors with stripping notches and slotted leather holder for belts up to 2" wide



OLFA Heavy Duty Utility Knife

#HL2

- Designed for tough jobs where extra pressure requires a no-slip grip
- Uses snap off blades



OLFA Replacement Blades

#HTLB50B (50 Blades)

#HTLB10B (10 Blades)

Journeyman™ High-Leverage Side-Cutting Pliers - Connector



#HTJ213-9NECR

- Crimping die behind hinge for superior leverage crimping non insulated connectors, lugs and terminals
- High leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other plier designs.
- Streamlined design with rounded nose and sure-gripping, cross-hatched knurls jaws.
- Induction hardened cutting knives for long life.
- Hot riveted joint ensures smooth action and no handle wobble.
- Handle Color blue/black
- Handle Type Journeyman
- Nose Type New England
- Overall Length 9 1/2"
- Weight 1.13 lbs.
- Jaw Width 1 1/4"
- Knife Length- 25/32"
- Jaw Length 1 19/32"
- Jaw Thickness 5/8"

Automatic Wire Stripper Solid and Strand Wire



#HT11062

- Strips from No. 10 to 22 AWG, up to a full inch
- No nicking, cutting or fraying wire.
- Blades also available for 8 to 12 AWG and 16 to 26 AWG
- Wire is automatically gripped and stripped with the same motion. Release pressure and jaw automatically opens to release stripped wire. For clear nylon-jacket conductors, two activations are required.
- Plastic hand grips for comfort.
- Supplied with adjustable wire stop as standard feature, to assure uniform, precise strip length.
- Handle Color Blue
- Overall Length 6 1/2"
- Weight .76 lbs.
- Strips and Cuts 10 -22 AWG

Spyderco Knife

Endura 4

#HTC10BK

- One hand opening and closing
- Plain edge blade, contoured handle
- Tweaked ergonomics
- Screw construction makes cleaning and adjusting easier.
- The handle has a skeletonized stainless steel liner making the knife stronger



Production Prototype Pictured

Knives



555™ FatMax® Carpet Knife

#HT10-555

- Cast metal handle for strength and durability
- Rubberized handle for comfort and a sure grip
- Patented interlock nose prevents blade slippage and provides stability
- “D-Ring” fastener for quick blade change - no tools required
- Knife swivels open, magnetic compartment holds spare blades
- Blade storage capacity: 10 regular duty .015” blades
- Works with regular (10-525) and heavy duty (11-530) carpet blades.
- Furnished with 3 blades (#11-921)



Replacement Carpet Knife Blades

- Fits Stanley® FatMax Carpet Knife and most other carpet knives
- Heavy duty blued carpet knife blade
- Standard high carbon steel blade
- Single (1 1/4”) slot with double cutting edge

Cat. #	Thickness	Packed	Length
HT10-525	.015” Standard	5/card	2 1/4”
HT11-530	.017” Heavy	100/box	2 1/4”

499™

Quick Change Retractable Utility Knife

#HT10-499

- Swing out blade storage magazine
- Change blades quickly. No screwdriver required.
- Three position retractable blade slide
- Integrated string cutter, even when blade is retracted.
- Furnished with 3 blades (#11-921) and blade guard.
- Works with regular (#11-911) and heavy (#11-921) blades.



99™ 6” Utility Knife

#HT10-099

- Three position retractable blade
- Blade storage in handle
- Furnished with 3 blades (#11-921)



209™

Classic Fixed Utility Knife

#HT10-209

- Positive fixed blade retention for heavy-duty cutting
- Super duty cast metal textured handle designed for long, tough use
- Nose overlaps at top and bottom for added strength
- Blade storage in handle
- Furnished with 3 blades (#11-921)
- Works with heavy (#11-921) and extra heavy (#11-931) blades.



Razor Blades

- Steel backed high carbon blade fits all standard blade tools

Cat. #	Thickness	Packed	Length
HTRB	.009”	100/Box	1 1/2”



#HT11-931 Extra Heavy Duty

Replacement Utility Knife Blades

- Blades are generally interchangeable with most makes of utility knives

Cat. #	Thickness	Duty	Packed	Length
HT11-911	.017”	Regular	5/card	2”
HT11-911A	.017”	Regular	100/dispenser	2”
HT11-921	.025”	Heavy	5/card	2 7/16”
HT11-921A	.025”	Heavy	100/dispenser	2 7/16”
HT11-931	.035”	Extra Heavy	5/card	2 7/16”
HT11-931A	.035”	Extra Heavy	100/dispenser	2 7/16”

49 Pocket Knife With Rotating Blade

#HT10-049

- Powder coated, epoxy handle
- Safety blade lock
- Replaceable stainless steel blade
- Blade folds into handle for safe storage
- Works with utility (#11-041) and sheep foot (#11-040) blades



#HT11-040 Sheep Foot

#HT11-041 Utility

Cat. #	Thickness	Type	Packed	Length
HT11-040	.040”	Sheep Foot	1/card	2 9/16”
HT11-041	.040”	Utility	1/card	2 9/16”

Less expensive razor/scrapers can be found in the Maintenance Section on page 133.

Surform® 399

Pocket Plane

Type Tool

#HT21399

- Designed for one handed use.
- Ideal for end grain work, sheetrocking and smoothing edges of laminates
- Manufactured with a metallic gray, die-cast alloy body
- Includes thumbscrew blade tension for quick blade replacement
- Fitted with a replacement (5 1/2") fine cut blade.
- Length: 6" Cutter Width: 1 5/8"



110® Block Plane

#HT12116

- Ideal for use by model makers
- For end grain or where single handed working is require such as fitted
- Good performance on hardwoods, plastic laminates and other man made materials
- Length: 7" Cutter Width: 1 5/8"



Block Plane

#HT12220

- Cutter rests at a 21° angle, ideal for cross grain planning
- Cutter is fully adjustable for depth of cut and alignment
- Gray, cast iron base with precision ground sides and bottom
- Durable epoxy coating provides long lasting protection
- Finger rest at front of plane adds comfort and control
- Length: 7" Cutter Width: 1 5/8"



Surform®

Shaver Tool

#HT21115

- Compact and lightweight polypropylene molded body
- Curved blade handy and efficient for stock removal
- Sidecut teeth in blade useful for shaving in corners
- Works on a pull stroke
- Simple click on blade replacement
- Length: 7 1/4"



Surform® Replacement Blades

Cat. #	For File	Cat#
HT21291	Round File Type Tool 10"	HT21297
HT21293	File Type Tool 10" Standard	HT21296
HT21393	File Type Tool 10" Fine	HT21295
HT21393	File Type Tool 10"	HT21296
HT21398	Pocket Plane Type Tool 5 1/2"	HT21399
HT21515	Shaver Tool	HT21115
(HT21295 & HT21296 take the same blades.)		


10" Wood Rasp

#HT17-751

- Used by wood workers
- Length: 10"



Surform® Round File Type Tool



#HT21297

- Useful for enlarging holes and smoothing curved surfaces
- Ideal for pipe installations in MDF, chipboard, drywall or laminates
- Front grip can be easily removed for use in small holes
- High impact polymer handle with thumb support holds up to heavy use
- Fitted with a replaceable 10" round blade
- Length: 15 3/4"



Surform® 295 File Type Tool

#HT21295


- Superb tool for use as a rasp on wood, plastic, soft metals and many other materials
- Manufactured with a metallic gray, die-cast alloy body
- High impact polymer handle holds up to heavy use
- Fitted with a replaceable 10" blade
- Length: 17 3/8" Cutter Width - 1 5/8"



Surform® Plane Type Tool

#HT21296

- Resilient enough to be used on materials that would dull a traditional bench plane blade
- Manufactured with a metallic-gray, die-cast alloy body
- High impact polymer handle holds up to heavy use
- Fitted with a replaceable 10" blade
- Length: 12 1/2" Width: 1 5/8"



Pullers, Punches, Sandpaper & more

Nail Pullers

#HT55-035

- Double end puller features 90° and 30° offset claws
- Overall Length: 11"



Wonder Bar™

Pry Bar

#HT55-515

- Perfect for pulling nails, prying, lifting, and scraping
- Overall Length: 12 1/2"



Awls, Scratch

#HT69-122

- Pick goes through handle for added durability
- Length: 6 1/16"



Forged Hexagonal Steel Ripping Bar

Cat. #	Size(inches)
HT55-118	5/8 x 18
HT55-124	3/4 x 24
HT55-130	3/4 x 30
HT55-136	3/4 x 36

Nail Sets

- Square head, round knurled body
- Tips are cupped and chamfered
- Overall length: 4"



Cat. #	Tip Size
HT58-111	1/32"
HT58-112	2/32"
HT58-113	3/32"
HT58-114	4/32"
HT58-115	5/32"

Nail Set Pack

#HT58-230

- Assortment of 3 nail sets; one each of 1/32", 2/32", 3/32"



3M Scotch-Brite

Hand® Pads

Cat. #	Description
HTSB7447	General Purpose 20/box
HTSB7448	Ultra Fine 20/box



3M Production Paper

- For wood and metal sanding
- Size: 9" x 11"

Cat. #	Grit	Qty/Sleeve
SPPP150C	150C	100
SPPP120C	120C	100
SPPP100C	100C	100
SPPP80D	80D	50
SPPP60D	60D	50
SPPP50D	50D	50
SPPP40D	40D	50
SPPP36D	36D	50



3M Production Cloth Belts

- 10 per box

3" X 21" Belts

Cat. #	Grit
SP3X2150	50
SP3X2180	80
SP3X21120	120

3" X 24" Belts

Cat. #	Grit
SP3X2450	50
SP3X2480	80
SP3X24120	120

4" X 24" Belts

Cat. #	Grit
SP4X2450	50
SP4X2480	80
SP4X24120	120



General Purpose Abrasive Wheels

Cat. #	Size/For
HTAW4.5	4.5" Grinder
HTAW6	6" Grinder
HTAW14	14" Chop Saw

Self-Centering Screw Hole Punch

#HT58-013

- Strike lightly with hammer to punch starting hole for screw
- Self-centering on hinges, catches, etc.
- Diameter: 3/8" Overall length: 3 1/16"



Center Punch

#HT58-120

- Square Head
- Tip length: 1/8" Overall length: 4"



Sure Clamp

#LE8020

- Used to hang lighting fixtures or scenery directly to pipes
- An extra secure substitute for the standard C clamp. It closes automatically when weight is hung on it and is further secured by a hand knob which requires no tools for adjustment
- Has a grip range of 1 1/4" to 2"



Light C Clamp

- A lightweight, strong clamp with many uses

Cat. #	Size Open	Throat Depth
H20791	1"	1 1/8"
H20792	2"	1 1/8"
H20792.5	2 1/2"	1 3/8"
H20793	3"	2"
H20794	4"	3"
H20796	6"	3 1/2"



Carriage Clamp

- Finest heavy duty iron clamp

Cat. #	Size Open	Throat Depth
H20732.5	2 1/2"	1 3/4"
H20733	3"	1 7/8"
H20734	4"	2 1/8"
H20735	5"	2 1/2"
H20736	6"	2 3/4"
H20738	8"	3 1/4"
H207310	10"	3 5/8"



Bar Clamp

- Made of high grade steel and iron
- Screw is 5/8" in diameter

Cat. #	Size Open
H20772	2'
H20772.5	2 1/2'
H20773	3'
H20774	4'
H20775	5'
H20776	6'



Pipe Clamp Set

- Furnished ready to screw on regular steel pipe threads
- Foot has automatic clutch which will grip the pipe at any point

Cat. #	Pipe Thread Size
HT27051/2	1/2"
HT27053/4	3/4"



Welding Clamp

#HT8R


- Guarded release trigger quickly unlocks
- U shaped jaws provides enhanced visibility and more working space
- Length: 8" Jaw Adjustment: 3 1/8"



Corner Clamp

#H83-121

- The ideal clamp for holding mitred joints firmly in place while gluing or nailing
- Makes frames with inside dimensions 3 1/2" and larger, up to 3" wide
- Countersunk screw holes for bench mounting
- Saw slot for trimming



Workshop Vise

- Clamp contains a swivel base

Cat. #	Jaw Opening
HD54	4 1/2"
HD55	5 1/2"
HD56	6 1/2"
HD58	8"



Quick Grip Bar Clamp

- Clamps quickly and easily with one hand

Cat. #	Size
HQGBC6	6"
HQGBC12	12"
HQGBC18	18"



Spring Clamp

Cat. #	Jaw Opening	Overall Length
HGP1	1"	4"
HGP2	2"	6"
HGP3	3"	9"



Vise C Clamp

#HT11R

#HT11SP (with swivel points)

- Has an easy release grip
- Length: 11" Jaw Adjustment: 3 3/4"



Chain Vise Grip

#HT20R

- Versatile chain that will grip any object that the chain can wrap around
- Extension chain available
- Length: 18"



Wrenches & Nut Drivers

Locking Wrenches

Straight Jaws

- Without wire cutters

Cat. #	Length	Jaw (thick)	Jaw (Adj.)	Weight
H7R	7"	7/16"	1 1/8"	14 oz
H10R	10"	5/8"	1 1/4"	16 oz

Curved Jaws

- With wire cutters

Cat. #	Length	Jaw (thick)	Jaw (Adj.)	Weight
H5WR	5"	1/4"	1 1/8"	6 oz
H7WR	7"	5/16"	1 5/8"	12 oz
H10WR	10"	3/8"	1 7/8"	16 oz

Curved Jaws

- Without wire cutters

Cat. #	Length	Jaw (thick)	Jaw (Adj.)	Weight
H7CR	7"	5/16"	1 5/8"	12 oz
H10CR	10"	3/8"	1 7/8"	16 oz

Pipe Wrench

- Strong, guaranteed never to break or warp

Cat. #	Size	Capacity	Weight
HTSPW06	6"	3/4"	1/2 lbs
HTSPW08	8"	1"	3/4 lbs
HTSPW10	10"	1 1/2"	1 3/4 lbs
HTSPW12	12"	2"	2 3/4 lbs
HTPW14	14"	1"	3 1/2 lbs
HTSPW18	18"	2 1/2"	5 3/4 lbs
HTSPW24	24"	3"	9 3/4 lbs
HTSPW36	36"	5"	19 1/2 lbs
HTSPW48	48"	6"	34 1/4 lbs
SPW60	60"	8"	51 1/4 lbs

Adjustable Wrench

- Strong, guaranteed never to break or warp

Cat. #	Size	Capacity
HTD5004	4"	1/2"
HTD5006	6"	3/4"
HTD5008	8"	15/16"
HTD50010	10"	1 1/8"
HTD50012	12"	1 5/16"
HTD50015	15"	1 11/16"
HTD50018	18"	2 1/16"
HTD50024	24"	2 7/16"



Nut Driver Sets

- Contains the following sizes:

3/16", 1/4", 5/16", 11/32", 3/8", 7/16" & 1/2"

Cat. #	Description
--------	-------------

HT61-130 7 sizes in plastic case

HT61-137 7 sizes in a plastic pouch



Individual

Ratcheting

Box Wrenches

- For use in confined spaces and on long studs
- Ratchet is reversed by turning wrench over



Single Hex

Cat. #	Size	Length	Weight/lbs.
HT68200	1/4" x 5/16"	4 3/8"	.13
HT68201	3/8" x 7/16"	5 1/2"	.18
HT68202	1/2" x 9/16"	6 7/8"	.29

Double Hex

Cat. #	Size	Length	Weight/lbs.
HT68203	5/8" x 11/16"	8 1/4"	.43
HT68204	5/8" x 3/4"	8 1/4"	.42
HT68205	11/16" x 3/4"	9 1/4"	.52
HT68206	13/16" x 7/8"	9 1/4"	.69

Ratchet Box

Wrench Set

#HT68222

- Set of 7 wrenches listed above in a convenient plastic roll
- Weight: 2.65 lbs.



Individual Fully

Reversible Ratcheting

Offset Box Wrenches

- Strong, guaranteed never to break or warp

Cat. #	Size	Length	Point	Weight/lbs
HT68234	1/4" x 5/16"	4 3/8"	6	.13
HT68236	3/8" x 7/16"	5 1/2"	6	.18
HT68238	1/2" x 9/16"	6 3/4"	6	.30
HT68240	5/8" x 11/16"	8 1/8"	12	.46
HT68242	3/4" x 7/8"	9 1/8"	12	.50



Ratcheting Offset

Box Wrench Set

#HT68221

- Set of 5 fully reversible wrenches listed above
- Weight: 1.57 lbs.



Individual Nut Drivers

- Smooth, comfordome handle fits the palm of the hand

Cat. #	Hex Size	Weight/lbs.
HTS6	3/16"	.10
HTS8	1/4"	.15
HTS10	5/16"	.15
HTS11	11/32"	.15
HTS12	3/8"	.15
HTS14	7/16"	.20
HTS16	1/2"	.20

Wrenches & Ratchets

Wrench Set

- Five open end wrenches in a clip
- Sizes range from 5/16" to 3/4"

Cat. #	Type of Wrenches
HT87247	Open End Wrenches
HT87405	Combination (one end open the other closed)



HT87247

Individual Combination Wrenches

- Open ends are offset at standard 15 angles for confined working areas.
- Box ends have 15 angle offset to provide clearance over obstructions.
- Box end point = 12

Cat. #	Size	Length	Weight/lbs.
HT68410	1/4"	5 1/8"	.05
HT68411	5/16"	4 3/8"	.05
HT68412	3/8"	6 1/8"	.10
HT68413	7/16"	6 5/8"	.14
HT68414	1/2"	7 1/8"	.18
HT68415	9/16"	8 1/2"	.23
HT68416	5/8"	8 1/2"	.28
HT68417	11/16"	9"	.37
HT68418	3/4"	9 7/8"	.46
HT68419	13/16"	10 5/8"	.53
HT68420	7/8"	11 1/2"	.67
HT68421	15/16"	12 1/2"	.79
HT68422	1"	13 1/4"	.93
HT68423	1 1/16"	14 1/4"	1.18
HT68424	1 1/8"	15 1/2"	1.52
HT68425	1 1/4"	16 3/4"	1.88

1/2" Drive - Standard 12 Point Sockets



Cat. #	Deep	Weight/lbs.
HT65800	7/16"	.01
HT65801	1/2"	.01
HT65802	9/16"	.02
HT65803	5/8"	.02
HT65804	11/16"	.02
HT65805	3/4"	.02
HT65806	13/16"	.03
HT65807	7/8"	.03
HT65808	15/16"	.03
HT65809	1"	.04
HT65810	1-1/16"	.04
HT65811	1-1/8"	.04
HT65812	1-1/4"	.05

1/2" Drive

Deep 12 Point Sockets

- Ideal for 5/8" truss bolts because it is six sided and will not slip

Cat. #	Deep	Weight/lbs.
HT65825	1/2"	.01
HT65826	9/16"	.01
HT65827	5/8"	.02
HT65828	11/16"	.02
HT65829	3/4"	.02
HT65830	13/16"	.03
HT65831	7/8"	.03
HT65832	15/16"	.03



3/8" Drive and Extensions

Cat. #	Description	Weight/lbs.
HT65720	7-1/2" Ratchet	.09
HT65722	3" Extension	.05
HT65723	6" Extension	.09

1/4" Drive and Extensions

Cat. #	Description	Weight/lbs.
HT65620	4 3/4" Ratchet	.05
HT65622	2" Extension	.02
HT65623	6" Extension	.07

1/2" Drive and Extensions

Cat. #	Description	Weight/lbs.
HT65820	10-1/2" Ratchet	.5
HT65822	5" Extension	.1
HT65823	17" Flex Handle	.7

1/4" Drive

Deep 6 Point Sockets

Cat. #	Deep	Weight/lbs.
HT65610	1/4"	.01
HT65611	9/32"	.01
HT65612	5/16"	.02
HT65613	11/32"	.02
HT65614	3/8"	.02
HT65615	7/16"	.03
HT65616	1/2"	.03



3/8" Drive

Standard 12 Point Sockets

Cat. #	Deep	Weight/lbs.
HT65704	5/8"	.01
HT65705	11/16"	.01
HT65706	3/4"	.02
HT65707	13/16"	.02
HT65708	7/8"	.02

3/8" Drive

Deep 6 Point Sockets

Cat. #	Deep	Weight/lbs.
HT65710	3/8"	.01
HT65711	7/16"	.01
HT65712	1/2"	.02
HT65713	9/16"	.02
HT65714	5/8"	.02
HT65715	11/16"	.03
HT65716	3/4"	.03
HT65717	13/16"	.04



Ratchets & Driver Sets

Drive Socket Wrench Sets

1/2" Drive

#HT65512 (16 piece set)

- Thirteen 12 point sockets: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", and 1-1/4"
- Extension: 5" long
- Flexible handle: 17" long
- Ratchet
- Hinged metal box
- weight: 9.63 lbs.

1/2" Drive

#HT65510 (12 piece set)

- Nine 12 point sockets: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", and 15/16"
- Extension: 5" long
- Spark plug socket: 5/8"
- Ratchet
- Hinged metal box
- weight: 5.37 lbs.

3/8" Drive Set

#HT65504 (12 piece set)

- Four 6 point sockets: 3/8", 7/16", 1/2", 9/16"
- Four 12-point sockets: 5/8", 11/16", 3/4" and 13/16"
- Spark plug socket: 5/8"
- Ratchet
- Hinged metal box
- weight: 3.62 lbs.

3/8" Drive Set

#HT65508 (20-piece set)

- Four 6-point sockets: 3/8", 7/16", 1/2" and 9/16"
- Five 12-point sockets: 5/8", 11/16", 3/4", 13/16" and 7/8"
- Eight 6-point deep sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", and 13/16"
- Two extensions: 1-3/4" & 3" long
- Ratchet
- Hinged metal box
- weight: 5.40 lbs.



148-Professional Tool Sets #HTPTS

This set contains all the tools needed for most industrial applications, including 1/4", 3/8", and 1/2" quick-release ratcheting drives, with a wide selection of standard and deep sockets in the most common SAE and metric sizes.

- Contains the following sizes:

1/2" Drive:

- (1) 72 tooth Quick-Release Ratchet Drive
- (1) 5" Extension
- (10) 6 Point Socket: 1/2", 9/16", 5/8", 3/4", 7/8", 15mm, 17mm, 18mm, 19mm, 21mm

3/8" Drive:

- (1) 72 tooth Quick-Release Ratchet Drive
- (1) 3" Extension
- (1) 6" Extension
- (1) 3/8" (Female) to 1/4" (Male) Adaptor
- (2) Spark Plug Sockets: 5/8", 13/16"
- (16) 12 Point Sockets: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16, 3/4", 9mm, 10mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm
- (10) 6-Point Deep Sockets: 7/16", 1/2", 9/16", 11/16", 3/4", 12mm, 13mm, 14mm, 16mm, 17mm

1/4" Drive:

- (1) 72 tooth Quick-Release Ratchet Drive
- (1) 3" Extension
- (20) 6 Point Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8, 7/16", 1/2", 9/16", 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11 mm, 12mm, 13mm, 19mm
- (12) Combination Wrenches: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 8mm, 10mm, 12mm, 13mm, 14mm, 15mm
- (2) Pliers: 8" Long Nose Cutting and 6" Diagonal Cutting
- (4) Magnetic Screwdrivers: 1/4" x 4" Slotted, 3/16" x 3" Slotted, #2 x 4" Phillips, #1 x 3" Phillips
- (1) Dura-Driver Magnetic Bit Driver
- (44) 1" Driver Bits with holder: Phillips, Slotted, Torx, and Hex
- (18) SAE Hex Keys with holder
- (1) Storage case

Stubby Speed Rail Wrench

#HT3430

- 3/8" Drive, 3/16" Hex Socket



Modern Stubby Wrench

#HT3431

- 5/16" Ratchet with 3/16" Hex Socket



Extra Deep All-Purpose Box

#HT54401

- Big capacity box with ample three compartment tote tray with an easy grip handle
- Double drawbolts plus hasp and staple for lock shackles up to 3/8" in diameter
- Red baked enamel finish
- Dimensions: 20" long, 8 1/2" deep, 9 1/2" high
- Weight: 11.55 lbs.



Space-Saving Tool Box

#HT54402

- A small, light two-piece box built with every big-box feature
- Draw bolts with padlock eye for lock shackles up to 1/4" in diameter
- Red baked enamel finish
- Dimensions: 19" long, 7" deep, 7 1/2" high
- Weight: 6.98 lbs.



Deep Top Box

#HT54404

- High hip-roof permits extra deep tote tray for bulky drills, long hand tools, or a large wrench set
- Tray has big handle and no partitions
- Two drawbolts plus hasp and staple for lock shackles up to 3/8" in diameter
- Red baked enamel finish
- Dimensions: 19 3/4" long, 7" deep, 8" high
- Weight: 9.25 lbs.



Jumbo Four Tray Tool Box

#HT54405

- Four roomy cantilever trays (two with dividers) open wide for full access to box interior
- Box has two drawbolt locks plus hasp and staple
- Dimensions: 18" long, 10" deep, 13 1/4" high
- Weight: 21.10 lbs.



Black Tool Box

- This durable high-density polyethylene box has a reinforced metal frame, steel corners and sturdy drawbolts for padlock
- Solid grip plastic handle
- Water repellent finish

Cat. #	Length	Depth	Width	Trays
HT144-13	13"	5 1/4"	5"	1 (1 1/2)
HT144-14	14"	7 1/2"	7"	2 (1 3/4)
HT144-16	16"	10"	6 1/2"	2 (1 3/4)
HT144-18	18"	11 1/4"	7"	3 (1 3/4)

Klein Canvas Tool Bags, Bucket & Aerial-Basket

- This durable bag is made of one piece white canvas covered on the bottom and 3" up on the sides with Naugahyde
- All bags have two retaining straps and buckles

Cat. #	Length	Depth	Width
HT5102-12	12"	10"	6"
HT5102-14	14"	14"	6"
HT5102-16	16"	14"	6"
HT5102-18	18"	14"	6"
HT5102-20	20"	15"	6"
HT5102-22	22"	15"	6"
HT5102-24	24"	15"	6"



- Tough #4 canvas with swivel snap & rope handle

Cat. #	Length	Width	Height
HT5103S	10"	12"	12"

- Tough #6 canvas with two hooks

Cat. #	Length	Width	Height
HT5144	14"	7"	10"



Flashlights, Locks & Lettering

Sesamee Lock

#HTK-436

#HTK-RO436

#HTK-437 (Long Shackle)

- Tired of having your locks freeze keeping you from your tools and equipment, this all weather lock is for you! It will not freeze or rust.
- You choose the four digit combination to open your lock



Sesamee Lock with Pressure Cast Body

#HTK-500

- Same as #4372 but with a pressure cast body



Master Lock

- You can have all your locks keyed alike or keyed differently.

Cat. #	Shackle	Keyed
HT5KD	Regular	Different
HT5KA	Regular	Alike



American Lock 700 Series

- Heavy Duty available keyed alike

Cat. #	Shackle	Keyed
HT703KA	Long	Alike per 6 pack



Stuff for the Shop

Stencil Sets

Brass Letters

Cat. #	Size
HTL-1	1"
HTL-1 1/2	1 1/2"
HTL-2	2"
HTL-3	3"



Customs steel stencils available upon request!

Brass Numbers

Cat. #	Size
HTN-1	1"
HTN-1 1/2	1 1/2"
HTN-2	2"
HTN-3	3"

Shelf Bracket

- Made of wrought steel with a gray enamel finish
- Sold by the pair

Cat. #	Size	Cat. #	Size
H21333	3" x 4"	H21338	8" x 10"
H21334	4" x 5"	H213310	10" x 12"
H21335	5" x 6"	H213312	12" x 14"
H21336	6" x 8"		



Saw Horse Brackets

#H362S

- Sold by the pair



Maglite® Flashlights

#HTS3C016

- High intensity adjustable light beam (spot to flood)
- Recessed, pushbutton, self-cleaning, 3-position switch
- Rugged, machined aluminum construction, with knurled design
- Anodized inside and out for improved corrosion resistance
- Water and shock resistant
- Spare lamp safely secured inside the tailcap
- No batteries or Holster
- Size: 3C Cell



Maglite® Flashlights

#HTS4D016

- High-intensity adjustable light beam (spot to flood)
- Recessed, pushbutton, self-cleaning, 3-position switch
- Rugged, machined aluminum construction, with knurled design
- Anodized inside and out for improved corrosion resistance
- Water and shock resistant
- Spare lamp safely secured inside the tailcap
- No batteries or Holster
- Size: 4D Cell



Mini Maglite® LED

#HTSP22014

- Built tough enough to last a lifetime
- A powerful projecting beam that focuses simply by rotating the head
- Balanced Optics, combining a highly refined reflector with a quality LED, for a brilliant adjustable beam
- Intelligent Energy Source balances high brightness with efficient power usage
- Includes batteries & Holster
- Size: 2-AA (2 Cell)



Flashlights

#HT1618

- Rugged plastic case that is not affected by oil, grease, or water
- Switch guard ends accidental lighting in pockets and tool boxes
- Uses a #PR-6 bulb and 2 D size batteries (not included)



Alkaline Batteries

- per battery

Cat. #	Size
HBAA	AA
HBAAA	AAA
HBC	C
HBD	D
HB9	9 volts

Hex Key Sets, Squares & Tape Measures

Folding Hex Key Sets



Five-Key Set

#HT70579

- Contains the sizes: 3/16", 7/32", 1/4", 5/16" & 3/8"

Nine-Key Set

#HT70591

- Contains the sizes: 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32" & 1/4"

Eight-Key Set

#HT70581

- Contains the sizes: 1/20", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64" & 5/32"

Five-Key Metric Set

#HT70580

- Contains the sizes: 4 mm, 5mm, 6mm, 8mm & 10mm

Seven-Key Set

#HT70582

- Contains the sizes: 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm & 6mm

Premium Aluminum Rafter Square

#HT45-011

- 1/16" graduations on face and back
- Body 24" x 2", tongue 16" x 11/2"

Quick Square

#HT46-067

- Base 10 1/4"
- Rule Length 6 3/4"
- Aluminum Construction
- Multipurpose design can be used as a saw guide for special angle measurements and cuts, or as a protractor
- Comes with detailed instruction booklet

Professional™ Try Square

- 1/16" graduations on the face
- solid hardwood handle w/laquer-coat for protection

Cat. #	Blade	Handle
HT46-209	8"	5 3/8"

Professional™ Grooved Blade Combination Square

#HT46-123

- Durably etched hard chrome-plated blades are rust resistant
- 12" square has precision machines working surfaces for improved accuracy
- Built-in scribe comes in handy for surface marking
- Easy to read vial
- Length: 12"

Hi-Viz Lufkin Tape Rule

- 1" wide blade

Cat. #	Overall Length
HTHV1430	30'



Powerlock® Power Return Rule with Life Guard® Yellow Blade

- 1/2" wide blade

Cat. #	Overall Length
HT33-210	10 ft
HT33-212	12 ft



Professional™ Powerlock® Tape Rule

- 3/4" wide blade

Cat. #	Overall Length
HT33-310	10 ft
HT33-312	12 ft
HT33-116	16 ft
HT33-320	20 ft



- 1" wide blade

Cat. #	Overall Length
HT33425	25 ft
HT33430	30 ft
HT33435	35 ft



FatMax® Tape Rule

- Blade Armor coating is a patented industrial thermoplastic coating. It's on the first 6" of the FatMax Tape Ruler for maximum durability and reduced blade breakage
- 1 1/4" wide blade (25% wider) with 11' of standout for extra and easy to read graphics.

Cat. #	Overall Length
HT33716	16 ft
HT33726	26 ft
HT33725	25 ft

Steel Long Tape

- Both have a 3/8" wide blade
- FatMax® has a rubber, slip-resistant grip that assures a solid hold.

Cat. #	Overall Length	Type
HT34-103	50 ft	Regular
HT34-106	100 ft	Regular
HT34-129	50 ft	FatMax®
HT34-130	100 ft	FatMax®



Levels, Gauges, Chalk Lines & Chisels



FatMax® Levels

- Aluminum structure for increased durability.
- Top-read center vial for easy readability
- Shock absorbing end caps and overall design to maintain accuracy.
- Magnetic versions have 35% stronger holding power than industry standards
- Hang hole for easy storage and hand hole with soft grip for comfort
- Non-marring side bumpers for use against finished surfaces.

Cat. #	Length	# of Vials	
HT43-500	24"	3	
HT43-504	24"	3	Magnetic
HT43-502	48"	3	
HT43-506	48"	3	Magnetic
HT43-507	72"	3	



Brass Bound Levels

- Solid straight grain wood protected with solid brass edges

Cat. #	Length	# of Vials
HT42-321	24"	6
HT42-347	48"	6

Styrene Marking

Gauge

#HT47-064

- High impact plastic with metal faceplate for long wear
- Thumbscrew adjusts shoe easily
- One side is graduated in 16ths of an inch and the reverse side is in 2 mm graduations
- Overall length: 8 7/16"



Laser Level

- All beams originate from the same point

Cat. #	Description
HTLL7610	Five Square 90 degree beams provide simultaneous level, plumb & square reference
HTLL7510	Three Square 90 degree beams provide simultaneous level & plumb reference



Torpedo Level

#HT9309

- Level vial is both top and side reading
- Overall length: 9"



Reel Fast® Chalk Line

#HT7473

- Line rewinds 3 1/2 times faster than other chalk lines
- Case has large chalk capacity
- Can be used as a plumb bob

Professional™ Chalk-O-Matic

- Universal hook attaches to any projection or slot
- Can be used as plumb bob

Cat. #	Length
HT47-050	50 ft
HT47-100	100 ft

Chalk Refills

- High grade chalk in a choice of colors
- Packed in plastic canisters for easy pouring

Cat. #	Weight	Color
HT47-803	8 oz	Blue
HT47-804	8 oz	Red



Replacement Chalk Line

- High quality replacement line, 100 ft on reel
- Individually bagged

Cat. #	Length
HT47-101	100 ft

Plumb Bobs

- Cast in one piece
- Replaceable nickel plated tips

Cat. #	Size	Length
HT47-170	5 oz	4 3/4"
HT47-171	8 oz	5 1/4"
HT47-973	16 oz	6"



Professional™ Wood Chisel Sets

- Comes with a durable storage case

Set of 4

#HT16-900

- Contains the following chisels: 1/4", 1/2", 3/4", 1"

Set of 6

#HT16-901

- Contains the following chisels: 1/4", 1/2", 3/4", 1", 1 1/4", 1 1/2"



Flooring/Electrician's Chisels

#HT16-238

- Solid steel/Polished bit
- Cutting Edge: 2 13/16"
- Size: 5/8" x 12"



Wood Chuck

#HTWC1N

- 3:1 Combination Chisel: Chisel, Flat Rasp, and Round Rasp
- Edge: 1" width