



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Customer: Cura Wellness
3931 NE Columbia Blvd
Portland Oregon 97211
United States

Product identity: MR-C
Client/Metric ID: .
Sample Date: 12/05/18 10:00
Laboratory ID: 18-011282-0003
Relinquished by: Brian Ramos
Temp: 18.8 °C
Weight Received: 3.05 g

Sample Results

| Potency | Method J AOAC 2015 V98-6 | | | Units % | Batch 1807869 | Analyze 12/11/18 09:52 AM |
|-------------|--------------------------|------------|--------|---------|---------------|--|
| Analyte | As Received | Dry weight | LOQ | Notes | | ● CBD |
| CBC† | < LOQ | | 0.0050 | | | |
| CBC-A† | < LOQ | | 0.0050 | | | |
| CBC-Total† | < LOQ | | 0.0094 | | | |
| CBD | 0.333 | | 0.0050 | | | |
| CBD-A | < LOQ | | 0.0050 | | | |
| CBD-Total | 0.333 | | 0.0094 | | | |
| CBDV† | < LOQ | | 0.0050 | | | |
| CBDV-A† | < LOQ | | 0.0050 | | | |
| CBDV-Total† | < LOQ | | 0.0093 | | | |
| CBG† | < LOQ | | 0.0050 | | | |
| CBG-A† | < LOQ | | 0.0050 | | | |
| CBG-Total† | < LOQ | | 0.0094 | | | |
| CBL† | < LOQ | | 0.0050 | | | |
| CBN | < LOQ | | 0.0050 | | | |
| Δ8-THC† | < LOQ | | 0.0050 | | | |
| Δ9-THC | < LOQ | | 0.0050 | | | |
| THC-A | < LOQ | | 0.0050 | | | |
| THC-Total | < LOQ | | 0.0094 | | | |
| THCV† | < LOQ | | 0.0050 | | | |
| THCV-A† | < LOQ | | 0.0050 | | | |
| THCV-Total† | < LOQ | | 0.0093 | | | |



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Units of Measure

g = Gram

% = Percentage of sample

% wt = $\mu\text{g/g}$ divided by 10,000

Approved Signatory

Derrick Tanner
General Manager



This report cannot be used for ODA, OHA or OLCC compliance requirements.

PIXIS Labs
Accurate. Reliable. On Time.

CURAWELL 18-011282



Page 1 of 1

Chain of Custody Record

Cura Wellness

12423 NE Whitaker Way
Portland, OR 97230
Phone: (503) 254-1794 Fax: (503) 254-1452
www.pixislabs.com

Please inform us if you know or suspect that your sample contains hazardous chemicals.

Some or all of this analyses may be subcontracted to an ORELAP accredited lab.

| | | | | | | | | | | |
|---|--|----------------------------------|--|--|-------|--------------------|------------------------------|----------|---|-------|
| Company: <u>Cura Wellness</u> | | Analysis Requested | | | | | Purchase Order Number: _____ | | | |
| Contact: <u>Colin Gallison</u> | | | | | | | Project Number: _____ | | | |
| Address: <u>3931 NE Columbia</u> | | Project Name: _____ | | <input type="checkbox"/> Report Instructions: <input type="checkbox"/> State Compliance Format <input type="checkbox"/> Email Final Results <input type="checkbox"/> Fax Final Results <input type="checkbox"/> Cash/Check/CC/Net 30 Other: _____ | | | | | | |
| Email: <u>CBDCompliance@curacan.com</u> | | Potency | | Phone: () _____ Fax: () _____ | | Matrix | | Comments | #Cnr | |
| Billing (if different): _____ | | | | MR-A | | 12/5 | 10AM | ✓ | Muscle Rub | 3.45g |
| | | | | MR-B | | 12/5 | 10AM | ✓ | Muscle Rub | 3.23g |
| | | | | MR-C | | 12/5 | 10AM | ✓ | Muscle Rub | 3.05g |
| | | | | LB-A | | 12/5 | 10AM | ✓ | 3 bars LB-A, A2, A3 | 134g |
| | | | | LB-B | | 12/5 | 10AM | ✓ | 3 bars LB-B1, B2, B3 | 134g |
| | | | | LB-C | | 12/5 | 10AM | ✓ | 3 bars LB-C1, C2, C3 | 134g |
| Collected By: _____ | | Relinquished By: _____ | | Date | Time | Received By: _____ | Date | Time | Labs Use Only: | |
| <input type="checkbox"/> Standard <input type="checkbox"/> Priority (1.5 Times Standard) <input checked="" type="checkbox"/> Rush (2 Times Standard) <input type="checkbox"/> Emergency (3 Times Standard) Ask About Availability | | <u>Ingram Hall</u> <u>TCB</u> | | 12/6 | 10:10 | <u>BGA</u> | 12-6-18 | 1010 | Client Alias: _____ Order Number: _____ <input checked="" type="checkbox"/> Proper Container <input checked="" type="checkbox"/> Sample Condition <input checked="" type="checkbox"/> Temperature 4± 2°C <u>18.8 C</u> <input checked="" type="checkbox"/> Shipped Via: <u>Cur</u> Evidence of cooling: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | |

SUBMISSION OF SAMPLES WITH TESTING REQUIREMENTS TO PIXIS WILL BE UNDERSTOOD TO BE AN AGREEMENT FOR SERVICES IN ACCORDANCE WITH THE CONDITIONS LISTED ON THE BACK OF THIS FORM.



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Laboratory Quality Control Results

J AOAC 2015 V98-6 **Batch ID: 1807869**

| Laboratory Control Sample | | | | | | | | | |
|---------------------------|---------|-------|-------|-------|--------|----------|------------|-------|--|
| Analyte | Result | Spike | Units | % Rec | Limits | | Evaluation | Notes | |
| CBDV-A | 0.00984 | | 0.01 | % | 98.4 | 85 - 115 | Acceptable | | |
| CBDV | 0.0101 | | 0.01 | % | 101 | 85 - 115 | Acceptable | | |
| CBD-A | 0.00919 | | 0.01 | % | 91.9 | 85 - 115 | Acceptable | | |
| CBG-A | 0.00986 | | 0.01 | % | 98.6 | 85 - 115 | Acceptable | | |
| CBG | 0.0103 | | 0.01 | % | 103 | 85 - 115 | Acceptable | | |
| CBD | 0.00940 | | 0.01 | % | 94.0 | 85 - 115 | Acceptable | | |
| THCV | 0.0100 | | 0.01 | % | 100 | 85 - 115 | Acceptable | | |
| THCVA | 0.00988 | | 0.01 | % | 98.8 | 85 - 115 | Acceptable | | |
| CBN | 0.0102 | | 0.01 | % | 102 | 85 - 115 | Acceptable | | |
| THC | 0.00971 | | 0.01 | % | 97.1 | 85 - 115 | Acceptable | | |
| D8THC | 0.0101 | | 0.01 | % | 101 | 85 - 115 | Acceptable | | |
| CBL | 0.00956 | | 0.01 | % | 95.6 | 85 - 115 | Acceptable | | |
| CBC | 0.0109 | | 0.01 | % | 109 | 85 - 115 | Acceptable | | |
| THCA | 0.00945 | | 0.01 | % | 94.5 | 85 - 115 | Acceptable | | |
| CBCA | 0.00975 | | 0.01 | % | 97.5 | 85 - 115 | Acceptable | | |

Method Blank

| Analyte | Result | LOQ | Units | Limits | | Evaluation | Notes | |
|---------|--------|-------|-------|---------|--|------------|-------|--|
| CBDV-A | ND | 0.005 | % | < 0.005 | | Acceptable | | |
| CBDV | ND | 0.005 | % | < 0.005 | | Acceptable | | |
| CBD-A | ND | 0.005 | % | < 0.005 | | Acceptable | | |
| CBG-A | ND | 0.005 | % | < 0.005 | | Acceptable | | |
| CBG | ND | 0.005 | % | < 0.005 | | Acceptable | | |
| CBD | ND | 0.005 | % | < 0.005 | | Acceptable | | |
| THCV | ND | 0.005 | % | < 0.005 | | Acceptable | | |
| THCVA | ND | 0.005 | % | < 0.005 | | Acceptable | | |
| CBN | ND | 0.005 | % | < 0.005 | | Acceptable | | |
| THC | ND | 0.005 | % | < 0.005 | | Acceptable | | |
| D8THC | ND | 0.005 | % | < 0.005 | | Acceptable | | |
| CBL | ND | 0.005 | % | < 0.005 | | Acceptable | | |
| CBC | ND | 0.005 | % | < 0.005 | | Acceptable | | |
| THCA | ND | 0.005 | % | < 0.005 | | Acceptable | | |
| CBCA | ND | 0.005 | % | < 0.005 | | Acceptable | | |

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent



This report cannot be used for ODA, OHA or OLCC compliance requirements.

| J AOAC 2015 V98-6 | | Batch ID: 1807869 | | | | | | |
|-------------------|--------|---------------------------|-------|-------|-------|--------|------------|-------|
| Sample Duplicate | | Sample ID: 18-011282-0001 | | | | | | |
| Analyte | Result | Org. Result | LOQ | Units | RPD | Limits | Evaluation | Notes |
| CBDV-A | ND | ND | 0.005 | % | 0 | < 20 | Acceptable | |
| CBDV | ND | ND | 0.005 | % | 0 | < 20 | Acceptable | |
| CBD-A | ND | ND | 0.005 | % | 0 | < 20 | Acceptable | |
| CBG-A | ND | ND | 0.005 | % | 0 | < 20 | Acceptable | |
| CBG | ND | ND | 0.005 | % | 0 | < 20 | Acceptable | |
| CBD | 0.324 | 0.327 | 0.005 | % | 0.922 | < 20 | Acceptable | |
| THCV | ND | ND | 0.005 | % | 0 | < 20 | Acceptable | |
| THCVA | ND | ND | 0.005 | % | 0 | < 20 | Acceptable | |
| CBN | ND | ND | 0.005 | % | 0 | < 20 | Acceptable | |
| THC | ND | ND | 0.005 | % | 0 | < 20 | Acceptable | |
| D8THC | ND | ND | 0.005 | % | 0 | < 20 | Acceptable | |
| CBL | ND | ND | 0.005 | % | 0 | < 20 | Acceptable | |
| CBC | ND | ND | 0.005 | % | 0 | < 20 | Acceptable | |
| THCA | ND | ND | 0.005 | % | 0 | < 20 | Acceptable | |
| CBCA | ND | ND | 0.005 | % | 0 | < 20 | Acceptable | |

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Explanation of QC Flag Comments:

| Code | Explanation |
|------|---|
| Q | Matrix interferences affecting spike or surrogate recoveries. |
| Q1 | Quality control result biased high. Only non-detect samples reported. |
| Q2 | Quality control outside QC limits. Data considered estimate. |
| Q3 | Sample concentration greater than four times the amount spiked. |
| Q4 | Non-homogenous sample matrix, affecting RPD result and/or % recoveries. |
| Q5 | Spike results above calibration curve. |
| Q6 | Quality control outside QC limits. Data acceptable based on remaining QC. |
| R | Relative percent difference (RPD) outside control limit. |
| R1 | RPD non-calculable, as sample or duplicate results are less than five times the LOQ. |
| R2 | Sample replicates RPD non-calculable, as only one replicate is within the analytical range. |
| LOQ1 | Quantitation level raised due to low sample volume and/or dilution. |
| LOQ2 | Quantitaion level raised due to matrix interference. |
| B | Analyte detected in method blank, but not in associated samples. |
| B1 | The sample concentration is greater than 5 times the blank concentration. |
| B2 | The sample concentration is less than 5 times the blank concentration. |