



Customer: Cura Can
1133 SE 82nd Ave.
Portland Oregon 97214
United States

Product identity: S Chicken Pets Drops
Laboratory ID: 18-012086-0013
18-012086-0014

Client/Metric ID: HDTO-414
Sample Date: 12/18/18 10:45

Summary

Potency:

Analyte	Result	Limits	Units	LOQ	
CBD per 30.1g	784		mg/30.1g	1.00	CBD-Total per 30.1g 784 mg/30.1g
					Delta 9-THC (%) < 0.00333%
(Average results for Primary and Field Duplicate)					

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.



This is an amended version of the report# 057957-01
Reason: Results reported in mg/bottle.

Customer: Cura Can
1133 SE 82nd Ave.
Portland Oregon 97214
United States

Product identity: S Chicken Pets Drops Primary

Client/Metric ID: HDTO-414

Sample Date: 12/18/18 10:45

Laboratory ID: 18-011720-0013

Grower: AG-R1046321LHH

Relinquished by: Brian Ramos

Temp: 20.5 °C

Serving Size #1: 30.1 g

Sample Results

Potency per 30.1g		Batch: 1808162					
Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBC per 30.1g [†]	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
CBC-A per 30.1g [†]	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
CBC-Total per 30.1g [†]	< LOQ		mg/30.1g	1.88	12/24/18	J AOAC 2015 V98-6	
CBD per 30.1g	790		mg/30.1g	1.00	12/26/18	J AOAC 2015 V98-6	
CBD-A per 30.1g	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
CBD-Total per 30.1g	790		mg/30.1g	1.88	12/26/18	J AOAC 2015 V98-6	
CBDV per 30.1g [†]	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
CBDV-A per 30.1g [†]	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
CBDV-Total per 30.1g [†]	< LOQ		mg/30.1g	1.87	12/24/18	J AOAC 2015 V98-6	
CBG per 30.1g [†]	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
CBG-A per 30.1g [†]	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
CBG-Total per 30.1g [†]	< LOQ		mg/30.1g	1.88	12/24/18	J AOAC 2015 V98-6	
CBL per 30.1g [†]	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
CBN per 30.1g	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
Δ8-THC per 30.1g [†]	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
Δ9-THC per 30.1g	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
THC-A per 30.1g	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
THC-Total per 30.1g	< LOQ		mg/30.1g	1.88	12/24/18	J AOAC 2015 V98-6	
THCV per 30.1g [†]	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
THCV-A per 30.1g [†]	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
THCV-Total per 30.1g [†]	< LOQ		mg/30.1g	1.87	12/24/18	J AOAC 2015 V98-6	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



Solvents						Method EPA5021A						Units $\mu\text{g/g}$		Batch 1808177		Analyze 12/19/18 02:52 PM			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes								
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass									
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane	< LOQ		200										
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass									
2,2-Dimethylbutane	< LOQ		60.0			2,2-Dimethylpropane	< LOQ		2,800										
2,3-Dimethylbutane	< LOQ		60.0			3-Methylpentane	< LOQ		30.0										
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass									
Benzene	< LOQ	2.00	2.00	pass		Butanes (sum)	< LOQ	5000	4,400	pass									
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass									
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass									
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	30.0	pass									
Hexanes (sum)	< LOQ	290	210	pass		Isopropyl acetate	< LOQ	5000	200	pass									
Isopropylbenzene	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200										
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	200	pass									
Methylpropane	< LOQ		2,200			n-Butane	< LOQ		2,200										
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0										
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200										
Pentanes (sum)	< LOQ	5000	3,200	pass		Propane	< LOQ	5000	1,700	pass									
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass									
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl	< LOQ	2170	600	pass									



Pesticides											
Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 1808201 Analyze 12/20/18 09:22 AM											
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass	
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass	
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass	
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass	
Boscalid	< LOQ	0.40	0.100	pass		Carbaryl	< LOQ	0.20	0.100	pass	
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass	
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass	
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin (incl.	< LOQ	1.0	0.500	pass	
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass	
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass	
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass	
Etofenprox	< LOQ	0.40	0.200	pass		Etoxazole	< LOQ	0.20	0.100	pass	
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass	
Fipronil	< LOQ	0.40	0.200	pass		Fonicamid	< LOQ	1.0	0.400	pass	
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass	
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass	
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass	
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass	
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass	
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass	
Oxamyl	< LOQ	1.0	0.500	pass		Paclbutrazole	< LOQ	0.40	0.200	pass	
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass	
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass	
Prallethrin	< LOQ	0.20	0.100	pass		Propiconazole	< LOQ	0.40	0.200	pass	
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrins	< LOQ	1.0	0.500	pass	
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass	
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass	
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass	
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass	
Trifloxystrobin	< LOQ	0.20	0.100	pass							



This is an amended version of the report# 057957-01
Reason: Results reported in mg/bottle.

Customer: Cura Can
1133 SE 82nd Ave.
Portland Oregon 97214
United States

Product identity: S Chicken Pets Drops Dup

Client/Metric ID: HDTO-414

Sample Date: 12/18/18 10:45

Laboratory ID: 18-011720-0014

Grower: AG-R1046321LHH

Relinquished by: Brian Ramos

Temp: 20.5 °C

Serving Size #1: 30.1 g

Sample Results

Potency per 30.1g		Batch: 1808162					
Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBC per 30.1g [†]	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
CBC-A per 30.1g [†]	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
CBC-Total per 30.1g [†]	< LOQ		mg/30.1g	1.88	12/24/18	J AOAC 2015 V98-6	
CBD per 30.1g	778		mg/30.1g	1.00	12/26/18	J AOAC 2015 V98-6	
CBD-A per 30.1g	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
CBD-Total per 30.1g	778		mg/30.1g	1.88	12/26/18	J AOAC 2015 V98-6	
CBDV per 30.1g [†]	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
CBDV-A per 30.1g [†]	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
CBDV-Total per 30.1g [†]	< LOQ		mg/30.1g	1.87	12/24/18	J AOAC 2015 V98-6	
CBG per 30.1g [†]	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
CBG-A per 30.1g [†]	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
CBG-Total per 30.1g [†]	< LOQ		mg/30.1g	1.88	12/24/18	J AOAC 2015 V98-6	
CBL per 30.1g [†]	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
CBN per 30.1g	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
Δ8-THC per 30.1g [†]	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
Δ9-THC per 30.1g	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
THC-A per 30.1g	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
THC-Total per 30.1g	< LOQ		mg/30.1g	1.88	12/24/18	J AOAC 2015 V98-6	
THCV per 30.1g [†]	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
THCV-A per 30.1g [†]	< LOQ		mg/30.1g	1.00	12/24/18	J AOAC 2015 V98-6	
THCV-Total per 30.1g [†]	< LOQ		mg/30.1g	1.87	12/24/18	J AOAC 2015 V98-6	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



Solvents						Method EPA5021A						Units $\mu\text{g/g}$		Batch 1808177		Analyze 12/19/18 02:52 PM			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes								
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass									
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane	< LOQ		200										
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass									
2,2-Dimethylbutane	< LOQ		60.0			2,2-Dimethylpropane	< LOQ		2,800										
2,3-Dimethylbutane	< LOQ		60.0			3-Methylpentane	< LOQ		30.0										
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass									
Benzene	< LOQ	2.00	2.00	pass		Butanes (sum)	< LOQ	5000	4,400	pass									
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass									
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass									
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	30.0	pass									
Hexanes (sum)	< LOQ	290	210	pass		Isopropyl acetate	< LOQ	5000	200	pass									
Isopropylbenzene	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200										
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	200	pass									
Methylpropane	< LOQ		2,200			n-Butane	< LOQ		2,200										
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0										
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200										
Pentanes (sum)	< LOQ	5000	3,200	pass		Propane	< LOQ	5000	1,700	pass									
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass									
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl	< LOQ	2170	600	pass									



Pesticides											
Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 1808201 Analyze 12/20/18 09:22 AM											
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass	
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass	
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass	
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass	
Boscalid	< LOQ	0.40	0.100	pass		Carbaryl	< LOQ	0.20	0.100	pass	
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass	
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass	
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin (incl.	< LOQ	1.0	0.500	pass	
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass	
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass	
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass	
Etofenprox	< LOQ	0.40	0.200	pass		Etoxazole	< LOQ	0.20	0.100	pass	
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass	
Fipronil	< LOQ	0.40	0.200	pass		Fonicamid	< LOQ	1.0	0.400	pass	
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass	
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass	
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass	
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass	
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass	
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass	
Oxamyl	< LOQ	1.0	0.500	pass		Paclbutrazole	< LOQ	0.40	0.200	pass	
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass	
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass	
Prallethrin	< LOQ	0.20	0.100	pass		Propiconazole	< LOQ	0.40	0.200	pass	
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrins	< LOQ	1.0	0.500	pass	
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass	
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass	
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass	
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass	
Trifloxystrobin	< LOQ	0.20	0.100	pass							



Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Units of Measure

g = Gram

$\mu\text{g/g}$ = Microgram per gram

mg/kg = Milligram per kilogram

mg/30.1g = Milligram per 30.1g

% = Percentage of sample

% wt = $\mu\text{g/g}$ divided by 10,000

Approved Signatory

Derrick Tanner
General Manager