



Product identity: S 500mg TINC Unflavored Primary
Laboratory ID: 19-002348-0005

Client/Metric ID: HDTO-647
Sample Date: 03/08/19 11:35

Summary

Potency:

| Analyte | Result | Limits | Units | LOQ | |
|------------------|---------|--------|---------|--------|-------------------------------------|
| CBD | 1.73 | | % | 0.0032 | CBD-Total (%) 1.73 mg/1ml |
| CBDV† | 0.00508 | | % | 0.0032 | |
| | | | | | CBD-Total per serving 17.4 mg/1ml |
| Analyte per 1ml | Result | Limits | Units | LOQ | |
| CBD per 1ml | 17.4 | | mg/1ml | 0.0334 | CBD-Total per container 521 mg/30ml |
| CBDV per 1ml† | 0.0510 | | mg/1ml | 0.0334 | |
| | | | | | Delta 9-THC (%) < 0.0032 % |
| Analyte per 30ml | Result | Limits | Units | LOQ | |
| CBD per 30ml | 521 | | mg/30ml | 1.00 | |
| CBDV per 30ml† | 1.53 | | mg/30ml | 1.00 | |

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.



Customer: Cura Wellness
3931 NE Columbia Blvd
Portland Oregon 97211
United States

Product identity: S 500mg TINC Unflavored Primary

Client/Metric ID: HDTO-647

Sample Date: 03/08/19 11:35

Laboratory ID: 19-002348-0005

Relinquished by: Brian Ramos

Temp: 19.1 °C

Weight Received: 16.16 g

Serving Size #2: 30.1 g

Serving Size #1: 1.003 g

Sample Results

| Potency | | Batch: 1902118 | | | | | |
|-------------------------|---------|----------------|-------|--------|----------|-------------------|-------|
| Analyte | Result | Limits | Units | LOQ | Analyze | Method | Notes |
| CBC [†] | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| CBC-A [†] | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| CBC-Total [†] | < LOQ | | % | 0.0063 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBD | 1.73 | | % | 0.0321 | 03/12/19 | J AOAC 2015 V98-6 | |
| CBD-A | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| CBD-Total | 1.73 | | % | 0.0063 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBDV [†] | 0.00508 | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| CBDV-A [†] | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| CBDV-Total [†] | < LOQ | | % | 0.0062 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBG [†] | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| CBG-A [†] | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| CBG-Total [†] | < LOQ | | % | 0.0063 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBL [†] | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| CBN | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| Δ8-THC [†] | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| Δ9-THC | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| THC-A | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| THC-Total | < LOQ | | % | 0.0063 | 03/19/19 | J AOAC 2015 V98-6 | |
| THCV [†] | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| THCV-A [†] | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| THCV-Total [†] | < LOQ | | % | 0.0062 | 03/19/19 | J AOAC 2015 V98-6 | |



| Potency per 1g | | Batch: 1902118 | | | | | |
|---------------------|--------|----------------|--------|--------|----------|-------------------|-------|
| Analyte | Result | Limits | Units | LOQ | Analyze | Method | Notes |
| CBC per 1ml† | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBC-A per 1ml† | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBC-Total per 1ml† | < LOQ | | mg/1ml | 0.0628 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBD per 1ml | 17.4 | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBD-A per 1ml | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBD-Total per 1ml | 17.4 | | mg/1ml | 0.0628 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBDV per 1ml† | 0.0510 | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBDV-A per 1ml† | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBDV-Total per 1ml† | < LOQ | | mg/1ml | 0.0624 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBG per 1ml† | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBG-A per 1ml† | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBG-Total per 1ml† | < LOQ | | mg/1ml | 0.0628 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBL per 1ml† | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBN per 1ml | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| Δ8-THC per 1ml† | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| Δ9-THC per 1ml | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| THC-A per 1ml | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| THC-Total per 1ml | < LOQ | | mg/1ml | 0.0628 | 03/19/19 | J AOAC 2015 V98-6 | |
| THCV per 1ml† | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| THCV-A per 1ml† | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| THCV-Total per 1ml† | < LOQ | | mg/1ml | 0.0624 | 03/19/19 | J AOAC 2015 V98-6 | |

| Potency per 30.1g | | Batch: 1902118 | | | | | |
|----------------------|--------|----------------|---------|------|----------|-------------------|-------|
| Analyte | Result | Limits | Units | LOQ | Analyze | Method | Notes |
| CBC per 30ml† | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBC-A per 30ml† | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBC-Total per 30ml† | < LOQ | | mg/30ml | 1.88 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBD per 30ml | 521 | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBD-A per 30ml | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBD-Total per 30ml | 521 | | mg/30ml | 1.88 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBDV per 30ml† | 1.53 | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBDV-A per 30ml† | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBDV-Total per 30ml† | < LOQ | | mg/30ml | 1.87 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBG per 30ml† | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBG-A per 30ml† | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBG-Total per 30ml† | < LOQ | | mg/30ml | 1.88 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBL per 30ml† | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBN per 30ml | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| Δ8-THC per 30ml† | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| Δ9-THC per 30ml | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| THC-A per 30ml | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| THC-Total per 30ml | < LOQ | | mg/30ml | 1.88 | 03/19/19 | J AOAC 2015 V98-6 | |
| THCV per 30ml† | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| THCV-A per 30ml† | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| THCV-Total per 30ml† | < LOQ | | mg/30ml | 1.87 | 03/19/19 | J AOAC 2015 V98-6 | |

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



| Solvents | | | | | Method EPA5021A | Units $\mu\text{g/g}$ | Batch 1902016 | Analyze 03/11/19 11:39 AM | | | |
|--------------------|--------|--------|------|--------|-----------------|-------------------------|---------------|---------------------------|------|--------|-------|
| Analyte | Result | Limits | LOQ | Status | Notes | Analyte | Result | Limits | LOQ | Status | Notes |
| 1,4-Dioxane | < LOQ | 380 | 100 | pass | | 2-Butanol | < LOQ | 5000 | 200 | pass | |
| 2-Ethoxyethanol | < LOQ | 160 | 30.0 | pass | | 2-Methylbutane | < LOQ | | 200 | | |
| 2-Methylpentane | < LOQ | | 30.0 | | | 2-Propanol (IPA) | < LOQ | 5000 | 200 | pass | |
| 2,2-Dimethylbutane | < LOQ | | 30.0 | | | 2,2-Dimethylpropane | < LOQ | | 200 | | |
| 2,3-Dimethylbutane | < LOQ | | 30.0 | | | 3-Methylpentane | < LOQ | | 30.0 | | |
| Acetone | < LOQ | 5000 | 200 | pass | | Acetonitrile | < LOQ | 410 | 100 | pass | |
| Benzene | < LOQ | 2.00 | 1.00 | pass | | Butanes (sum) | < LOQ | 5000 | 400 | pass | |
| Cyclohexane | < LOQ | 3880 | 200 | pass | | Ethyl acetate | < LOQ | 5000 | 200 | pass | |
| Ethyl benzene | < LOQ | | 200 | | | Ethyl ether | < LOQ | 5000 | 200 | pass | |
| Ethylene glycol | < LOQ | 620 | 200 | pass | | Ethylene oxide | < LOQ | 50.0 | 30.0 | pass | |
| Hexanes (sum) | < LOQ | 290 | 150 | pass | | Isopropyl acetate | < LOQ | 5000 | 200 | pass | |
| Isopropylbenzene | < LOQ | 70.0 | 30.0 | pass | | m,p-Xylene | < LOQ | | 200 | | |
| Methanol | < LOQ | 3000 | 200 | pass | | Methylene chloride | < LOQ | 600 | 200 | pass | |
| Methylpropane | < LOQ | | 200 | | | n-Butane | < LOQ | | 200 | | |
| n-Heptane | < LOQ | 5000 | 200 | pass | | n-Hexane | < LOQ | | 30.0 | | |
| n-Pentane | < LOQ | | 200 | | | o-Xylene | < LOQ | | 200 | | |
| Pentanes (sum) | < LOQ | 5000 | 600 | pass | | Propane | < LOQ | 5000 | 200 | pass | |
| Tetrahydrofuran | < LOQ | 720 | 100 | pass | | Toluene | < LOQ | 890 | 100 | pass | |
| Total Xylenes | < LOQ | | 400 | | | Total Xylenes and Ethyl | < LOQ | 2170 | 600 | pass | |



| Pesticides | | | | | | | | | | | |
|--|--------|--------|-------|--------|-------|---------------------|--------|--------|-------|--------|-------|
| Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 1902268 Analyze 03/19/19 08:55 AM | | | | | | | | | | | |
| Analyte | Result | Limits | LOQ | Status | Notes | Analyte | Result | Limits | LOQ | Status | Notes |
| Abamectin | < LOQ | 0.50 | 0.250 | pass | | Acephate | < LOQ | 0.40 | 0.250 | pass | |
| Acequinocyl | < LOQ | 2.0 | 1.00 | pass | | Acetamiprid | < LOQ | 0.20 | 0.100 | pass | |
| Aldicarb | < LOQ | 0.40 | 0.200 | pass | | Azoxystrobin | < LOQ | 0.20 | 0.100 | pass | |
| Bifenazate | < LOQ | 0.20 | 0.100 | pass | | Bifenthrin | < LOQ | 0.20 | 0.100 | pass | |
| Boscalid | < LOQ | 0.40 | 0.100 | pass | | Carbaryl | < LOQ | 0.20 | 0.100 | pass | |
| Carbofuran | < LOQ | 0.20 | 0.100 | pass | | Chlorantraniliprole | < LOQ | 0.20 | 0.100 | pass | |
| Chlorfenapyr | < LOQ | 1.0 | 0.500 | pass | | Chlorpyrifos | < LOQ | 0.20 | 0.100 | pass | |
| Clofentezine | < LOQ | 0.20 | 0.100 | pass | | Cyfluthrin (incl. | < LOQ | 1.0 | 0.500 | pass | |
| Cypermethrin | < LOQ | 1.0 | 0.500 | pass | | Daminozide | < LOQ | 1.0 | 0.500 | pass | |
| Diazinon | < LOQ | 0.20 | 0.100 | pass | | Dichlorvos | < LOQ | 1.0 | 0.500 | pass | |
| Dimethoate | < LOQ | 0.20 | 0.100 | pass | | Ethoprophos | < LOQ | 0.20 | 0.100 | pass | |
| Etofenprox | < LOQ | 0.40 | 0.200 | pass | | Etoxazol | < LOQ | 0.20 | 0.100 | pass | |
| Fenoxycarb | < LOQ | 0.20 | 0.100 | pass | | Fenpyroximat | < LOQ | 0.40 | 0.200 | pass | |
| Fipronil | < LOQ | 0.40 | 0.200 | pass | | Fonicamid | < LOQ | 1.0 | 0.400 | pass | |
| Fludioxonil | < LOQ | 0.40 | 0.200 | pass | | Hexythiazox | < LOQ | 1.0 | 0.400 | pass | |
| Imazalil | < LOQ | 0.20 | 0.100 | pass | | Imidacloprid | < LOQ | 0.40 | 0.200 | pass | |
| Kresoxim-methyl | < LOQ | 0.40 | 0.200 | pass | | Malathion | < LOQ | 0.20 | 0.100 | pass | |
| Metalaxyl | < LOQ | 0.20 | 0.100 | pass | | Methiocarb | < LOQ | 0.20 | 0.100 | pass | |
| Methomyl | < LOQ | 0.40 | 0.200 | pass | | MGK-264 | < LOQ | 0.20 | 0.100 | pass | |
| Myclobutanil | < LOQ | 0.20 | 0.100 | pass | | Naled | < LOQ | 0.50 | 0.250 | pass | |
| Oxamyl | < LOQ | 1.0 | 0.500 | pass | | Paclobutrazole | < LOQ | 0.40 | 0.200 | pass | |
| Parathion-Methyl | < LOQ | 0.20 | 0.200 | pass | | Permethrin | < LOQ | 0.20 | 0.100 | pass | |
| Phosmet | < LOQ | 0.20 | 0.100 | pass | | Piperonyl butoxide | < LOQ | 2.0 | 1.00 | pass | |
| Prallethrin | < LOQ | 0.20 | 0.100 | pass | | Propiconazole | < LOQ | 0.40 | 0.200 | pass | |
| Propoxur | < LOQ | 0.20 | 0.100 | pass | | Pyrethrin I (total) | < LOQ | 1.0 | 0.500 | pass | |
| Pyridaben | < LOQ | 0.20 | 0.100 | pass | | Spinosad | < LOQ | 0.20 | 0.100 | pass | |
| Spiromesifen | < LOQ | 0.20 | 0.100 | pass | | Spirotetramat | < LOQ | 0.20 | 0.100 | pass | |
| Spiroxamin | < LOQ | 0.40 | 0.200 | pass | | Tebuconazol | < LOQ | 0.40 | 0.200 | pass | |
| Thiacloprid | < LOQ | 0.20 | 0.100 | pass | | Thiamethoxam | < LOQ | 0.20 | 0.100 | pass | |
| Trifloxystrobin | < LOQ | 0.20 | 0.100 | pass | | | | | | | |



Product identity: S 500mg TINC Unflavored Dup
Laboratory ID: 19-002348-0006

Client/Metric ID: HDTO-647
Sample Date: 03/08/19 11:35

Summary

Potency:

| Analyte | Result | Limits | Units | LOQ | |
|------------------|---------|--------|---------|--------|-------------------------------------|
| CBD | 1.73 | | % | 0.0032 | CBD-Total (%) 1.73 % |
| CBDV† | 0.00555 | | % | 0.0032 | |
| | | | | | CBD-Total per serving 17.4 mg/1ml |
| Analyte per 1ml | Result | Limits | Units | LOQ | |
| CBD per 1ml | 17.4 | | mg/1ml | 0.0334 | CBD-Total per container 521 mg/30ml |
| CBDV per 1ml† | 0.0557 | | mg/1ml | 0.0334 | |
| Analyte per 30ml | Result | Limits | Units | LOQ | |
| CBD per 30ml | 521 | | mg/30ml | 1.00 | Delta 9-THC (%) < 0.0032 % |
| CBDV per 30ml† | 1.67 | | mg/30ml | 1.00 | |

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.



Customer: Cura Wellness
3931 NE Columbia Blvd
Portland Oregon 97211
United States

Product identity: S 500mg TINC Unflavored Dup

Client/Metric ID: HDTO-647

Sample Date: 03/08/19 11:35

Laboratory ID: 19-002348-0006

Relinquished by: Brian Ramos

Temp: 19.1 °C

Weight Received: 15.68 g

Serving Size #2: 30.1 g

Serving Size #1: 1.003 g

Sample Results

| Potency | | Batch: 1902118 | | | | | |
|-------------------------|---------|----------------|-------|--------|----------|-------------------|-------|
| Analyte | Result | Limits | Units | LOQ | Analyze | Method | Notes |
| CBC [†] | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| CBC-A [†] | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| CBC-Total [†] | < LOQ | | % | 0.0063 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBD | 1.73 | | % | 0.0324 | 03/12/19 | J AOAC 2015 V98-6 | |
| CBD-A | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| CBD-Total | 1.73 | | % | 0.0063 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBDV [†] | 0.00555 | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| CBDV-A [†] | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| CBDV-Total [†] | < LOQ | | % | 0.0062 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBG [†] | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| CBG-A [†] | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| CBG-Total [†] | < LOQ | | % | 0.0063 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBL [†] | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| CBN | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| Δ8-THC [†] | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| Δ9-THC | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| THC-A | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| THC-Total | < LOQ | | % | 0.0063 | 03/19/19 | J AOAC 2015 V98-6 | |
| THCV [†] | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| THCV-A [†] | < LOQ | | % | 0.0032 | 03/12/19 | J AOAC 2015 V98-6 | |
| THCV-Total [†] | < LOQ | | % | 0.0062 | 03/19/19 | J AOAC 2015 V98-6 | |



| Potency per 1g | | Batch: 1902118 | | | | | |
|---------------------|--------|----------------|--------|--------|----------|-------------------|-------|
| Analyte | Result | Limits | Units | LOQ | Analyze | Method | Notes |
| CBC per 1ml† | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBC-A per 1ml† | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBC-Total per 1ml† | < LOQ | | mg/1ml | 0.0628 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBD per 1ml | 17.4 | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBD-A per 1ml | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBD-Total per 1ml | 17.4 | | mg/1ml | 0.0628 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBDV per 1ml† | 0.0557 | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBDV-A per 1ml† | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBDV-Total per 1ml† | < LOQ | | mg/1ml | 0.0624 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBG per 1ml† | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBG-A per 1ml† | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBG-Total per 1ml† | < LOQ | | mg/1ml | 0.0628 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBL per 1ml† | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBN per 1ml | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| Δ8-THC per 1ml† | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| Δ9-THC per 1ml | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| THC-A per 1ml | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| THC-Total per 1ml | < LOQ | | mg/1ml | 0.0628 | 03/19/19 | J AOAC 2015 V98-6 | |
| THCV per 1ml† | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| THCV-A per 1ml† | < LOQ | | mg/1ml | 0.0334 | 03/19/19 | J AOAC 2015 V98-6 | |
| THCV-Total per 1ml† | < LOQ | | mg/1ml | 0.0624 | 03/19/19 | J AOAC 2015 V98-6 | |

| Potency per 30.1g | | Batch: 1902118 | | | | | |
|----------------------|--------|----------------|---------|------|----------|-------------------|-------|
| Analyte | Result | Limits | Units | LOQ | Analyze | Method | Notes |
| CBC per 30ml† | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBC-A per 30ml† | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBC-Total per 30ml† | < LOQ | | mg/30ml | 1.88 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBD per 30ml | 521 | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBD-A per 30ml | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBD-Total per 30ml | 521 | | mg/30ml | 1.88 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBDV per 30ml† | 1.67 | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBDV-A per 30ml† | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBDV-Total per 30ml† | < LOQ | | mg/30ml | 1.87 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBG per 30ml† | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBG-A per 30ml† | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBG-Total per 30ml† | < LOQ | | mg/30ml | 1.88 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBL per 30ml† | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| CBN per 30ml | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| Δ8-THC per 30ml† | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| Δ9-THC per 30ml | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| THC-A per 30ml | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| THC-Total per 30ml | < LOQ | | mg/30ml | 1.88 | 03/19/19 | J AOAC 2015 V98-6 | |
| THCV per 30ml† | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| THCV-A per 30ml† | < LOQ | | mg/30ml | 1.00 | 03/19/19 | J AOAC 2015 V98-6 | |
| THCV-Total per 30ml† | < LOQ | | mg/30ml | 1.87 | 03/19/19 | J AOAC 2015 V98-6 | |

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



| Solvents | | | | | Method EPA5021A | Units $\mu\text{g/g}$ | Batch 1902016 | Analyze 03/11/19 11:39 AM | | | |
|--------------------|--------|--------|------|--------|-----------------|-------------------------|---------------|---------------------------|------|--------|-------|
| Analyte | Result | Limits | LOQ | Status | Notes | Analyte | Result | Limits | LOQ | Status | Notes |
| 1,4-Dioxane | < LOQ | 380 | 100 | pass | | 2-Butanol | < LOQ | 5000 | 200 | pass | |
| 2-Ethoxyethanol | < LOQ | 160 | 30.0 | pass | | 2-Methylbutane | < LOQ | | 200 | | |
| 2-Methylpentane | < LOQ | | 30.0 | | | 2-Propanol (IPA) | < LOQ | 5000 | 200 | pass | |
| 2,2-Dimethylbutane | < LOQ | | 30.0 | | | 2,2-Dimethylpropane | < LOQ | | 200 | | |
| 2,3-Dimethylbutane | < LOQ | | 30.0 | | | 3-Methylpentane | < LOQ | | 30.0 | | |
| Acetone | < LOQ | 5000 | 200 | pass | | Acetonitrile | < LOQ | 410 | 100 | pass | |
| Benzene | < LOQ | 2.00 | 1.00 | pass | | Butanes (sum) | < LOQ | 5000 | 400 | pass | |
| Cyclohexane | < LOQ | 3880 | 200 | pass | | Ethyl acetate | < LOQ | 5000 | 200 | pass | |
| Ethyl benzene | < LOQ | | 200 | | | Ethyl ether | < LOQ | 5000 | 200 | pass | |
| Ethylene glycol | < LOQ | 620 | 200 | pass | | Ethylene oxide | < LOQ | 50.0 | 30.0 | pass | |
| Hexanes (sum) | < LOQ | 290 | 150 | pass | | Isopropyl acetate | < LOQ | 5000 | 200 | pass | |
| Isopropylbenzene | < LOQ | 70.0 | 30.0 | pass | | m,p-Xylene | < LOQ | | 200 | | |
| Methanol | < LOQ | 3000 | 200 | pass | | Methylene chloride | < LOQ | 600 | 200 | pass | |
| Methylpropane | < LOQ | | 200 | | | n-Butane | < LOQ | | 200 | | |
| n-Heptane | < LOQ | 5000 | 200 | pass | | n-Hexane | < LOQ | | 30.0 | | |
| n-Pentane | < LOQ | | 200 | | | o-Xylene | < LOQ | | 200 | | |
| Pentanes (sum) | < LOQ | 5000 | 600 | pass | | Propane | < LOQ | 5000 | 200 | pass | |
| Tetrahydrofuran | < LOQ | 720 | 100 | pass | | Toluene | < LOQ | 890 | 100 | pass | |
| Total Xylenes | < LOQ | | 400 | | | Total Xylenes and Ethyl | < LOQ | 2170 | 600 | pass | |



| Pesticides | | | | | | | | | | | |
|--|--------|--------|-------|--------|-------|---------------------|--------|--------|-------|--------|-------|
| Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 1902268 Analyze 03/19/19 08:55 AM | | | | | | | | | | | |
| Analyte | Result | Limits | LOQ | Status | Notes | Analyte | Result | Limits | LOQ | Status | Notes |
| Abamectin | < LOQ | 0.50 | 0.250 | pass | | Acephate | < LOQ | 0.40 | 0.250 | pass | |
| Acequinocyl | < LOQ | 2.0 | 1.00 | pass | | Acetamiprid | < LOQ | 0.20 | 0.100 | pass | |
| Aldicarb | < LOQ | 0.40 | 0.200 | pass | | Azoxystrobin | < LOQ | 0.20 | 0.100 | pass | |
| Bifenazate | < LOQ | 0.20 | 0.100 | pass | | Bifenthrin | < LOQ | 0.20 | 0.100 | pass | |
| Boscalid | < LOQ | 0.40 | 0.100 | pass | | Carbaryl | < LOQ | 0.20 | 0.100 | pass | |
| Carbofuran | < LOQ | 0.20 | 0.100 | pass | | Chlorantraniliprole | < LOQ | 0.20 | 0.100 | pass | |
| Chlorfenapyr | < LOQ | 1.0 | 0.500 | pass | | Chlorpyrifos | < LOQ | 0.20 | 0.100 | pass | |
| Clofentezine | < LOQ | 0.20 | 0.100 | pass | | Cyfluthrin (incl. | < LOQ | 1.0 | 0.500 | pass | |
| Cypermethrin | < LOQ | 1.0 | 0.500 | pass | | Daminozide | < LOQ | 1.0 | 0.500 | pass | |
| Diazinon | < LOQ | 0.20 | 0.100 | pass | | Dichlorvos | < LOQ | 1.0 | 0.500 | pass | |
| Dimethoate | < LOQ | 0.20 | 0.100 | pass | | Ethoprophos | < LOQ | 0.20 | 0.100 | pass | |
| Etofenprox | < LOQ | 0.40 | 0.200 | pass | | Etoxazol | < LOQ | 0.20 | 0.100 | pass | |
| Fenoxycarb | < LOQ | 0.20 | 0.100 | pass | | Fenpyroximat | < LOQ | 0.40 | 0.200 | pass | |
| Fipronil | < LOQ | 0.40 | 0.200 | pass | | Fonicamid | < LOQ | 1.0 | 0.400 | pass | |
| Fludioxonil | < LOQ | 0.40 | 0.200 | pass | | Hexythiazox | < LOQ | 1.0 | 0.400 | pass | |
| Imazalil | < LOQ | 0.20 | 0.100 | pass | | Imidacloprid | < LOQ | 0.40 | 0.200 | pass | |
| Kresoxim-methyl | < LOQ | 0.40 | 0.200 | pass | | Malathion | < LOQ | 0.20 | 0.100 | pass | |
| Metalaxyl | < LOQ | 0.20 | 0.100 | pass | | Methiocarb | < LOQ | 0.20 | 0.100 | pass | |
| Methomyl | < LOQ | 0.40 | 0.200 | pass | | MGK-264 | < LOQ | 0.20 | 0.100 | pass | |
| Myclobutanil | < LOQ | 0.20 | 0.100 | pass | | Naled | < LOQ | 0.50 | 0.250 | pass | |
| Oxamyl | < LOQ | 1.0 | 0.500 | pass | | Paclobutrazole | < LOQ | 0.40 | 0.200 | pass | |
| Parathion-Methyl | < LOQ | 0.20 | 0.200 | pass | | Permethrin | < LOQ | 0.20 | 0.100 | pass | |
| Phosmet | < LOQ | 0.20 | 0.100 | pass | | Piperonyl butoxide | < LOQ | 2.0 | 1.00 | pass | |
| Prallethrin | < LOQ | 0.20 | 0.100 | pass | | Propiconazole | < LOQ | 0.40 | 0.200 | pass | |
| Propoxur | < LOQ | 0.20 | 0.100 | pass | | Pyrethrin I (total) | < LOQ | 1.0 | 0.500 | pass | |
| Pyridaben | < LOQ | 0.20 | 0.100 | pass | | Spinosad | < LOQ | 0.20 | 0.100 | pass | |
| Spiromesifen | < LOQ | 0.20 | 0.100 | pass | | Spirotetramat | < LOQ | 0.20 | 0.100 | pass | |
| Spiroxamin | < LOQ | 0.40 | 0.200 | pass | | Tebuconazol | < LOQ | 0.40 | 0.200 | pass | |
| Thiacloprid | < LOQ | 0.20 | 0.100 | pass | | Thiamethoxam | < LOQ | 0.20 | 0.100 | pass | |
| Trifloxystrobin | < LOQ | 0.20 | 0.100 | pass | | | | | | | |



Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Units of Measure

g = Gram

$\mu\text{g/g}$ = Microgram per gram

mg/kg = Milligram per kilogram

mg/1g = Milligram per 1g

mg/30.1g = Milligram per 30.1g

% = Percentage of sample

% wt = $\mu\text{g/g}$ divided by 10,000

Approved Signatory

Derrick Tanner
General Manager