13.3" Embedded Touch PC v40

FT133V40CAPOB



- Allwinner® V40 Cortex™ A7 QuadCore Processor
- 2GB RAM Memory & 8GB FLASH Storage (v3)
- Pre-installed Android 6 operating system
- Anti-glare surface treatment (chemical etching)
- 10-Finger-Multi Touch Capacitive Touch Panel
- 1.1mm cover glass with 7H surface hardness
- Optically bonded Touch Panel to LCD Panel
- Patented IP65 front with silicon seal
- Integrated W-LAN module
- 2 year guarantee (24/7 operation)
- Optional: integrated GPS, Bluetooth, 3G/4G, POE module

faytech's Embedded Touch PCs have a pre-installed Android 6 operating system and are equipped with W-LAN module. The device has an IP65 water- and dust proof front panel with capacitive 10-finger multitouch. All the PCs have VESA 75 or VESA 100 screw patterns on the back, while the 13.3" to 27" come with their own desktop stand included.

The Embedded PCs are build for 24/7 operation and powered by the powerful V40 QuadCore mainboard. with 2G DDR3 RAM, 8GB flash memory, a SATA connector and SD card slot for further storage expansion.

This device has an optically bonded touch panel, which will improve the stability, reduce the reflection, increase the viewing angle, and enhance the perceived brightness. It also provides resistance to dust particles and shows a better image in general.

It is the perfect choice for a wide variety of applications, including industrial automation, control panels and digital signage.

Legend / Notes			
Applicable to version 1	(v1)		
Applicable to version 2	(v2)		
Applicable to version 3	(v3)		
Applicable to all Versions	None		


















Product na	ame			13.3" Emb	edded Touch	PC V40	
Model number / EAN number		FT133V40CAPOB / 6920734013814					
Global Article Code	European Article Code	Release date (D/M/Y)	Version	Global Article Code	European Article Code	Release date (D/M/Y)	Version
3030502609	1010501699	01/12/2019	v1				
3030504410	1010501879	01/07/2020	v2				
3030506693	1010502119	18/01/2021	V3				

IP Rating	
IP65 Front / IP40 Back	

LCD Panel			
Screen diagonal (Inch/cm)	13.3/33.78		
Display active screen size (cm)	29.37×16.52		
Aspect ratio	16:9		
Physical resolution	1920×1080		
External Maximum showable resolution - HDMI	1920×1080		
Colours displayed	16.7M		
Brightness (cd/m²)	350		
Contrast	700:1		
Typical reaction time Tr/ Tf (ms)	14/1		
Visual Angle horizontal/vertical (°)	178/178		
Backlight / Backlight Lifetime (hours)	LED / 15,000		

Operation / Mechanical			
Operating Temperature (°C)	-10 ~ +60		
Humidity Range (RH)	10% - 90%		
Net weight (kg)	2.80		
Gross weight (kg)	3.80 (incl. cartonage)		
Housing material	Rubber Frame, Plastic Back Case		
Housing (mm) L × W × H	338.2 × 220.7 × 32.3		
Cut-out for clamp supports (mm) L × H	322.0 × 188.0 (v2) (v3)		
Max. wall thickness for clamp supports (mm)	5.0 ^(v2) (v3)		
Amount of clamps required	4 (v2) (v3)		
Mounting	VESA 100		

Included in the Delivery
Power Supply (see Power section)
W-LAN Antenna (RP-SMA female)
Short Installation Manual
Standard Stand

Expansion slots	
MiniPCIo	

PC System		
CPU	Allwinner® V40 QuadCore	
Chipset	Cortex A7	
Graphic GPU	ARM® Mali400 Mp2 Complies with OpenGL ES 2.0/1.1	
Audio	Integrated HI-FI 100dB Audio Codec Dual analog mic, 2x6W amplifier	
Memory	2GB DDR3 (v3)	
Storage	8GB EMMC Flash	
Network	10/100Mbit Network; W-LAN	
os	Android 6	

Touch Panel			
Touch Technology	Projected Capacitive 10-Point Multitouch		
Touch Connector	USB		
Touch Life (Contacts)	Unlimited		
Surface Hardness	7H		
Surface Treatment	Anti-glare (chemical etching)		
Glass Strengthening	Chemically Strengthened		

	Power
Power Indicator	Green LED
Power Supply	100-240V ACDC active switching; 12V DC-Out
Working Power (V)	8~18
Power Consumption (W)	13
Stand-By Consumption (W)	<1

Internal Connectors		
1x SD-card	1x SIM-card	
2x Serial	4x TTL UART	
2x USB 2.0	18/24Bit LVDS	
6x GPIO	1x SATA-Port	
1x Line-In	1x Line-Out	
1x RTC	1x CAN Bus	
1x Amplifier for 2x6W loudspeaker		

External Connectors		
1x 8-18V DC-In (screwable)		
1x 10/100Mbit RJ45 Port		
1x W-LAN antenna connector (RP-SMA male)		
1x RJ10 (4P4C)		
2x USB 2.0	1x USB OTG	
1x Audio-In	1x Audio-Out	
1x HDMI	1x Serial	
1x SIM-card slot	1x SD-card slot	

