# 60" Silverstsep

## Maximum Visible Graphic Dimensions 60" x 92"

### **Print Dimensions**

Minimum Graphic Dimensions: 60" x 75" (including 5" bleed at bottom) Maximum Graphic Dimensions: 60" x 97" (including 5" bleed at bottom) NO ADDITIONAL BLEED IS REQUIRED

> **GRAPHICS CAN BE ANYWHERE BETWEEN:** 75" - 97" TALL (Including 5" bleed)

### Minimum Visible Graphic Dimensions 60" x 69"


Ver-27.17

### 5" BLEED (not visible once graphic is set up)

### **INSTALLATION STEPS**

### Silver Step —Silver clamp top bar





1 .The case should contain a base unit, 3-piece pole and upper banner.

2.Remove the plastic end caps from the upper beam.




3 .Pull apart gently the beam's locking lip in order to attach the top edge of the banner. Ensure the front of the banner faces forward as the same side as the front of the lip.




4.Slide the top of the graphic under the lip (it should allow for approx. 3/8" or 1cm insertion) and close the lip to secure the graphic.



5. Then finish the top by re-attaching the plastic end caps.



6. Attach Velcro strips to the bottom of the back of banner.




7. Peel off the chrome end cap.




8.Peel off the cover, remove the screw underneath the chrome end of the base and detach. Then, with the graphic held firmly, carefully pull out the retaining pin, then put it into the cover.



9 .Carefully allow the graphic to recoil into the base unit (it may be useful to have an assistant hold the base steady)




 Unfurl the banner out of the base by tilting the unit backwards (this makes unraveling the graphic easier).




10.Reattach the chrome ends.



14.The hook at the top of the pole slips into the rear slot of the banner beam. A marker on the beam indicates the beam's centre where the pole should be inserted.



11.Unfold the pole and slip the pieces together to assemble it to a rigid pole (the hooked end corresponds to the top and the round end belongs to the bottom base).



15. The unit can be levelled by adjusting the threaded feet at the bottom of the base unit.



12. The bottom of the assembled pole slides into the round socket in the centre of the base unit.

### Product Code: SS60

### SILVERSTEP RETRACTABLE BANNER STAND 60"









### **Product Features**

Durable and uniquely designed, this aluminum stand is the perfect combination of versatility, appeal, and affordability.

Display Dimension	60"W x 69" to 92"H
Graphic Size	60"W x 69"to 92"H
Graphic Material	
Super Flat Vinyl or Fabric	
Graphic Finishing	
Banner attaches to the top and bottom of stand by Hook & Loop (Velcro) bar. 6" bleed on bottom	
Construction	
Aluminum base w/plastic end caps	
Aluminum pole w/plastic hook connector	
Plastic top w/ Hook & Loop (Velcro) bar.	
Weights - Dimensions	
Shipping Weight	24 lbs (stand only)
	28 lbs (with graphic)
Shipping Dimensions	64" x 13" x 6"
Package Includes	
Silverstep travel bag (64" x 12" x 4")	
Retractable base w/end caps	
Telescopic pole	
Top bar w/end caps or Hook & Loop (Velcro) bar.	
Warranty	
Life Time on Stand	
1 Year on Graphic	

### **Graphic Specification**

60"W x 69" to 92"H (6" bleed on bottom)

Graphic Turnaround Time is 2 business days for up to 2 sets