


SPT

Cusack Single Pedal Tamer



The Cusack Single Pedal Tamer is a single loop box that can be used in many ways. Use it to true bypass those vintage, tone sucking pedals; use it to get that cool stutter effect; or use it to route your signal to a different set of effects.



IN—Guitar Input to the PBT. This jack disconnects the battery power, so unplug when not in use to prolong battery life.



SEND - This jack connects to the input of an effects pedal. The tip is grounded when nothing is plugged in, allowing the SPT to be used as a mute switch.



RETURN - This jack connects to the output of an effects pedal.



OUT - Output of the PBT. Plug this either into your amp or into any other effects you want after this effect.



Bypass Switch - Kick the switch to toggle between Loop Active and Loop Bypassed.




DC Power Jack - Use to power your pedal from a DC supply. This has the same pin-out as the standard pedal supplies, tip is ground, sleeve is 9V. Use a filtered supply, especially on high gain overdrive and distortion pedals, since they tend to amplify power supply noise.



Status LED (Red/Green) - When the effect is on, the LED is Red. When battery voltage is below ~7.5V, the LED will blink a few times when the pedal is engaged. By default, the LED is Green when bypassed. To have the LED off in bypass, HOLD the Bypass Switch for a few seconds until the LED Blinks. Hold again to turn the LED back on in Bypass. The SPT must be in Latching mode to do this.



Mode Toggle - Selects the mode of the Single Pedal Tamer. In the center position (L), the SPT acts as a Latching loop, so pressing the footswitch toggles between active and bypass. The other 2 settings are momentary modes. To the left is Normally Open (N.O.). This means the loop is active only if you are holding the footswitch. To the right is Normally Closed (N.C.), where the loop is bypassed when you are holding the footswitch.



Current draw: ~5mA