



landscape • entertainment • architectural • hospitality • illumination

AL-17-LEDP AREA LIGHTS





LEDP AREA LIGHTS AL-17-LEDP SERIES



TYPE

SPECIFICATIONS

CONSTRUCTION: Cast aluminum or cast brass China Hat; matching extruded aluminum or brass stanchion with fixed LED heat sink hub

LENS: High impact clear acrylic

LIGHT SOURCE: 4w 300 lumen integrated round LED flat panel, warm white 3000K; optional cool white 5200K 320 lumen available (modify part number to "LEDP52")

LIFETIME RATING: 50,000 hours

12V INTERNAL DRIVER: 5w 12vDC 350mA output, 12vAC input

SOCKET: None - LED is hard wired inside fixture

WIRING: Black 3 foot 18/2 zip cord from base of fixture (12v only)
For 25 foot 16/2 fixture lead wire add -25F to catalog number.

CONNECTION: FA-05 Quick Connector (not supplied) from fixture to main cable (12/2, 10/2 or 8/2 only) 12v only

MOUNTING: FA-03 black 9" ABS stake, tapped 1/2" NPS

FINISH: Aluminum-Black texture polyester powder coat. Optional finishes available.
Brass-Unfinished brass. Optional finishes available.

NOTE: 120v - 277v options available with remote LED driver. Must use FA-26 mounting post or FA-JBOX junction box to house remote driver.




4w LED Panel integrated into heat sink hub



IP54



MOUNTING ACCESSORIES



ORDERING INFORMATION

CATALOG NO.	DESCRIPTION	LAMP	SHIP WEIGHT
AL-17-LEDP-BLT	Cast Aluminum 8" China Hat	4w LED Panel	3.0 lbs.
AL-17-LEDP-BRS	Cast Brass 8" China Hat	4w LED Panel	6.0 lbs.
AL-17-SMLEDP-BLT	Cast Aluminum 5.5" China Hat	4w LED Panel	2.0 lbs.
AL-17-SMLEDP-BRS	Cast Brass 5.5" China Hat	4w LED Panel	3.0 lbs.
AL-17-SM2LEDP-BLT	Cast Aluminum 5.5" China Hat	4w LED Panel	2.0 lbs.
AL-17-SM2LEDP-BRS	Cast Brass 5.5" China Hat	4w LED Panel	3.0 lbs.

JOB INFORMATION

Type: _____ Date: _____

Job Name: _____

Cat. No.: _____

Lamp(s): _____

Specifier: _____

Contractor: _____

Notes: _____

FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA 92630

www.focusindustries.com
sales@focusindustries.com
(949) 830-1350 • FAX (949) 830-3390


Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-BAR/CAR	-BAV/CAV	-BAT




AREA LIGHTS AL-17-AH SERIES




TYPE




LIGHT DISTRIBUTIONS AND PHOTOMETRICS



AL-17-AH
Half Spread Photometrics
32 ft. (9.6m) diameter



AL-17-SMAH
Half Spread Photometrics
30 ft. (9m) diameter



AL-17-SM2
Half Spread Photometrics
30 ft. (9m) diameter

Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-BAR/CAR	-BAV/CAV	-BAT