

Neo-Ray Define Gen 2
LED linear recessed luminaire



Redefine your Line

Introducing the Define Gen 2

The Define series by Neo-Ray characterizes the ultimate in minimalist simplicity by providing clean, uniform lines of illumination in virtually any architectural environment. The Define series delivers outstanding efficacy in a variety of profile widths and mounting types.



Light Leak Eliminated

Define Gen 2 incorporates a simple yet innovative patent-pending under-lens solution to ensure there is no light leak at the ends of your fixture run.

Enhanced Light Engines

We have redesigned our light engines from the ground up to deliver industry leading efficacy in two performance options while streamlining our manufacturing processes for rapid delivery to your job site.

| Light Engine | Standard Performance | High Performance |
|--------------|----------------------|------------------|
| Define 1 | 100 LPW | 104 LPW |
| Define 2 | 104 LPW | 109 LPW |
| Define 3 | 120 LPW | 130 LPW |
| Define 4 | 127 LPW | 137 |
| Define 5 | 128 LPW | 138 LPW |

Custom Lumen Packages

Define has been optimized for what you need most when specifying a luminaire – specific lumen outputs are customizable to match your specification as standard product.



Drop

Flush

Perimeter flush


Regress

Connected lighting integration

| Sensor Type | Wireless | Sensor Integration |
|-------------------|----------|---|
| WaveLinx | Yes | Integral to Fixture Pre-wired for tile-mount |
| LumaWatt Pro | Yes | Integral to Fixture Pre-wired for tile-mount |
| Stand-Alone SVPD2 | No | Integral to Fixture Pre-wired for tile-mount |

Seamless Architectural Ceiling Interfaces


The Neo-Ray Define has been engineered to seamlessly integrate into any architectural ceiling system with ease.



15/16-T-Grid

9/16-T-Grid

9/16 Slotted Tee



9/16 Tegular

15/16 Tegular

9/16 Interlude

Visible Flange GYP

Mud-In Flange

Finished Extruded Side Flangeless

Lighting Product Lines

Ametrix
AtLite
Corelite
Ephesus
Fail-Safe
Halo
Halo Commercial
Invue
io
Iris
Lumark
Lumière
McGraw-Edison
Metalux
MWS
Neo-Ray
Portfolio
RSA
Shaper
Streetworks
Sure-Lites

Controls Product Lines

Fifth Light Technology
Greengate
iLight (International Only)
iLumin
Zero 88

Connected Lighting Systems

Distributed Low-Voltage Power
HALO Home
iLumin Plus
Enlighted
WaveLinx
Trellix



Cooper Lighting Solutions
18001 East Colfax Avenue
Aurora, CO 80011
P: 303-393-1522
www.cooperlighting.com

Canada Sales
5925 McLaughlin Road
Mississauga, Ontario L5R 1B8
P: 905-501-3000
F: 905-501-3172

© 2021 Cooper Lighting Solutions
All Rights Reserved
Printed in USA
Publication No. BR519038EN
May 25, 2021 1:07 PM

Cooper Lighting Solutions is a registered trademark.

All other trademarks are property of their respective owners.

Product availability, specifications, and compliances are subject to change without notice.