



Portfolio

Surface Mount

2-inch, 4-inch, 6-inch & 8-inch
Surface & Wall Mount Cylinders



Illuminate your creativity

Designed to complement any architectural space, the 2, 4, 6, and 8" LED round and square, standard or shallow height cylinders complement any space with wall, ceiling, pendant-mount, or aircraft cable options. A two-stage system produces smooth distribution with excellent light control and low aperture brightness. The cylinders are available in multiple lumen packages, color temperatures and a variety of finishes with custom options. Standard 0-10V driver dims to 1% and a multitude of optional drivers are available. Creating the perfect atmosphere is easy with these sleek cylinders that offer a variety of color control and connected options.





LSR2B, LSSQ2B
2" Round and Square Cylinders



LSR2B, LSSQ2B
4" Round and Square Cylinders



LESR6B/LESQS6B
6" Shallow Round and Square Cylinders




LSRS8B/LSRSWM8B
8" Shallow Round Cylinders



- Available lumens
 - 2" = 500, 1000, 1500, and 2000 lumens
 - 4" = 1000, 1500, 2000, 3000 and 4000 lumens
 - 6" = 1000-6000 lumens
 - 8" = 1000-15,000 lumens
- Standard and shallow heights
- Round or square
- Ceiling mount, pendant mount, aircraft cable, power over cable, wall mount, up/down versions, yoke mount or internal adjustment
- Ceiling mount wet location with covered ceiling, Wall mount wet location listed
 - Optional lens kit for up/down wet locations
- Emergency battery backup
- Remote or integral drivers with multiple options

Multiple installation options




Standard or custom finishes



Custom finishes available to compliment a design.
Consult our factory for details.

Reflector finishes



Painted Reflector finishes



Connected solution



Take compliance, network security and energy savings into your own hands.

Automatic code compliance. 7-Tier network security features.

Integrated wireless sensors to collect and transmit key building data. And, the ability to control your system from a mobile app and the ability to exchange data with third party applications.


It's simple: WaveLinx just works.

Color control



VividTune fine tuning of light

Whether you're looking to optimize productivity or simply add dramatic flair, VividTune's tunable white technology allows you to adjust the color temperature from warm white to cool white, creating an environment that fosters productivity and concentration.



dim




bright

light intensity




D2W™ Dim-to-warm solution

Bring the warm, dim glow reminiscent of traditional incandescent and halogen sources into your space, for a fraction of the energy consumption, with our dim-to-warm solution.



dimmed



full power

dim-to-warm

Lighting Product Lines

Ametrix
AtLite
Corelite
Ephesus
Fail-Safe
HALO
HALO Commercial
Invue
io
IRiS
Lumark
Lumière
McGraw-Edison
Metalux
MWS
Neo-Ray
Portfolio
RSA
Shaper
Streetworks
Sure-Lites

Controls Product Lines

Greengate

Connected Lighting Systems

Fifth Light (Canada Only)
HALO Home
WaveLinx

IoT Platform

Trellix

Photo Credits

Cover Image: Scott D McDonald © Gray City Studios
Page 3: Brian Gassel © Brian Gassel Photography



Cooper Lighting Solutions

1121 Highway 74 South
Peachtree City, GA 30269
P: 770-486-4800
www.cooperlighting.com

Canada Sales

5925 McLaughlin Road
Mississauga, Ontario L5R 1B8
P: 905-501-3000
F: 905-501-3172

© 2020 Cooper Lighting Solutions
All Rights Reserved
Printed in USA
Publication No. BR520052EN
March 16, 2021 5:14 PM

All other trademarks are property
of their respective owners.

Product availability, specifications,
and compliances are subject to
change without notice.