

5801B BOSTON UNLIT BOLLARD

SPECIFICATIONS

GENERAL


The Model 5801B decorative unlit bollard shall be cast aluminum, one-piece construction. The 17 ¹/2" diameter cast aluminum base shall be constructed with a 7" diameter tapered fluted cast aluminum shaft. The Model shall be Sternberg Lighting #5801B unlit bollard or #5801B-QR quick release unlit bollard.

CONSTRUCTION

The base shall be designed with a smoothly curved pedestal bottom section and transition to an eight flute tapered base section and shall be made of heavy wall, 356 alloy cast aluminum. It shall have a 1" thick floor cast as an integral part of the base. The bollard cap shall be welded in place. The overall height of the bollard shall be 39¹/2".

QUICK RELEASE MOUNTING (Optional)

The Model 5801B-QR shall have a quick release option which allows quick removal of the bollard for convenience or emergency access. The burial portion shall be made of ASTM 6061 aluminum extrusion and shall have a keyway and flexible connection system for securing to bollard. The bollard shall have a mated extension and anti-rotation key and padlock slot. The quick release system shall allow for a flush pavement installation after temporary bollard removal.



See installation template for exact door position.

FINISH

Prior to coating, each assembly shall be chemically cleaned and etched in a 5-stage washing system which includes alkaline cleaning, rinsing, phosphoric etching, reverse osmosis water rinsing, and non-chrome sealing to ensure corrosion resistance and excellent adhesion for the finish coating. The finish coating shall be electrostatically applied semi-gloss, super durable polyester powder baked at 400 degrees for a durable and superior, color retentive finish. Our optional antique Verde Green finish and Swedish Iron finish are hand brushed using a 3-step process. The total assembly shall be wrapped in shockproof wrapping or fully enclosed in corrugated cartons.

INSTALLATION

Four, hot dipped galvanized "L" type anchor bolts shall be provided with the post for non-quick release bollard anchorage. Quick release anchorage requires no anchor bolts. A door shall be provided for anchor bolt access. It shall be secured with tamper-proof, stainless steel hardware.

WARRANTY

Five-year limited warranty. See product and finish warranty guide for details.

BUILDING A PART NUMBER PART NUMBER SELECTIONS OPTIONAL CHAIN STERNBERG SELECT **MODELS** STANDARD FINISHES* BOLLARD OPTIONS **FINISH FINISHES** • 5801B BKT Black Textured MODEL LOOP • 5801B-QR WHT White Textured VG Verde Green Swedish Iron PGT Park Green Textured CL₂ VG 5801B Architectural Medium . OWGT Old World Gray Textured ABZT **OPTIONAL** Bronze Textured **CHAIN LOOP**** DRT Dark Bronze Textured CL1 *Smooth Finishes are available upon request Chain Loop **CUSTOM FINISHES** · CL2 Chain 01 Old Iron Loops 180º • RT Rust • WBR Weathered Brown ** TO ORDER CHAIN: • CD Cedar Specify total length of • WBK Weathered Black chain required for project TT Two Tone



5801LB BOSTON LIGHTED BOLLARD

SPECIFICATIONS

GENERAL

The Model 5801LB decorative lighted bollard shall be cast aluminum, one-piece construction. The 17 ½" diameter cast aluminum base shall be constructed with a 7" diameter tapered fluted cast aluminum shaft. The Model shall be Sternberg Lighting #5801LB lighted bollard or #5801LB-QR quick release lighted bollard.

CONSTRUCTION

The base shall be designed with a smoothly curved pedestal bottom section and transition to an eight flute tapered base section and shall be made of heavy wall, 356 alloy cast aluminum. It shall have a 1" thick floor cast as an integral part of the base. The bollard cap will be cast aluminum. The overall height of the bollard shall be 39 1/2".

ELECTRICAL

The optical assembly shall be constructed of twelve fluted openings with a white acrylic lens. All electrical components shall be U.L. approved. H.I.D. ballasts shall be high power factor with lamp starting down to -30 degrees C. Medium base porcelain sockets to be 4KV rated. The ballast/socket assembly shall be pre-wired. Optional compact fluorescent (PL) ballasts shall be instant start electronic with a starting temperature of down to 0 degrees F. They shall have a 4-pin socket and support quad tube and triple tube lamps. Ballasts shall be DOE EISA compliant.

QUICK RELEASE MOUNTING (Optional)

The Model 5801LB-QR shall have a quick release option which allows quick removal of the bollard for convenience or emergency access. The

Optional Loops STREET SIDE 14" DIA. 391/2" **BOLT** CENTER LINE ACCESS DOOR 171/2"

See installation template for exact door position

burial portion shall be made of ASTM 6061 aluminum extrusion and shall have a keyway and flexible connection system for securing to bollard. The bollard shall have a mated extension and anti-rotation key and padlock slot. The quick release system shall allow for a flush pavement installation after temporary bollard removal.

FINISH

Prior to coating, each assembly shall be chemically cleaned and etched in a 5-stage washing system which includes alkaline cleaning, rinsing, phosphoric etching, reverse osmosis water rinsing, and non-chrome sealing to ensure corrosion resistance and excellent adhesion for the finish coating. The finish coating shall be electrostatically applied semi-gloss, super durable polyester powder baked at 400 degrees for a durable and superior, color retentive finish. Our optional antique Verde Green finish and Swedish Iron finish are hand brushed using a 3-step process. The total assembly shall be wrapped in shockproof wrapping or fully enclosed in corrugated cartons.

Four, hot dipped galvanized "L" type anchor bolts shall be provided with the post for non-quick release bollard anchorage. Quick release anchorage requires no anchor bolts. A door shall be provided for wiring and anchor bolt access. It shall be secured with tamper proof, stainless steel hardware. Bollard will be provided with a grounding stud mounted on the base floor opposite the access door.

PART NUMBER SELECTIONS

WARRANTY Five-year limited warranty. See product and finish warranty guide for details.

BUILDING A PART NUMBER OPTIONAL LIGHT SOURCE OPTIONS BOLLARD CHAIN FINISH MODEL LOOP WATTS/TYPE/VOLTS CL2 5801LB **FHS** 70HPS120 **MODELS** 5801LB

5801LB-QR

** TO ORDER CHAIN: Specify total length of chain required for project.

MHP- Metal halide systems are pulse start.

35HPS

BALLASTS LAMPS • HPS35/MED

• HPS50/MED 50HPS HPS70/MED 70HPS

50MHP MHP50/MED 70MHP MHP70/MED

 26PLT PLT26 • 32PLT PLT32 PLT42 42PLT

INCAND

OPTIONAL VOLTAGES CHAIN 120 LOOP**

CL1

• 208 • 240 • 277

Chain Loop CL2 Chain • 480 Loops 180º MULTI

STANDARD FINISHES*

 BKT **Black Textured**

• WHT White Textured PGT Park Green Textured ABZT Architectural Medium

Bronze Textured Dark Bronze Textured *Smooth Finishes are available upon request

CUSTOM FINISHES

OI Old Iron RT Rust

OPTIONS

• PEC1 Photocell-Bimetal 120 Volt

• PEC2 Photocell-Bimetal 208-277 Volt • PEC1-E Photocell-Electronic 120 Volt

• PEC2-E Photocell-Electronic 208-277 Volt • FHS Single Fuse and Holder-120,277 Volt · FHD Dual Fuse and Holder-208, 240, 480 Volt

GFI Ground Fault Interrupter Duplex Outlet¹

Weathered Brown

Weathered Black

Cedar

Two Tone

STERNBERG SELECT

Verde Green

Swedish Iron

. OWGT Old World Gray Textured

WBR

WBK

FINISHES

• CD

TT

VG

SI

· LAMPS Select from List

¹GFI not available with QR option



555 Lawrence Ave. Roselle, IL 60172 • 847-588-3400 • Fax 847-588-3440 www.sternberglighting.com Email: info@sternberglighting.com 7-15