


790 HOMESTEAD RESIDENTIAL SERIES **SPECIFICATIONS**







CSA Clear Seeded Acrylic



CTA Clear Textured Acrylic



PA Prismatic Acrylic




WA White Acrylic



AGB Art Glass Brown Marble

POST MOUNT, WALL BRACKETS & PIER MOUNT




NOTE: 790 Series 100 W Max. INC. Refractors not available. †Remote Ballast required if HID or CF. ††Add BB Ballast Box for 100W HID.





BUILDING A PART NUMBER



PART NUMBER SELECTIONS

FIXTURES • 790 OPTICS • HSS • FMC • MED • PL FITTERS • R3 • S4 • R4	POST ARMS • 77PM • HMA3PM • TPS3PM LENSES • CA • CSA • CTA • PA • WA • AGB	WALL BRACKET ARMS • 77WB • HMA3WB • TPS3WB HANGING BRACKETS • CH27 • SH27 PIER BASE • P28B	LAMPS ⁴ • HPS35/MED • HPS50/MED • HPS70/MED • HPS100/MED • MHP50/MED • MHP70/MED • MHP70/MED • MHP100/MED • PLT26 • PLT32 • PLT42 • PLT57 • PLT70	BALLASTS ^{3,4} • 35HPS ¹ • 50HPS • 70HPS • 100HPS • 50MHP • 70MHP • 100MHP • 26PLT • 32PLT • 42PLT • 57PLT • 70PLT • INCAND (100 watt max.	BB-BALLAST BOX • 78BB - Medium Scale for up to 100 watt ballasts • 27BB - Hanging or Pier for up to 100 watt ballasts	• BKT • WHT • PGT • ABZT • DBT *Smooth Finis	RD FINISHES* Black Textured White Textured Park Green Textured Architectural Medium Bronze Textured Dark Bronze Textured shes are available upon request I FINISHES Old Iron Rust Weathered Brown Cedar Weathered Black Two Tone
						STERNB	ERG SELECT

OPTIONS

- PEC1-E Photocell-Electronic 120-277 Volt
- FHS Single Fuse and Holder-120,277 Volt
- · LAMPS Select from List

NOTES:

135HPS is 120 volt only. ² MED base only when used

to house lamp.

³ Medium base sockets stan-

dard with ballasts up to 100 watts for HID. 4-pin for PL. 4 Metal halide systems are

FINISHES VG

SI


Verde Green

Swedish Iron · OWGT Old World Gray Textured

pulse start.




790 PRAIRIE RESIDENTIAL SERIES



ALL ELECTRICAL COMPONENTS ARE U.L. OR E.T.L. LISTED IN USA AND CANADA.

FIXTURE WILL BE PREWIRED AND TESTED.



CAST ALUMINUM ROOF

(3) SIDED LENS AVAILABLE IN CLEAR SEEDED ACRYLIC, CLEAR TEXTURED ACRYLIC, CLEAR ACRYLIC, WHITE ACRYLIC OR BEVELED GLASS


DECORATIVE FROSTED CHIMNEY WITH MEDIUM BASE SOCKET OR DECORATIVE FROSTED CHIMNEY WITH FLUORESCENT SOCKET OR 3-LIGHT CLUSTER

TER	VIBIEIR	S ()
SINCE	1923	

790


7 /16"—1'
3/10 =1

790WB PRAIRIE RESIDENTIAL SERIES



ALL ELECTRICAL COMPONENTS ARE U.L. OR E.T.L. LISTED IN USA AND CANADA.

FIXTURE WILL BE PREWIRED AND TESTED.



CAST ALUMINUM ROOF

(3) SIDED LENS AVAILABLE IN CLEAR SEEDED ACRYLIC, CLEAR TEXTURED ACRYLIC, CLEAR ACRYLIC, WHITE ACRYLIC OR BEVELED GLASS

DECORATIVE FROSTED CHIMNEY WITH MEDIUM BASE SOCKET OR DECORATIVE FROSTED CHIMNEY WITH FLUORESCENT SOCKET OR 3-LIGHT CLUSTER


TER	VIBIEIR	G
SINCE	1923	$/\!\!\mid$

LMG DRAWN DATE MAR 23 2012 3/16"=1 DRAWING NUMBER

DRAWN


790WB

790/77WB PRAIRIE RESIDENTIAL SERIES



ALL ELECTRICAL COMPONENTS ARE U.L. OR E.T.L. LISTED IN USA AND CANADA.

FIXTURE WILL BE PREWIRED AND TESTED.



0

- WALL BRACKET

— EXTERIOR WALL

JUNCTION BOX IN WALL

NOT SUPPLIED

CAST ALUMINUM ROOF

(3) SIDED LENS AVAILABLE IN CLEAR SEEDED ACRYLIC, CLEAR TEXTURED ACRYLIC, CLEAR ACRYLIC, WHITE ACRYLIC OR BEVELED GLASS

DECORATIVE FROSTED CHIMNEY WITH MEDIUM BASE SOCKET OR DECORATIVE FROSTED CHIMNEY WITH FLUORESCENT SOCKET OR 3-LIGHT CLUSTER

-(2) 1/4-20 X 1 1/8" RHMS




790/77WB

DRAWN LMG


3/16"=1' MAR 23 2012

790/HMA3 PRAIRIE RESIDENTIAL SERIES



ALL ELECTRICAL COMPONENTS ARE U.L. OR E.T.L. LISTED IN USA AND CANADA.

FIXTURE WILL BE PREWIRED AND TESTED.



(2) 1/4-20 X 1 1/8" RHMS

CAST ALUMINUM ROOF

(3) SIDED LENS AVAILABLE IN CLEAR SEEDED ACRYLIC, CLEAR TEXTURED ACRYLIC, CLEAR ACRYLIC, WHITE ACRYLIC OR BEVELED GLASS


DECORATIVE FROSTED CHIMNEY WITH MEDIUM BASE SOCKET OR DECORATIVE FROSTED CHIMNEY WITH FLUORESCENT SOCKET OR 3-LIGHT CLUSTER

2012

TER	VIBIER	G,
SINCE	1923	


		LMG	
	3/16"=1'	DRAWN DATE MAR 23 2	:01
790/HMA3		DRAWING NUMB	3ER

790/TPS3 PRAIRIE RESIDENTIAL SERIES



ALL ELECTRICAL COMPONENTS ARE U.L. OR E.T.L. LISTED IN USA AND CANADA.

FIXTURE WILL BE PREWIRED AND TESTED.



(2) 1/4-20 X 1 1/8" RHMS

CAST ALUMINUM ROOF

(3) SIDED LENS AVAILABLE IN CLEAR SEEDED ACRYLIC, CLEAR TEXTURED ACRYLIC, CLEAR ACRYLIC, WHITE ACRYLIC OR BEVELED GLASS


DECORATIVE FROSTED CHIMNEY WITH MEDIUM BASE SOCKET OR DECORATIVE FROSTED CHIMNEY WITH FLUORESCENT SOCKET OR 3-LIGHT CLUSTER

TER	VIBIEIR	G
SINCE	1923	

		LM	G
	3/16"=1'	MAR 23	5 2
790/TPS3		DRAWING N	IUM


23 2012 NUMBER

790/PB PRAIRIE RESIDENTIAL SERIES



ALL ELECTRICAL COMPONENTS ARE U.L. OR E.T.L. LISTED IN USA AND CANADA.


FIXTURE WILL BE PREWIRED AND TESTED.



CAST ALUMINUM ROOF

(3) SIDED LENS AVAILABLE IN CLEAR SEEDED ACRYLIC, CLEAR TEXTURED ACRYLIC, CLEAR ACRYLIC, WHITE ACRYLIC OR BEVELED GLASS

DECORATIVE FROSTED CHIMNEY WITH MEDIUM BASE SOCKET OR DECORATIVE FROSTED CHIMNEY WITH FLUORESCENT SOCKET OR 3-LIGHT CLUSTER



-11/16" WIRE WAY HOLE

(4) 3/8" DIA. MOUNTING HOLES




790/PB

DRAWN LMG

DRAWN DATE


DEC 8 2011

790PT PRAIRIE RESIDENTIAL SERIES



ALL ELECTRICAL COMPONENTS ARE U.L. OR E.T.L. LISTED IN USA AND CANADA.

FIXTURE WILL BE PREWIRED AND TESTED.



CAST ALUMINUM ROOF

(3) SIDED LENS AVAILABLE IN CLEAR SEEDED ACRYLIC, CLEAR TEXTURED ACRYLIC, CLEAR ACRYLIC, WHITE ACRYLIC OR BEVELED GLASS

DECORATIVE FROSTED CHIMNEY WITH MEDIUM BASE SOCKET OR DECORATIVE FROSTED CHIMNEY WITH FLUORESCENT SOCKET OR 3-LIGHT CLUSTER




790PT

3/16"=1'


DRAWN LMG
DRAWN DATE
DEC 8 2011

790HCH27 PRAIRIE RESIDENTIAL SERIES



ALL ELECTRICAL
COMPONENTS ARE
U.L. OR E.T.L. LISTED
IN USA AND CANADA.

FIXTURE WILL BE PREWIRED AND TESTED.






790HCH27

DRAWN LMG

3/16"=1' DRAWN DATE
NOV 29 2011


790HSH27 PRAIRIE RESIDENTIAL SERIES



ALL ELECTRICAL COMPONENTS ARE U.L. OR E.T.L. LISTED IN USA AND CANADA.

FIXTURE WILL BE PREWIRED AND TESTED.

DRAWING NUMBER



790HSH27

SINCE

1923