

PRODUCT FEATURES

- Sleek and stylish contemporary Ellis 36 Bath Bar
- Available in 2 distinct finishes
- Also available as Ellis 36 and Ellis Wall
- Can be mounted vertically or horizontally
- Energy-efficient integrated LED, fully dimmable to create the desired ambiance
- 5-year warranty with integrated LED



LAMPING

LED includes 36 watt, 1994.7 delivered lumen, 90 CRI, 3000K LED module. Dimmable with most LED compatible ELV and TRIAC dimmers. Mounts vertically or horizontally. ADA compliant.

Satin Nickel



Chrome

Satin Nickel

ORDERING INFORMATION

700BCELI	LENGTH (A)	FINISH	LAMP
	36 36"	C CHROME	-LED930 LED 90 CRI 3000K 120V
		S SATIN NICKEL	-LED930-277 LED 90 CRI 3000K 277V

700BCELI _____

JOB NAME _____

NOTES _____




ELLIS 36 BATH

SPECIFICATIONS

HARDWARE MATERIAL

SHADE MATERIAL	Acrylic
NET WEIGHT	4 lbs
HEIGHT	4.3in
WIDTH	4.2in
LENGTH	36in
WET LISTED	
DAMP LISTED	Yes
DRY LISTED	
GENERAL LISTING	ETL Listed
INCLUDES	



LAMPING SPECIFICATIONS

	LED LAMP	INTEGRATED LED	NON LED	NO LAMP
DELIVERED LUMENS		1995		
WATTS		36		
MAX WATTAGE PER BULB		36W		
INPUT VOLTAGE		120V 277V		
DIMMING TYPE*		ELV, TRIAC 0-10V		
CCT		3000K		
CRI		90 CRI		
LED LIFETIME		>50000		
L70				
AVERAGE BULB HOURS				
FIELD SERVICEABLE LED				
LAMP BASE		Integrated LED		
LAMP SHAPE		Integrated LED		
LAMP INCLUDED?		True		
WARRANTY**		5 Years		

* Dimming information available at www.techlighting.com/Downloads#dimming

** Visit techlighting.com for specific warranty limitations and details.

T20 / T24 / JA8 INFORMATION

	Integrated LED	Replacement LED Lamp	No Lamp *
This product can be used to comply with California Building Energy Efficiency Standards 2016 Title 24 Part 6 / JA8 .	Yes		
This product can be used to comply with California Appliance Efficiency Standards 2016 Title 20 and may be shipped to and sold in California.	N/A		

* If a light fixture or component does not include a lamp or light source, it is the responsibility of the customer to select a lamp that meets the T24 and T20 requirements.

