

# THE TORR.5 HIGHLIGHTS



#### LUMINAIRE SPECIFICATIONS

Efficacy : up to 119 lm/W

UGR < 19

Distribution: Pendant Direct: 100,

Pendant Direct/Indirect: 70/30, 60/40, 50/50,

40/60, 30/70

Lumen Package: Pendant Direct 400-763 lm/ft

Pendant Direct/Indirect 763-1050 lm/ft

Configurations: 4ft, 6ft and 8ft Individual Units

or Continuous Row Lengths Available in 2ft

Increments

Fixed CCT: 27K, 30K, 35K, 40K

CRI: +84 an +92

Spoke Center Hub Option Available with 2ft,

3ft, 4ft, 6ft, and 8ft Arms


## TORR.5 FORM & FUNCTION

Lighting at its finest. The TORR.5 is a sleek and modern luminaire that utilizes the same integrated anidolic light-guide-technology, into opposing wedge profiles, as the AX.5. The TORR.5 reduces glare while creating a luminaire that appears smaller than its dimensions; all without the harshness that is typically associated with smaller apertures. Available in Pendant Direct, Pendant Indirect, and Spoke Center Hub.



Pendant Direct







#### WHITE

Shown with White Housing, White End Cap and Silver Cleat



#### SILVER

Shown with Silver Housing, Silver End Cap and Silver Cleat



#### **BLACK**

Shown with Black Housing, Black End Cap and Silver Cleat




#### BLACK & ORANGE

Shown with Black Housing, Orange End Cap and Silver Cleat

## TORR.5 FINISH OPTIONS

The TORR.5 enhances the aesthetic of any space through flexible color combinations. Choose a white, black or silver housing with 1 of 4 standard end cap colors. Custom colors are also available upon request.

STANDARD FINISHES







Consult Factory for custom RAL finishes.



### TORR.5 SPOKE CENTER HUB

Ultimate integration for the TORR.5, Pendant Direct and Pendant Direct/Indirect, the Spoke Center Hub. The Hub seamlessly connects three intelligently designed TORR.5 luminaire's to create one magnificently polished display. Once again, LUX Illuminaire has delivered a unique design that marries dramatic aesthetics with remarkable innovation.





#### STANDARD HUB FINISHES



