





# OUTDOOR FIXTURE S772WF

PROJECT \_\_\_\_\_

TYPE \_\_\_\_\_

VOLTAGE \_\_\_\_\_



Wave Lighting's S772WF adds a contemporary look to any outdoor space. This fixture can be used to comply with 2016 Title 24 Part 6 High Efficacy LED Light Source Requirements. Wave Lighting's S772WF is designed for wall or ceiling applications and mounting hardware is included. Options include photocell.

## LED SOURCE OPTIONS

### LIGHTWAVE LED - LR/LT

- 120V, 50/60 Hz
- AC Driver-On-Board Array
- Estimated 50,000 Hrs L<sub>70</sub>
- Low Flicker (LT models)
- Surge Suppression
- Dimmable (see compatible dimmer list)
- High Efficacy LED Light Source
- 3000K or 4000K CCT; 80 or 90CRI
- 5 Year Warranty
- Energy Star

### LED MULTI-VOLT SYSTEM - L22

- 120-277V, 50/60Hz
- Estimated 50,000 Hrs L<sub>70</sub>
- 4000K CCT, 80CRI
- 3 Year Warranty
- Energy Star

### E26 REPLACEABLE LED - LE26

- 120V, 50/60Hz
- "Screw-In" Medium Base A19/E26 LED Lamp
- Estimated 15,000 Hrs L<sub>70</sub>
- Low Flicker (3K models)
- Dimmable (see compatible dimmer list)
- 3000K CCT 90CRI or 4000K CCT 80CRI
- 3 Year Warranty
- Energy Star



## SPECIFICATIONS

- Black or White
- Mounting Hardware Included
- Frosted Polycarbonate Diffuser
- Wall or Ceiling Mount
- Minimum Starting Temp -20°F
- UL Listed for Wet Locations

## GUIDE: S772WF-LR12W-BK

## CALL FOR PHOTOMETRIC INFORMATION

ITEM #	DIFFUSER	LIGHT SOURCE	COLOR	OPTION	
S772W	POLYCARBONATE F-Frosted Ribbed	POLYCARBONATE BACK PAN - MEDIUM BASE SOCKET			
		INCANDESCENT (1) 60W MAX Medium Base		BK-Black WH-White	
		LED LIGHT SOURCE			
		E26 MEDIUM BASE LED LE26-10W 800lm ☆	CCT C-4K W-3K		
S772W	POLYCARBONATE F-Frosted Ribbed	ALUMINUM BACK PAN - DEDICATED LED			
		LED LIGHT SOURCE			
		LIGHTWAVE LED LR15-15W 1400lm 80CRI LR22-23W 1900lm 80CRI LT15-16W 1400lm 90CRI LT22-24W 2020lm 90CRI	C-4K W-3K	BK-Black WH-White	PC-Photocell (NOT AVAILABLE W/ L22)
		LED MULTI-VOLT SYSTEM L22-22W 1824lm ☆	4K		

\*Wall Mount Only ☆ Lamp Included Energy Star Qualified Product

REFER TO CATALOG FOR OPTION SPECIFICATIONS - Specifications subject to change without notice - FIXTURE SPEC 1/19