

stilo

2024

INDEX

Page 3	STILO VICTORY TIMELINE
Page 6	RALLY <ul style="list-style-type: none">▶ VENTI WRC Range —————— 8▶ VENTI TROPHY Range —————— 10▶ SPORT Range —————— 11▶ ST5R Range —————— 12▶ ACCESSORIES —————— 13▶ VENTI WRX Range —————— 14▶ VENTI WRX ACCESSORIES —————— 16▶ COMMUNICATION ACCESSORIES —————— 17▶ COMPARISON CHART —————— 18▶ WIRELESS COMMUNICATION —————— 20▶ DIGITAL COMMUNICATION —————— 22▶ ANALOGIC COMMUNICATION —————— 24▶ INTERCOMS COMPATIBILITY —————— 25
Page 26	RACING <ul style="list-style-type: none">▶ ST5FN ABP Range —————— 28▶ ST5FN Range —————— 29▶ ST5F Range —————— 30▶ ST5 GT Range —————— 31▶ ST5 GTN Range —————— 32▶ VENTI WRC TURISMO Range —————— 33▶ VENTI WRX TURISMO Range —————— 34▶ COMPARISON CHART —————— 36▶ ST5 ACCESSORIES —————— 38▶ ELECTRONIC KITS —————— 42▶ TRACK COMMUNICATION —————— 43▶ HEAD & NECK RESTRAINTS —————— 45
Page 46	KARTING <ul style="list-style-type: none">▶ CMR CARBON Range —————— 48▶ ST5FN CMR Range —————— 49▶ ST5FN KRT Range —————— 50▶ & COMPARISON CHART▶ RIB & CHEST PROTECTORS —————— 51▶ ACCESSORIES —————— 52
Page 53	OFFSHORE <ul style="list-style-type: none">▶ OFFSHORE Range —————— 54▶ INTERCOMS & COMPARISON CHART —————— 55



STILO VICTORY TIMELINE

2023

- 19th WRC title in a row with Kalle Rovanperä and Jonne Halttunen signing their 2th WRC title
- 18th Dakar title with Nasser Al-Attiyah and Mathieu Baumel
- Official Team Supplier to Aston Martin F1
- Gabriel Bortoleto is FIA F3 Champion
- Christian Rasmussen won INDY NXT title

2022

- Felipe Drugovich is Formula 2 Champion with MP Motorsport
- Nyck De Vries debuts in the FIA Formula 1 Championship on occasion of the Monza GP with the Aston Martin F1 and adds up to Valtteri Bottas - Alfa Romeo ORLEN F1 Team and Lance Stroll - Aston Martin F1 Team
- 18th WRC title in a row with Kalle Rovanperä and Jonne Halttunen signing their 1th WRC title
- Official Team Supplier to TGR Motorsport in the WRC, winners of the WRC
- Dakar winners with Nasser Al-Attiyah and Mathieu Baumel

2021

- Launch of the new Venti WRC open face helmet range, celebrating Stilo's 20th anniversary
- 17th WRC title in a row with Ogier and Ingrassia signing their 8th title wearing the new Venti WRC
- Nyck De Vries becomes World Champion winning Formula E
- Stilo presents the Wireless communication technology, taking communications in rallying to a revolution
- Stilo and Simpson join The Holley Group, publicly listed in the NY stock exchange

2020

- Stilo wins the 16th WRC title in a row with Ogier and Ingrassia celebrating the 7th WRC title

2019

- Stilo becomes Official Team Supplier to Mercedes-AMG Petronas Motorsport in the FIA Formula 1 Championship
- Stilo is Official Helmet Supplier to Porsche Motorsport
- 1st WRC title for Ott Tanak and Tommi Mäkinen. 15th in a row for Stilo
- Stilo is Hyundai Motorsport Customer Racing Official Supplier
- Nyck De Vries is Formula 2 Champion with ART
- New ST5 CMR with the extra-small shell and new colours and designs for the karting range

2018

- ST5 Zero VB is the first FIA 8860-2018 certified helmet and Valtteri Bottas is the world first driver to wear a FIA 8860-2018 ABP helmet during the Spa GP
- WRC DES, ST5, ST5 ABP: the whole range updates to the new FIA 8860-2018 standard
- Filipe Albuquerque wins Daytona Rolex 24H with Audi Sport Team
- Stilo implements wireless technology in rally communications

2017

- In Formula 1 with Valtteri Bottas Mercedes F1 Team and Jolyon Palmer Renault F1 Team
- Earl Bamber wins the 24h of Le Mans and the WEC title with Porsche LMP1
- 5th WRC title for Sébastien Ogier and 1st for M-Sport. It's the 13th title in row for Stilo

2016

- Stilo becomes part of the Simpson Performance group based in the US
- New racing communication system via radio for the PCCA championship
- Romain Dumas wins the 24h of Le Mans and the WEC title with Porsche LMP1
- Jimmie Johnson NASCAR Sprint Cup Series
- 4th WRC title won with Volkswagen Motorsport and Sébastien Ogier

2015

- Stilo officially debuts in F1
- Update to the new homologation standards FIA 8859-2015 and Snell2015
- Stilo wins the 24h of Le Mans with Porsche - LMP1

2014

- Birth of ST5, designed to be the benchmark in full-face helmets
- DG30, DG10 the world's first rally intercoms with noise digital active cancellation

2013

- Stilo develops the world first rally intercom with digital noise cancellation that debuts with Volkswagen winning the World Rally Championship in Sébastien Ogier's Polo WRC

2012

- Stilo into the Rally Legend: eight World Champion title won with Sébastien Loeb and Citroën
- Stilo wins the GP2 main series with Davide Valsecchi

2011

- Stilo designs ST4 Zero and WRC DES Zero, world's lightest FIA 8860 certified helmets, both full face and open face
- Verbacom launch: the very first communication system for racing with Bluetooth technology for mobile phone connection

2010

- Launch of the WRC DES, world's first FIA8860-2004 certified open-face helmet
- New operations office in 2.000 sq. m area. Energetically self-sufficient, carbon neutral on the environment
- Launch of the ST30-DES, world's first rally intercom with Bluetooth technology for mobile telephones connection

2009

- Stilo develops ST-30, the world's first intercom featuring 2 circuits, one in use and one for backup
- First World Touring Car Championship victory with Gabriele Tarquini

2008

- Birth of the ST4: Stilo professional helmet for racing. The world's first FIA8860-2004 certified racing helmet with earmuffs and integrated drinking system

2004

- Debut in the World Rally Championship, with Gilles Panizzi
- First Dakar Rally victory with Stéphane Peterhansel

2003

- First company worldwide to create a Bluetooth intercom for motorbikes

2000

- First helmet sold
- Origin of the WRC, the world's first open-face helmet designed around the intercom

1999

- Foundation

MADE IN ITALY

WHY STILO?

The name Stilo comes from the tool used by the Bronze Age to write, to imprint their first thoughts, their first ideas, their first concepts. In time the word "stilo" evolved in "style", that is the way each person uses a stilo: your own style. And our style is that of making products that leave a mark, exactly like a stilo in our ancestors wax boards.

OUR PHILOSOPHY

Top functionality. Everything a driver needs must be standard feature: intercom, connections, earmuffs, drinking system, etc.

The engine at Stilo is fueled by the constant search for innovation through the highest technologies and a passion for motorsport with its unstoppable evolution. A helmet is part of the safety equipment to the driver and is meant to be as safe as possible in the first place but it can be something more: an element of performance.

Stilo helmets are designed, developed, prototyped, tested and produced in Italy with a KM 0 philosophy, **100% made in Italy**.

Starting from the driver's needs in the great variety of motorsport racing activities, Stilo **Research and Development** Department combines the **know-how** built from experience with the use of **aerodynamics materials** and the most **advanced technologies**, creating new projects and working to never stop evolving. Highly qualified personnel work in Stilo **internal laboratory** and our **carbon shop** to make prototypes, crash tests and pre-series production following strict procedures.



Each Stilo helmet is **fully hand-made** by specialised workers in Bergamo, starting from the shell and all the way down to the labelling of the helmet before shipping. Every step of the production procedures is prepared with the utmost care and strict **quality controls** are in place before and during the whole process.



All of this to offer the safest helmets, with accessories, features and functionalities that make sure our products are a perfect fit for each seat.

Stilo NEW

2024

VENTI WRX

Pages 14/34



DIRT CARBON

Pages 15/35



RAID ZERO

SPORT

Page 11



PLUS

CMR

Page 48



CARBON



WRC CHAMPIONS FOR
19 TIMES IN A ROW

RALLY

RANGE

Partner of TOYOTA GAZOO RACING WORLD RALLY TEAM
2023 WRC Champions

INDEX

RALLY

Page 8 VENTI WRC RANGE

Page 10 VENTI TROPHY RANGE

Page 11 SPORT RANGE

Page 12 ST5R RANGE

Page 13 ACCESSORIES

Page 14 VENTI WRX RANGE

Page 16 VENTI WRX ACCESSORIES

Page 17 COMMUNICATION ACCESSORIES

Page 18 COMPARISON CHART

Page 20 WIRELESS COMMUNICATION

Page 22 DIGITAL COMMUNICATION

Page 24 ANALOGIC COMMUNICATION

Page 25 INTERCOMS COMPATIBILITY

Stilo

K. ROVANPERÄ

VENTI WRC

WRC CHAMPIONS FOR
19 TIMES IN A ROW

PURO technology for all carbon shells

Increased comfort with brand new interior paddings

Microphone and boom shaped to enhance voice quality

Recessed side port for a cleaner look and plug protection

Compatible with WIRELESS and WIRED intercom connections *

*
INTERCOM CONNECTION



ZERO 8860



8860





CARBON



COMPOSITE



— Helmet color
— Interior color

VENTI TROPHY

Shell structure in MSF (multi Sandwich Fibers) with Kevlar reinforcements

Shell and adjustable peak totally redesigned

Size mix in 3 shells

Plus Version Only: Compatible with WIRELESS and WIRED WRC intercom connections

New top ventilation holes to reduce sweat, and moisture and allow the use of the Top Air System

Available in silver or white outer

Adjustable short visor (Optional)

Increased comfort with brand new interior paddings



PLUS



RALLY



JET



100% Made in Italy

Appealing design with white shell and white peak

Both versions with Hans Posts Anchors

Excellent mix of price, quality, innovation and electronics



Shell structure in MSF (multi Sandwich Fibers) with Kevlar reinforcements

Adjustable peak and short visor

Available in 2 versions with and without electronic kit

Compatible with wired WRC and DG Intercom



PLUS

 — Helmet color
 — Interior color



JET

 — Helmet color
 — Interior color

ST5R

Top ventilation holes to reduce sweat and moisture allowing the use of Stilo Top Air Systems

Integrated speakers with adjustable noise reduction earmuffs

Adjustable microphone

Carbon range compatible with WIRELESS intercoms

Composite range compatible with WIRED intercoms

The widest size range: from XS54 to 3XL 64

Short visors and peak available as optional *

Wider view field for a better vision

The world's lightest in our ZERO version



ZERO 8860



8860



CARBON



COMPOSITE



ACCESSORIES

SHORT VISORS VENTI WRC / VENTI TROPHY / WRC DES / SPORT



YA0229 Yellow
YA0230 Smoked Dark
YA0240 Mirror Dark



YA0241 Iridium Blue Dark
YA0266 Clear
YA0709 Red Light

PEAKS VENTI WRC / VENTI TROPHY



YA0268 Silver
YA0273 White
YA0278 Matt Black
YA0116 Black

WRC DES

YA0226 Silver
YA0260 White
YA0271 Matt Black
YA0227 Black

CARBON PEAKS VENTI WRC / ST5R



YA0269 Venti Carbon
YA0270 Venti Zero and 8860



YA0862 ST5R Carbon
YA0863 ST5R Zero and 8860

PEAKS FITTING KIT

VENTI WRC / VENTI TROPHY / WRC DES / SPORT



YA0114
YA0865 ST5R

PEAKS + VISORS FITTING KIT

VENTI WRC / VENTI TROPHY / WRC DES / SPORT



YA0242 VENTI WRC / VENTI TROPHY
YA0864 ST5R

SHORT VISORS OR SUNSCREEN FITTING KIT ST5R



YA0817 Silver
YA0817G Gold
YA0817B Blue
YA0817R Red
YA0865B/R/G

SHORT VISORS ST5R



YA0836 Iridium Blue Medium
YA0837.2 Iridium Red Medium
YA0838.2 Iridium Yellow Dark

SUNSCREEN ST5R



YA0816 Dark Grey

PEAK SPORT



YA0155 White

SPARE INTERCOM KIT SPORT



AE0112

SPARE INTERCOM KITS



AE0228 Venti WRC Zero / 8860
AE0226 Venti WRC Carbon / Composite ST5R Zero / 8860 / Carbon



AE0121 Venti Trophy Plus / Jet



AE0210 ST5R Composite WRC DES Carbon Piuma WRC DES Composite



AE0111 Venti Trophy Rally Venti Trophy Jet

VENTI WRX DIRT

NEW

Specific versions for open vehicles

Perfect fitted for extreme conditions

Full face protection certified and maximum view field

Communication kit with ear cups and integrated speakers

Sealed full visor



VENTI WRX



+34% VISOR OPENING
COMPARED TO ST5 RANGE



ST5 R



DIRT ZERO 8860



DIRT CARBON

VENTI WRX RAID

NEW



Specific versions for closed vehicles

Top ventilation holes to reduce sweat moisture and allow the use of the short Top Air System

Adjustable peak and short visor available

The whole range in PURO technology

Side Air and Drinking System available



RAID ZERO 8860



RAID CARBON



VENTI WRX ACCESSORIES

FULL VISORS



YA0286 Iridium Yellow Dark
YA0288 Smoked Dark
YA0287 Mirror Dark

YA0284 Iridium Blue Medium
YA0279 Clear
YA0285 Iridium Red Dark

FULL VISORS FITTING KIT



YA0817 Silver YA0817B Blue
YA0817G Gold YA0817R Red

CARBON PEAKS



YAO281
Zero 8860

YAO280
Carbon

SHORT VISORS



YA0295 Iridium Blue Medium
YA0291 Iridium Red Medium
YA0291 Iridium Yellow Dark

YA0293 Mirror Dark
YA0294 Smoked Dark

FITTING KITS

YA0299 Peak Fitting Kit
YA0298 Peak + Short Visor Fitting Kit

YA0283 Zero 8860 Extended Peak
YA0282 Carbon Extended Peak

HELMET SKIRT



YAO289

SHORT MODULAR TOP AIR KITS



YA0892
Modular short top air
with main adapter.
To be used with YA0895 or YA0896



YA0896
Modular straight fitting
with Ø 32mm connection.
Compatible with
Maglock® connector



YA0895
Modular 90° angled fitting
with Ø 32mm connection.
Compatible with
Maglock® connector

SHORT TOP AIR KITS



YA0889
Top Air System
with oval connector



YA0897
Top Air System
with smaller round
connector

COMMUNICATION ACCESSORIES

OPEN-FACE KIT WITH EARMUFFS



AE0104

WRC intercom kit for open-face helmets with earmuffs

FULL-FACE KIT WITH EARMUFFS



AE0105

WRC intercom kit for full-face helmets with earmuffs

ADAPTERS



AC0204.2

Stilo WRC helmet to Peltor intercom (or similar)



AC0200

Stilo WRC intercom to Peltor helmet (or similar)

POWER SUPPLY



YB0100

Stilo WRC helmet to Peltor intercom (or similar)

EXTRA FILTER



YY0030

Isolating filter for DG-10 intercom (1 in / 2 out RCA)

OPEN-FACE KITS



AE0103

WRC intercom kit for open-face helmets

FULL-FACE KITS



AE0102

WRC intercom kit for full-face helmets

WIRING CONNECTIONS



Intercom to helmet
extension cable

YB0317.2 0,45 mt coil incl.

YB0319.2 0,21 mt no coil

YB0307.2 2,5 mt coil incl.



Stilo helmet to phone
3,5 mm jack

YB0311



Intercom to 3,5 mm jack
camera connection

YB0312

AE0101

TROPHY intercom kit for open-face helmets

AE0100

TROPHY intercom kit for full-face helmets

EMERGENCY KIT



YA0001

Spare electronics kit: it is like carrying a
spare helmet in the co-driver bag

HEADSETS



AD0210

Excellent noise protection,
maximum comfort,
"flex" boom, no joints.
WRC intercom connection



AD0110

Excellent noise protection,
maximum comfort,
"flex" boom, no joints.
TROPHY intercom connection



YA0212

Spare hygienic kit for AD0210
and AD0110 headsets

COMPARISON CHART

VENTI WRC

VERSION	ZERO 8860 AA0220BG3R Hans	8860 AA0220BG1R Hans	CARBON AA0220BG1T Hans	COMPOSITE AA0220BG2T Hans
HOMOLOGATION	FIA 8860 - 2018	FIA 8860 - 2018	FIA 8859-2015 SNELL SA2020	FIA 8859-2015 SNELL SA2020
MATERIAL	HIGH TENSILE CARBON	MEDIUM TENSILE CARBON	NORMAL TENSILE CARBON	FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER
WEIGHT	small 1.190 g* medium 1.220 g*	small 1.330 g* medium 1.380 g* large 1.510 g*	small 1.240 g* medium 1.280 g* large 1.390 g*	small 1.480 g* medium 1.540 g* large 1.620 g*
SIZE	small XS 54, S 55, M 57, L 58 medium L 59, XL 61	small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64
INTERCOM	AE0228 - Pro WL and Wired	AE0228 - Pro WL and Wired	AE0226 WL and Wired	AE0226 WL and Wired
COLORS				

*Communication kit included, M6 ready. ± 30 g

VENTI TROPHY

VERSION	PLUS AA0112EG2T Hans	RALLY AA0112DF2T AA0112DG2T Hans	JET AA0112AF2T AA0112AG2T Hans
HOMOLOGATION	FIA 8859-2015 SNELL SA2020	FIA 8859-2015 SNELL SA2020	FIA 8859-2015 SNELL SA2020
MATERIAL	FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER	FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER	FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER
WEIGHT	small 1.450 g* medium 1.510 g* large 1.590 g*	small 1.385 g* medium 1.445 g* large 1.525 g*	small 1.310 g** medium 1.360 g** large 1.440 g**
SIZE	small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64
INTERCOM	AE0121 WL and Wired	AE0111 Wired	—
COLORS			

*Communication kit included, M6 ready. ± 30 g

**M6 ready. ± 30 g

SPORT

VERSION	PLUS AA0132HG2T Hans	JET AA0132AG2T Hans
HOMOLOGATION	FIA 8859-2015 SNELL SA2020	FIA 8859-2015 SNELL SA2020
MATERIAL	FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER	FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER
WEIGHT	small 1.430 g* large 1.570 g*	small 1.350 g large 1.490 g
SIZE	small XS 54, S 55, M 57 large L 59, XL 61	small XS 54, S 55, M 57 large L 59, XL 61
INTERCOM	AE0112 Wired	—
COLORS		

*Communication kit included, M6 ready. ± 30 g

VENTI WRX

VERSION							
RAID ZERO 8860	AA0232BG3R Hans	DIRT ZERO 8860	AA0230BG3R Hans	RAID CARBON	AA0232BG1T Hans	DIRT CARBON	AA0230BG1T Hans
HOMOLOGATION	FIA 8860 - 2018	HOMOLOGATION	FIA 8860 - 2018	HOMOLOGATION	FIA 8859-2015 SNELL SA2020	HOMOLOGATION	FIA 8859-2015 SNELL SA2020
MATERIAL	HIGH TENSILE CARBON	MATERIAL	HIGH TENSILE CARBON	MATERIAL	NORMAL TENSILE CARBON	MATERIAL	NORMAL TENSILE CARBON
WEIGHT	small 1.300 g* medium 1.430 g* large 1.510 g*	WEIGHT	small 1.400 g* medium 1.530 g* large 1.610 g*	WEIGHT	small 1.250 g* medium 1.370 g* large 1.460 g*	WEIGHT	small 1.340 g* medium 1.480 g* large 1.570 g*
SIZE	small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE	small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE	small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE	small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64
INTERCOM	AE0228 PRO WL and WIRED	INTERCOM	AE0228 PRO WL and WIRED	INTERCOM	AE0226 WL and Wired	INTERCOM	AE0226 WL and Wired
COLORS		COLORS		COLORS		COLORS	

*Communication kit included, M6 ready. ± 30 g

ST5R

VERSION							
ZERO 8860	AA0701RG3R Hans	8860	AA0701RG1R Hans	CARBON	AA0701RG1T Hans	COMPOSITE	AA0701BG2T Hans
HOMOLOGATION	FIA 8860 - 2018	HOMOLOGATION	FIA 8860 - 2018	HOMOLOGATION	FIA 8859-2015 SNELL SA2020	HOMOLOGATION	FIA 8859-2015 SNELL SA2020
MATERIAL	HIGH TENSILE CARBON	MATERIAL	MEDIUM TENSILE CARBON	MATERIAL	NORMAL TENSILE CARBON	MATERIAL	FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER
WEIGHT	small 1.280 g* large 1.480 g*	WEIGHT	small 1.420 g* large 1.540 g*	WEIGHT	small 1.360 g* large 1.510 g*	WEIGHT	small 1.590 g* large 1.700 g*
SIZE	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64
INTERCOM	AE0226 WL and Wired	INTERCOM	AE0226 WL and Wired	INTERCOM	AE0226 WL and Wired	INTERCOM	AE0210 Wired
COLORS		COLORS		COLORS		COLORS	

*Communication kit included, M6 ready. ± 30 g


WIRELESS COMMUNICATION

WL-10 Wireless Intercom is the next step in rally intercom technology as connection, as the name describes, is now completely wireless with the crew's helmets. Based on the world's active digital noise-cancelling Stilo DG10 intercom, the WL-10 Wireless has had a few more improvements making this the ultimate in motorsport communications and the worlds first wireless intercom for rallying. Design and functionalities have been fine-tuned allowing the best noise-cancelling intercom on the market. An additional extra is a wireless headset for use on-road sections.




HOW IT WORKS

The helmet key is plugged into the helmet side port and paired with the intercom, allowing the connection to work up to a 10 metres distance, this allowing the crew to exit the car with their helmets on and still talk to each other. Powered from the car's 12 volt supply the biggest change in this intercom is the Wireless functionality allowing you to drop the connection cables with the crew's helmet.



- Keyboard with all the features of our DG 10 intercom
- No cables to the helmets



The WL-10 features 1 output for the crew's communications to a camera system and 1 input for a radio interface.


CG0020 Radio interface for WL-10 - Universal

CG0021 Radio interface for WL-10
Prepared for connections with radio cables (YD0202 to YD0211)
PTT cable YC0011 included

DIGITAL COMMUNICATION

THE WORLD FIRST DIGITAL INTERCOMS

How does it work? Digital, unlike the limited capabilities of old analog intercoms, has the capability of active digital noise cancelling, which in a millisecond can separate the vitally important sound of the drivers voices from the excessive bad noises of the engine, transmissions and road surface and filter these right down while improving the more important sound of the communications between driver and co-driver.



DG-30



MAIN UNIT

REMOTE CONTROL PANEL



AB0601
DG - 30 Bluetooth
Remote control panel
and main unit

- Digital active noise cancellation with SDA filter
- Separate main intercom box which can be positioned under the seats to offer a lower center of gravity
- Remote control panel
- Integrated Bluetooth module
- Camera and radio connections



YB0600.2
Helmets connection
cable (not included)

YB0317.2
45 cm (coil included)
Extension cable recommended
for AB0200, AB0500, AB0214, AB0600

DG-10

Developed directly from DG - 30: same digital active noise cancellation with simplified functions

- Digital active noise cancellation with sda filter
- Integrated bluetooth for mobile phone connection
- Camera and radio connections
- Helmet connection cables integrated
- The use of YB0317 or YB0319.2 is highly recommended



DG-10 RAID

Designed and developed to resist and maintain high performance in the extreme environments and intensive usage typical of X-Country, Raid and Dirt racing

- Digital active noise cancellation with sda filter
- Improved filters for an optimized noise cancellation
- Camera and radio connections
- Female helmet connection cables integrated
- Voice returns for both driver and co-driver can be adjusted
- The use of ACO204.2 is required



NEW



ANALOGIC COMMUNICATION

WRC DES 9V

The best of Stilo's analogic noise cancellation available thanks to the "Extra Filter". Fed from the car power supply and 9V battery. Bluetooth connection with mobile telephones not available.

- The best analogic Stilo audio quality and the maximum ease of use at a price with no equal
- Camera or Radio connection
- Powered by a 9 volt battery or fed from the car power supply



Extra filter even more effective. Moving the switch to "Extra Filter" the background noises are strongly damped and the co-driver voice's louder to the driver. Since the driver's voice sounds lower to the co-driver, it is recommended that the Extra Filter is set to off during transfers.



AB0214



Camera OUT (low or high level) or radio IN switch

WRC 03

- Specifically designed for roll-bars fitment
- ON/OFF control with the co-driver plug-in
- Separated volumes, 9 V standard power supply and 12 V available option
- Camera connection



AB0200




AB0102


TROPHY 2

- Individual volume controls
- 9 Volt battery o 12 Volt optional adapter
- Camera connection
- ON/OFF led
- High quality metal jacks
- Special design for roll-bar fitting

INTERCOMS COMPATIBILITY



RACING RANGE



 cognizant
FORMULA ONE TEAM
aramco

 Stilo

OFFICIAL SUPPLIER

OFFICIAL HELMET SUPPLIER

 PORSCHE
MOTORSPORT



INDEX

RACING

Page 28 ST5FN ABP RANGE

Page 29 ST5FN RANGE

Page 30 ST5F RANGE

Page 31 ST5 GT RANGE

Page 32 ST5 GTN RANGE

Page 33 VENTI WRC TURISMO
RANGE

Page 34 VENTI WRX TURISMO
RANGE

Page 36 COMPARISON CHART

Page 38 ST5 ACCESSORIES

Page 42 ELECTRONIC KITS

Page 43 TRACK
COMMUNICATION

Page 45 HEAD & NECK
RESTRAINTS



ST5FN ABP

Design and top extra holes for advanced aerodynamics and ventilation

The WORLD's first FIA8860-2018 ABP certified helmet

The widest size range, certified from XS54 to 3XL64

Internal comfort padding designed to improve performance in open cars

Ready for installation of different radio communication kits

Increased energy absorption

ABP: Advanced Ballistic Protection. Extended area of protection in the forehead area

Dedicated smaller visor shape

Multi function two-step visor locking clasp



FIA 8860-2018 ABP



VB ABP ZERO



ABP ZERO



ABP 8860



ST5FN VB ABP ZERO

► **Valtteri Bottas** successfully used ST5FN VB ABP Zero on occasion of the Belgian F1 GP in Spa during FP1 in 2018. Narrower, even smaller and produced with an avant-guard technology. It is available in size M-57.

FIA 8860-2018 ABP

ST5FN*



* ST5F for US only

ZERO 8860



8860



CARBON



COMPOSITE



- Helmet color
- Interior color

ST5F*

Design and top holes for advanced aerodynamics and ventilation

Versatile and suitable for both open and closed wheel racing

Adjustable ear paddings for the best comfort

Multi function two-step visor locking clasp

Prepared for side integrated or frontal drinking system

The whole range is available in 4 materials

View field shaped for a wide vision in all cockpits

Shell and internals designed to adjust the air flow and improve breathability

Integrated microphone, earplugs connection and radio connection**

** Not for US market

* ST5GT for US only

FIA 8860-2018

FIA 8859-2015
SNELL SA2020



ZERO 8860



8860



CARBON



COMPOSITE



STILO GT



ZERO 8860



8860



CARBON



COMPOSITE



- Helmet color
- Interior color

FIA 8859-2015
SNELL SA2020

ST5 GTN

Design and top holes for advanced aerodynamics and ventilation

Ideal for closed wheel racing

Adjustable short sunscreen.
Short visors available as optional

Adjustable ear paddings for the best comfort

Ready for installation of different radio communication kits

The whole range is available in 4 materials

Shell and internals designed to adjust the air flow and improve breathability

Prepared for frontal drinking system

No hanging cables. Earplugs and radio connection cable available as optional



ZERO 8860



8860



CARBON



COMPOSITE



VENTI WRC TURISMO



FIA 8860-2018

FIA 8859-2015
SNELL SA2020

ZERO 8860 TURISMO



8860 TURISMO



CARBON TURISMO



COMPOSITE TURISMO



VENTI WRX DIRT TURISMO

NEW

Full face protection certified
and maximum view field

Ear cups for noise reduction

Sealed full visor

Side Air and Drinking System
available

Female connection for use
with earplugs



VENTI WRX



+34% VISOR OPENING
COMPARED TO ST5 RANGE



ST5



DIRT ZERO 8860
TURISMO



DIRT CARBON
TURISMO



VENTI WRX RAID TURISMO

NEW



Top ventilation holes to reduce sweat moisture and allow the use of the short Top Air System

Adjustable peak and short visor available

The whole range in PURO technology

Integrated plug for intercom or radio connections

Adjustable microphone



RAID ZERO 8860
TURISMO



RAID CARBON
TURISMO



For accessories and electronics please see p. 16 and 23

COMPARISON CHART

ST5FN ABP				ST5FN					
VERSION	VB ABP ZERO AA0730AG3S Hans	ABP ZERO AA0710AG3S Hans	ABP 8860 AA0710AG1S Hans	VERSION	ZERO 8860 AA0710AG3R Hans	8860 AA0710AG1R Hans	CARBON AA0710AG1T Hans	COMPOSITE AA0710AG2T Hans	
HOMOLOGATION	FIA 8860 - 2018 ABP	FIA 8860 - 2018 ABP	FIA 8860 - 2018 ABP	HOMOLOGATION	FIA 8860 - 2018	HOMOLOGATION	FIA 8859-2015 SNELL SA2020	HOMOLOGATION	FIA 8859-2015 SNELL SA2020
MATERIAL	HIGH TENSILE CARBON	HIGH TENSILE CARBON	MEDIUM TENSILE CARBON	MATERIAL	HIGH TENSILE CARBON	MATERIAL	NORMAL TENSILE CARBON	MATERIAL	FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER
WEIGHT	extra small ---	small --- large ---	small --- large ---	WEIGHT	small 1.230 g* large 1.430 g*	WEIGHT	small 1.370 g* large 1.490 g*	WEIGHT	small 1.310 g* large 1.460 g*
SIZE	extra small M 57	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64
INTERCOM	Optional on demand	Optional on demand	Optional on demand	INTERCOM	Optional on demand	INTERCOM	Optional on demand	INTERCOM	Optional on demand
COLORS	■	■	■	COLORS	■	COLORS	■	COLORS	■ ■ ■ ■

*M6 ready. ± 30 g

ST5F				ST5 GT					
VERSION	ZERO 8860 AA0700CG3R Hans	8860 AA0700CG1R Hans	CARBON AA0700CG1T Hans	COMPOSITE AA0700CG2T Hans	VERSION	ZERO 8860 AA0702CG3R Hans	8860 AA0702CG1R Hans	CARBON AA0702CG1T Hans	COMPOSITE AA0702CG2T Hans
HOMOLOGATION	FIA 8860 - 2018	HOMOLOGATION	FIA 8860 - 2018	HOMOLOGATION	FIA 8859-2015 SNELL SA2020	HOMOLOGATION	FIA 8860 - 2018	HOMOLOGATION	FIA 8859-2015 SNELL SA2020
MATERIAL	HIGH TENSILE CARBON	MEDIUM TENSILE CARBON	NORMAL TENSILE CARBON	MATERIAL	FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER	MATERIAL	HIGH TENSILE CARBON	MATERIAL	NORMAL TENSILE CARBON
WEIGHT	small 1.280 g* large 1.480 g*	small 1.420 g* large 1.540 g*	small 1.360 g* large 1.510 g*	WEIGHT	small 1.590 g* large 1.700 g*	WEIGHT	small 1.210 g* large 1.410 g*	WEIGHT	small 1.350 g* large 1.470 g*
SIZE	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64
INTERCOM	AE0211**	INTERCOM	AE0211**	INTERCOM	AE0211**	INTERCOM	AE0211**	INTERCOM	AE0211**
COLORS	■	■	■	COLORS	■ ■ ■ ■	COLORS	■	COLORS	■ ■ ■ ■

*Communication kit included, M6 ready. ± 30 g **Not for US market

*Communication kit included, M6 ready. ± 30 g **Not for US market

AIR INTAKES

Designed to bring fresh air into the helmet at speed and extract hot air through the helmet top holes

YA0822

YA0861
Lower profile**BACK SPOILER**

YA0623

Stabilizes aerodynamic vibrations at high speed
(position as shown in picture)

FRONT SPOILERS

YA0870 Small

YA0823 Large

Stabilizes aerodynamic vibrations at high speed
(position as shown in picture)

INDYCAR AERO KIT

YA0674

Stabilizes aerodynamic vibrations at high speed
(position as shown in picture)

AIR SYSTEM KITS

The exclusive Stilo **Top Air System** takes fresh air to the driver's head and nose.
The Top Air System can be fitted onto ST5 Formula and GT models.

SHORT MODULAR TOP AIR KITS



YA0892

Modular short top air for
Venti WRC and ST5 with main adapter.
To be used with YA0895 or YA0896



YA0896

Modular straight fitting
with Ø 32mm connection.
Compatible with
Maglock® connector



YA0895

Modular 90° angled fitting
with Ø 32mm connection.
Compatible with
Maglock® connector



SHORT TOP AIR KITS



YA0889

Top Air System for
Venti WRC and ST5
with oval connector



YA0897

Top Air System for
Venti WRC and ST5
with smaller round
connector

MODULAR TOP AIR KITS



YA0893 small shell
YA0894 large shell

Modular top air for
ST5 with main adapter.
To be used with
YA0895 or YA0896



YA0896

Modular straight fitting
with Ø 32mm connection.
Compatible with
Maglock® connector



YA0895

Modular 90° angled fitting
with Ø 32mm connection.
Compatible with
Maglock® connector



TOP AIR KITS



YA0834 small shell
YA0857 large shell

Top Air System
for ST5 with oval
connector



YA0853 small shell
YA0859 large shell

Top Air System
for ST5 with smaller
round connector

ADJUSTABLE TOP AIR KITS

The air flow can be directed to the driver's face for a better breathing or for cooling the driver's head.



YA0833 small shell
YA0856 large shell

Adjustable Top Air System
for ST5 with oval
connector



YA0852 small shell
YA0858 large shell

Adjustable Top Air System
for ST5 with smaller
round connector

YA0714

45° cuff for Ø 1.5
inches to helmet
Top Air oval hose



SIDE AIR KIT



YA0653

Integrated air
coupling for
Ø 20 mm tubes



YA0639

Coupling for YA0653
up to Ø 32 mm tubes



- YA0600** Inner side of the helmet comprising
- YA0601** Bite valve in silicon rubber with anti-backflow system
- YA0602** Water tube
- YA0603** Male quick coupling

- YA0605** Hydration bag comprising
- YA0604** Female quick coupling


INTEGRATED DRINKING SYSTEM

ST5 is homologated with a drinking system integrated. The silicon tube with bite valve is installed inside the helmet, where a dedicated housing channel in the cheek pads connects it to the shell plug and the female quick coupling installed on the outside.



FRONTAL DRINKING SYSTEM

ST5 is prepared for the frontal installation of the drinking system. Both left and right shell front grids can be opened for the tube to pass through and meet the dedicated passage in the internal chin pad.



ADJUSTABLE PEAKS



REMOVABLE CUPS



PEAK FITTING KIT



YA0865 Silver

YA0865G Gold

YA0865B Blue

YA0865R Red

YA0864 ST5 Peak and visor screw kit

SPARE INTERCOM KIT



COLOURED POST ANCHORS



AK 1131.12B Blue

AK 1131.12R Red

TRACK COMMUNICATION

RADIO CONNECTIONS

RADIO TO HELMET INTERFACE

Wired interface connecting the helmet to a car radio, comprising the interchangeable steering-wheel PTT button. Ready to be used with the radio connection wirings shown here below with part numbers YD0202 to YD0211.

RADIO WIRINGS

The CG0007 helmet interface and the universal track headsets CDO212 connects to the radios through the dedicated radio wirings. Available for the following models:

- YD0202** similar to VERTEX Vx-160, Vx-180
- YD0203** similar to KENWOOD TK-2140/2180/3140/3180
- YD0204** similar to KENWOOD TK-2160/2170/2202/3160/3170/3201/3202
- YD0205** similar to MOTOROLA GP300, MOTOROLA CP Series
- YD0206** similar to MOTOROLA GP320/340/360/380
- YD0207** similar to MOTOROLA GP328
- YD0208** similar to MOTOROLA GM350
- YD0209** similar to VERTEX Vx-2200
- YD0210** Universal
- YD0211** ICOM IC-F51

TRACK HEADSETS

Allowing communication with the car from the pit, these headsets come with adjustable earmuffs for noise reduction. Integrated PTT button, flexible micro-holder, noise cancelling microphone. Ready to be used with the radio connection wirings shown here above with part numbers YD0202 to YD0211.

CUSTOMIZED RADIO SYSTEMS

The radio kit is the basic configuration for the communication via radio between one car and the engineer at the box.

The driver will have one radio, the connection wirings to his helmet, a car antenna and the PTT button to decide when to start and stop the communications. The engineer instead will have a portable radio with antenna and belt clip, one headset with a noise cancelling microphone and the connection cable for the portable radio.

The communication can also be extended from one engineer to more people at the box.

Radio kits can be customized upon request to make them suite the Team's different needs.



Contact our customer service at info@stilo.it for enquiries.

TRACK COMMUNICATION

VERBACOM CLUB

How it works

Verbacom offers drivers a cost effective and very efficient car to pit communication system by using mobile phones.

The Pit wall phone calls the car phone before the car starts, the car unit is programmed to automatically answer and the phone call is kept open keeping the car and Pit unit continually connected until switched off. The communication between units is always open, the pit crew press the push to talk button on the headset to transmit to the driver, whilst the driver can simply speak without pressing any button thanks to the digital noise cancellation that cancels all background noises. If for any reason the signal is lost and call is dropped, the pit phone automatically calls the car which answers it for the driver. It is as easy as that.

Available versions

CQ0008

- 1 Car kit
- 1 Pit Single Headset



CQ0009

- 1 Car kit
- 1 Pit Single Headset
- 1 Pit Double Headset



CQ0010

- 2 Car kit
- 1 Double Headset



Car kit

The club unit is totally transportable for use in any vehicle or kart. The main Bluetooth unit CG0010 is self-powered and connects to a mobile phone (not included) which is mounted in the car. This unit has volume controls and a visible system status light for the driver, and also an on/off switch. This weighing just 66 gr and measuring 74 x 47 x 15 mm it is extremely small and light.

Helmet wiring YB0307.2 with an extension cable connects into the driver's helmet (AE0300 and AE0315 are required should your helmet have no wiring).



Pit wall kit

Noise reduction headsets are self powered and have either a single or double Bluetooth unit subject to the system you buy. CD0003 and CD0004 connect to a mobile phone (not included) by Bluetooth for communication with the car, or wirelessly to the second pit headset.



YB0307.2

CD0003
Pit Single Headset

CD0004
Pit Double Headset

HEAD & NECK RESTRAINTS

FHR - HANS



STILO HANS ZERO

AF0173 30° sz. M



HANS PRO ULTRA LITE

AF0092LITE 20° sz. M, L



HANS III

AF0102 20° sz. M, L and Youth

AF0103 30° sz. M, L



TETHER KITS

YF0006 All models - standard 18" / 45 cm

YF0007 All models - 19" / 48 cm

YF0005 All models - 17" / 42,5 cm

YF0013 All models - 16" / 40,5 cm

YF0024 Hans Zero - standard 18" / 45 cm

YF0025 Hans Zero - 17" / 42,5 cm

YF0026 Hans Zero - 19" / 48 cm

SPARE SHOULDER PADDING KIT



YF0011 Black



YF0014 Blue



YF0015 Red



YF0016 Yellow

FHR - HYBRID



HYBRID PRO LITE

AF013 sz. XS, S, M, L, XL
also available for women
and quick release




HYBRID SPORT

AF014 sz. XS, S, M, L, XL
also available for women
and quick release
AF016 sz. 22" - 26" / 26" - 30" for child
also available with quick release



HYBRID S

AF015 sz. XS, S, M, L, XL
also available
for women
and quick
release



KARTING

RANGE



INDEX

KARTING

Page 48 CMR CARBON RANGE

Page 49 ST5FN CMR RANGE

Page 50 ST5FN KRT RANGE

Page 51 RIB & CHEST PROTECTORS

Page 52 ACCESSORIES



Stilo

CMR CARBON

100% Made in Italy

World lightest karting helmet

PURO technology

Internals with improved comfort

Multi function two-step visor locking clasp

Weight is 1040 gr for XS,
1120 gr for S shell

Carbon fiber Sandwich composition
allows it to be extra light

Extra small shell available
for sizes XS54 - S55 - S56

Internal color liners available

Enhanced breathability
through front ventilation holes



YELLOW



GREEN



ORANGE



RED



PINK



BLUE

ST5FN CMR



★ Optional

ST5FN KRT

Specifically dedicated to Karting from 15 years up

Size mix from XS 54 to 3XL 64

Multi function two-step visor locking clasp

*
BREATH
DEFLECTOR
YA0884



stilo

Design originated from the Formula 1 helmet ST5FN ABP

Available in black, blue or red interiors

Shell and internals designed to adjust the air flow and improve breathability

COMPARISON CHART



CMR CARBON

AA0722AH1P

HOMOLOGATION

SNELL CMR2016

MATERIAL

CARBON COMPOSITE

WEIGHT

extra small 1.040 g ± 30 g
small 1.120 g

SIZE

extra small
XS 54, S 55, S 56
small
M 57, L 59

INTERCOM

Not available

COLORS



ST5FN CMR

AA0719AH2P Black
AA0721AH2P White

HOMOLOGATION

SNELL CMR2016

MATERIAL

FIBERGLASS KEVLAR MSF
MULTI SANDWICH FIBER

WEIGHT

extra small 1.160 g ± 30 g
small 1.250 g

SIZE

extra small
XS 54, S 55, S 56
small
M 57, L 59

INTERCOM

Not available

COLORS



ST5FN KRT

AA0714AH2U White

HOMOLOGATION

SNELL KRT2020

MATERIAL

FIBERGLASS KEVLAR MSF
MULTI SANDWICH FIBER

WEIGHT

small 1.500 g ± 30 g
large 1.650 g

SIZE

small
XS 54, S 55, M 57, L 59
large
L 60, XL 61, 2XL 63, 3XL 64

INTERCOM

Not available

COLORS



KRT



RED



BLUE

* Optional

RIB & CHEST PROTECTORS

Stilo reinvents karting safety products by introducing the innovative and patented Carbon Curva technology in the body protectors series. Flexibility adds up to the well known lightness and high resistance features of carbon fiber. The structure of the device worn by the driver ensures a reduction of the severity of injuries to the chest in the kart seat. Thanks to its exclusive production system, the Stilo rib protector offers the highest comfort to those who wear it. Equipped with adjustable braces for a perfect fitting at all heights and body types, from kids to adults, Stilo Carbon Curva safety devices are 100% made in Italy.

CARBON CURVA 8870




Homologated according to the FIA 8870-2018 [KARTING BODY PROTECTION] regulation. The device includes the 2 following components: Chest protection: it's the part of the device covering the frontal area of the chest of the user - Rib protection: it's the part of the device covering the rib area of the user.

HOW TO CHOOSE YOUR SIZE

To make sure the rib protector performs at best, it is crucial to choose the correct size (see chart below) and to wear it properly.

CARBON CURVA 8870 SIZE CHART

	DRIVER'S HEIGHT	RECOMMENDED CHEST CIRCUMFERENCE
AS0002XS	116 - 134 cm	58 - 68 cm
AS0002S	134 - 152 cm	62 - 72 cm
AS0002S+	134 - 152 cm	67 - 77 cm
AS0002M	152 - 170 cm	72 - 82 cm
AS0002L	170 - 188 cm	85 - 95 cm
AS0002L+	170 - 188 cm	90 - 100 cm



CARBON CURVA



These cutting edge protectors result in a flexible fit following and adapting to the drivers' body, protecting them from impacts without limiting movement or breathing.

Available in the following sizes:

AS0001S small

AS0001M medium

AS0001L large

ACCESSORIES



YY0061 Helmet bag



YY0045 Backpack



YY0046 Multi - equipment dryer



YY0065 Cloth drawstring visor sock



YY0066 Drawstring antiscratch helmet sock



YY0011 Stilo cap



YY0014 Eject system

INDEX

OFFSHORE

Page 54

OFFSHORE RANGE

Page 55

INTERCOMS

COMPARISON CHART



stilo

Top ventilation holes to reduce sweat and moisture

Adjustable short visor (Optional)

Noise reduction earmuffs with adjustable ear pressure

Integrated microphone and WRC intercom connections

Increased comfort with brand new interior paddings

Integrated speakers

Microphone and boom shaped to enhance voice quality (Open face)

Adjustable microphone position



VENTI WRC

— Helmet color
— Interior color



VENTI TROPHY

— Helmet color
— Interior color



ST5F

— Helmet color
— Interior color

INTERCOMS

OFFSHORE VHF

- Fully watertight
- Connection is possible with up to 6 helmets
- Equipped with PTT button and connection to on-board VHF radio
- Integrated Bluetooth available
- Feed available from the boat battery

DB0200 VHF - 2 channels

DB0201 VHF - 4 channels

DB0202 VHF - 6 channels



DB0203 with Bluetooth VHF - 4 channels

DB0204 with Bluetooth VHF - 2 channels



COMPARISON CHART



VERSION

VENTI WRC

DAO220BF2T

HOMOLOGATION
FIA 8859 - 2015
SNELL SA2020**MATERIAL**
FIBERGLASS KEVLAR MSF
MULTI SANDWICH FIBER**WEIGHT**
small 1.520 g* medium 1.580 g*
large 1.660 g***SIZE**
small XS 54, S 55, M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64**INTERCOM**
AE0226 WL and Wired

COLORS

VENTI TROPHY

DAO112BF2T

HOMOLOGATION
FIA 8859 - 2015
SNELL SA2020**MATERIAL**
FIBERGLASS KEVLAR MSF
MULTI SANDWICH FIBER**WEIGHT**
small 1.490 g* medium 1.550 g*
large 1.630 g***SIZE**
small XS 54, S 55, M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64**INTERCOM**
AE0121 WL and Wired

COLORS

ST5F

DA0702BF2T

HOMOLOGATION
FIA 8859 - 2015
SNELL SA2020**MATERIAL**
FIBERGLASS KEVLAR MSF
MULTI SANDWICH FIBER**WEIGHT**
small 1.650 g*
large 1.770 g***SIZE**
small XS 54, S 55, M 57, L 59
large L 60, XL 61, 2XL 63, 3XL 64**INTERCOM**
AE0210

COLORS

*Communication kit included, M6 ready. ± 30 g



Via Domenico Bosatelli 4 • 24069 Cenate Sotto (BG) Italy • Phone +39 035 690 040
Fax +39 035 691 559
info@stilo.it

Stilo U.S.A.
328 FM 306 • New Braunfels, TX 78130
Phone 800-654-RACE (7223)
stilohelmets.com

STILO.IT

ANY COMPETITION ONE HELMET