

[product.

HINGE

[type. FIXED PIN.]
[range. HARDWARE.]
[born. LONDON.]
[region. AUSTRALIA.]

A hinge made from solid metal with a fixed pin design. It features countersunk screw holes and is signed with the B+P insignia. Use in conjunction with our door hardware to create a coherent Buster + Punch look.








跚

MAY / 2022 [end. **ORDINARY.**]

[type. FIXED PIN.]

[info. MEASUREMENTS.]



[info. SPECIFICATIONS.]

Steel - Stainless Steel

Brass - Stainless Steel, PVD

Welders Black - Stainless Steel, E-coating

[info. FINISH & SKU NUMBERS.]

[finish.] [ANZ.]

Steel ZHG-071846
 Brass ZHG-051847
 Welders Black ZHG-591848

[info. SPECIFICATIONS.]

1 x Hinge

10 x 30 mm wood screws

[info. ${\bf CARE\ INSTRUCTIONS.}$]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. All finishes are prone to ageing.

[please. NOTE.]

DISCLAIMER: Always consult a trade professional when installing this hinge. Buster + Punch is not responsible for the usage or feasibility of installation requirements. This product is not suitable for damp or wet environments.



[product.

HINGE

[type. LOOSE PIN.]
[range. HARDWARE.]
[born. LONDON.]
[region. AUSTRALIA.]

A hinge made from solid metal with a loose pin design. It features countersunk screw holes and is signed with the B+P insignia. Use in conjunction with our door hardware to create a coherent Buster + Punch look.








跚

[type. LOOSE PIN.]

[info. MEASUREMENTS.]



[info. SPECIFICATIONS.]

Steel - Stainless Steel

Brass - Stainless Steel, PVD

Welders Black - Stainless Steel, E-coating

[info. FINISH & SKU NUMBERS.]

[finish.] [ANZ.]

Steel ZHG-071849
 Brass ZHG-051850
 Welders Black ZHG-591851

[info. INCLUDED.]

1 x Hinge

10 x 30 mm Woodscrews

[info. ${\bf CARE\ INSTRUCTIONS.}$]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. All finishes are prone to ageing.

[please. NOTE.]

DISCLAIMER: Always consult a trade professional when installing this hinge. Buster + Punch is not responsible for the usage or feasibility of installation requirements. This product is not suitable for damp or wet environments.