Smart Mirror 2[™]

User's Manual —



Register @ www.escortinc.com

TABLE OF CONTENTS

1.	Chapter One: Product introduction	4
	1.1 Introduction	4
	1.2 What's Included	4
2.	Chapter Two: Features & Specifications	5
	2.1 Main Features	5
	2.2 Specifications	6
3.	Chapter Three: Installation	7
	3.1 Device Controls & Features	7
	3.2.1 How to Install	8
	3.2.2 Use Bracket to Fix Navigator	9
	3.3 SD/MMC Card	12
4.	Chapter Four: Features & Functions	13
	4.1 Main Menu	13
	4.2 Navigation	16
	4.3 Video Player	17
	4.3.1 Features	17
	4.3.2 Operation	17
	4.4 Audio Player	20
	4.4.1 Features	20
	4.4.2 Operation	20
	4.5 Photo viewer	23
	4.5.1 Features	23
	4.5.2 Operation	23
	4.6 E-book Reader	26
	4.6.1 Features	26
	4.6.2 Operation	26
	4.7 Games	30
	4.8 Unit Conversion	31
	4.9 Calculator	32
	4.10 Volume	33
	4.11 Backlight	34
	4.12 Date & Time	35
	4.13 Screen Calibration	36
	4.14 FM Transmitter	38
	4.15 System Information	39
	4.16 Language	40
	4.17 Navigation Path	41
	4.18 System Restore	42
	4.19 GPS Information	43
	4.20 Bluetooth	44

Welcome to SmartMirror GPS. Please read this user's manual carefully to become familiar with all the operation details and to ensure you use your device as it was designed. Before getting started, please note the following:

- Specifications are subject to change without notice.
- Please make a copy of the important data.
- Please read the operating instruction carefully and use only accessories provided by the original manufacturer to avoid any unexpected damage. No warranty will be executed if you are not following the instructions or are connecting with incompatible accessories. We assume no responsibility for any loss or damage caused hereby.
- The electronic navigation data may be not in conformity with the actual road markings due to traffic construction development. Please be sure to comply with actual road conditions and follow the traffic rules.
- Operating and viewing the GPS while driving may cause a severe traffic accident. ESCORT is not responsible for any loss caused by an unexpected accident.
- Users can update and upgrade software by visiting www.escortinc.com.
- The screens shown in this guide may be different than the ones you see on your device, depending on the firmware version.

CHAPTER 1: PRODUCT INTRODUCTION

1.1 Introduction

Congratulations on your SmartMirror GPS purchase. Designed for navigation, SmartMirror also offers functions like video and audio play, Bluetooth hands free, FM transmission, photo viewing, and E-Book reading.

- High performance, low-power consumption MediaTek MT3351 CPU
- Comfortable user interface is simple and easy to operate
- Power management offers operating consistency you can rely on
- Excellent receiving signal offers an exceptional navigation experience
- Compatible with Bluetooth mobile for hands-free calling
- Audio and Video functions can help relieve fatigue
- You can use it when driving, walking, riding or waiting for a meeting. The perfect "GPS + entertainment" device, SmartMirror can make your life and work more enjoyable.

1.2 What's Included

- Rearview mirror GPS navigator
- Wire rode
- User's manual
- Car bracket (option)
- Amplifier box (option)

Please confirm the above items are included in your SmartMirror box. If anything is missing or any items are damaged, please contact ESCORT toll-free at 800.543.1608.

CHAPTER 2: FEATURES & SPECIFICATIONS

2.1 Main Features

- Operating system: Microsoft Windows CE 5.0
- 4.3" TFT LCD display with resolution of 480x272 pixels
- Built-in speaker, volume adjustable
- Button and touch-screen operation
- Built-in sensitive GPS antenna
- Navigation software runs directly from SD card
- Video formats supported: ASF, AVI, WMV, 3GP, MP4, FLV
- Audio formats supported: MP3, WAV
- Photo formats supported: BMP, JPG, PNG
- E-book formats supported: TXT

2.2 Specifications

СРИ	Arm 11 484Mhz
Flash	4GB
Memory	128 MB
LCD III II	4.3" TFT LCD display
LCD display	Resolution: 480RGB(H)x272(V)
Touch screen	High-accuracy, endurable touch-screen
SD	SD/MMC slot
30	Supports SD cards up to 8GB
	A: Built-in high fidelity speaker
Audio	B: Built-out high fidelity stereo amplifier box
	(option)
	Cold start: <42s
GPS	Hot start: <3s (in open area)
	Warm start: <36s
Operating System	Microsoft Windows CE 5.0
Navigation Software	SD card
Video Player	ASF, AVI, WMV, 3GP, MP4, FLV
Audio Player	MP3 and WMA
Photo Viewer	E-album; JPG, BMP, PNG
E-Book Reader	TXT
	Flash, Games, Favorites, Calculator, Unit
System Settings	Conversion, FM Transmitter, Language, Volume,
System Settings	Backlight, Settings Restore, Calibration, Navi
	Path, GPS Info, Date/Time, System Info, USB
Temperature	Operating Temperature: 0°C to 60°C
Temperature	Storage Temperature: -20°C to 60°C
Working Humidity Range	45% to 80% RH
Storage Humidity range	30% to 90% RH
Atmospheric pressure	86KPa to 106KPa

CHAPTER 3: INSTALLATION

3.1 Device Controls & Features



3.2.1 How to install

AWARNINGS

Most vehicles have the mirror mounted directly onto the glass; therefore improper tools or techniques used in the installation could result in a damaged or broken windshield.

It is strongly recommend that installation be performed by a qualified technician.

 Remove the existing mirror. (Note: All vehicles use different mounting solutions. If necessary, consult your local automotive dealer or installation professional for specific instructions.)




- Attach the vehicle-specific mount to the back of the mirror using the supplied screws.
- 3) Attach the assembled mirror to the vehicle mirror mounting tab and secure.
- Route the mirror cable along the headliner and down the pillar, and connect to the receiving end of the Control Module cable.
- 5) Connect the three power leads:

Yellow- Constant 12V+ source

Red- Ignition controlled ACC 12V+ source.

Black- (-) Ground (Connecting to car chassis works best)


Note: There is no need to connect the brake cable to enable switching the mirror into camera mode.



3.2.2 Use bracket to fix navigator



[Note] When use Rearview mirror GPS in the car, you should fix the device to the original iron base on the windshield by using the bracket




There is an iron like this, on all original car's windshield the base is fixed to the rearview mirror.

This mount fit for most of Ford, Toyota, GM, Nissan





Tighten the screws, ensure the installation is finished completely.







After-Market Mount Install

We have various mounts to choose from. If there is none to match your car, please contact us toll-free at 800.543.1608.



Original Equipment Manufacturer Market Mount Install



The information is for reference only. This product is updated regularly without prior notice.

3.3 SD/MMC card

The enclosed SD/MMC card contains the navigation software, map data and media file. Please insert the card correctly. If you insert the card improperly, you can damage the card.

Do not take out the SD/MMC card when the system is navigating or playing. To remove, press the card inward slightly. The card will pop out enough for you to remove it from the slot. Please keep card away from children, so it is not swallowed.

NOTE:

- 1. Don't stress or bend the SD/MMC card.
- 2. Avoid high temperature or high humidity when using and storing the card.
- 3. Don't expose card to direct sunlight.
- 4. Keep card far away from liquid and corrosive material.

CHAPTER 4: FEATURES & FUNCTIONS

4.1 Main Menu



Fig. 4-1

Tap in the top left corner of the main menu to display the date (Figure 4-2).




Fig. 4-2

Tap to enter the calendar interface (Figure 4-3).

<							
1		201	2	D		1	3
S	М	T	W	T	F	S	
				1	2	3	2012 - 3
4	5	6	7	8	9	10	2012 - 3
11	12	13	14	15	16	17	
18	19	20	21	22	23	24	1
25	26	27	28	29	30	31	

Fig. 4-3

Tap in the top left corner of the main menu to change the display background (Figure 4-4).



Fig. 4-4

Tap Navi in the left sidebar for a shortcut to the navigation interface.

Tap Music in the left sidebar for a shortcut to the audio player.

Tap **Desk** in the left sidebar for a shortcut to the desktop application.

4.2 Navigation

This chapter introduces the navigation function.

The system offers several options to customize the navigation experience to your preferences, including map with vivid animation, voice indication and text indication. The GPS navigator can determine your position, calculate the best route to your destination, and help you arrive safely and rapidly.

Before using the navigation function, ensure you have inserted the SD card with the navigation software and set the Navi Path.

To set the Navi Path, first tap Navi Path, then tap . Navigate through the file folders, tapping each, until you find your GPS software file: SDMMC\COPILOT\COPILOT.EXE. Tap the file to select it, then tap **OK**. Tap

Once the Navi Path is set, you can begin using the navigation software.

Tap Navigation to open the navigation interface. Specific navigation functions depend upon your choice of navigation software. Please refer to your navigation software instructions for details.

4.3 Video Player

This chapter introduces how to use the video player.

4.3.1 Features

- Supports ASF, AVI, WMV, 3GP, MP4 and FLV file formats.
- Supports full-screen playing and play progress selection.
- Before using the video player, please copy your video files to a folder on the device.

4.3.2 Operation

Tap video in the main menu or press the VIDEO button on SmartMirror to open the video file list (Figure 4-5).



Fig. 4-5

Tap a folder to open and view its contents (Figure 4-6).



Fig. 4-6

(-	Tap to return to previous screen
	Tap to scroll up
	Tap to scroll down
	Tap to open folder and view contents
2qc2tf-Cra	Tap to play video

Tap a video file to open the video player interface.



Fig. 4-7

-	Tap to return to previous screen
II	Tap to pause play; tap again to resume playing
▶	Tap to go to the next video
	Tap to display the video file list

(Tap the circle on the volume bar and drag left or right to adjust volume
	Tap the circle on the play progress bar and drag left or right to go backward or forward within the video
*	Tap the circle on the brightness bar and drag left or right to adjust brightness
	Tap the video screen to switch to full-screen play; double-tap in full-screen mode to return to normal play
2gc2tf-Crazy_Frog.mp4	Name of the video currently playing
00:00:05/00:02:51	Time consumed / Total length of the video

4.4 Audio Player

This chapter introduces how to use the audio player as your personal mp3 player.

4.4.1 Features

- Supports both MP3 and WAV file formats.
- Supports various play selection modes.
- Before using the audio player, please copy your audio files to a folder on the device.

4.4.2 Operation



Tap Music in the main menu to enter the music file list (Figure 4-8).



Fig. 4-8

Tap a folder to open and view its contents (Figure 4-9).



Fig. 4-9

-	Tap to return to previous screen
	Tap to scroll up



Tap a song name to open the audio player interface (Figure 4-10).



Fig. 4-10

-	Tap to return to previous screen
2gc2tf-lanlianhua.mp3	Title of the song or name of the audio file currently playing
	Tap to display the audio file list/playlist
→	Tap to select the play mode: shuffle, repeat, loop
	Tap the circle on the play progress bar and drag left or right to move backward or forward within the song
a	Tap to return to the main menu
144	Tap to play the previous song
II	Tap to pause play; tap again to resume playing

>>1	Tap to play the next song	
	Tap to stop playing	
(Tap the circle on the volume bar and drag left or right to adjust volume	
02:35/04:30	Time consumed/ Total length of the song	

4.5 Photo Viewer

This chapter introduces how to use the photo viewer to browse your pictures.

4.5.1 Function features

- Supports JPG, BMP and PNG file formats.
- Supports picture rotate, picture enlarge/shrink and slideshow play.
- Before using the photo viewer, please copy your photo files to a folder on the device

4.5.2 Operation



Tap Photo in the main menu to open the photo list (Figure 4-11).



Fig. 4-11

Tap a folder to open and view its contents (Figure 4-12).



Fig. 4-12

-	Tap to return to previous screen		
	Tap to scroll up		
	Tap to scroll down		
9.JPG	Tap to view photo		

Tap a photo file to open the photo viewer interface (Figure 4-13).



Fig. 4-13

	Tap to return to previous screen		
6.JPG	File name and format for the photo currently displayed		
=	Tap to display the photo list		
P	Tap to zoom in		
Q	Tap to zoom out		
21	Tap to rotate the photo 90°		

144	Tap to show the previous photo
▶ ≯ I	Tap to show the next photo
×	Tap to view your photo in full-screen mode; tap screen
	again to return to photo view mode
	Tap view photos as automatic slideshow in full-screen
	mode; tap again to return to photo view mode

4.6 E-book Reader

This chapter introduces how to use the E-book reader.

4.6.1 Features

- Supports TXT file format.
- Supports page turning and page browsing.
- Before using the E-book reader, copy your TXT files to a folder on the device.

4.6.2 Operation



Tap Fronk in the main menu to open the E-book list (Figure 4-14).




Fig. 4-14

Tap a folder to open and view its contents (Figure 4-15).




Fig. 4-15

(Tap to return to previous screen
	Tap to scroll up
	Tap to scroll down
README.TXT	Tap to open book

Tap a book file to open the E-Book reader interface (Figure 4-16).




Fig. 4-16


-	Tap to return to previous screen
iii	Tap to display the E-book list
A/B	Tap to adjust font (Figure 4-17)
≡A	Tap to adjust text color (Figure 4-18)
=1	Tap to create a bookmark for selected text
	Tap to display bookmark list (Figure 4-19)
	Tap to go to previous page



Tap to go to next page



Fig. 4-17






Fig. 4-18

	Tap to return to previous screen
Text Color	Color setting being adjusted
	Tap to choose from background color or text color
0	Tap and drag circles on R, G, and B bars to set text color
	Color preview




Fig. 4-19

	Tap to return to previous screen
7%NG INFORMATION REGARDING T	Selected bookmark
	Tap to open selected bookmark
	Tap to delete selected bookmark

4.7 Games

Tap Game in the main menu to open the game interface and choose from a selection of games (Figure 4-20).



Fig. 4-20

Tap to return to the previous screen.

4.8 Unit Conversion



Tap Unit Con.. in the main menu to open the unit conversion interface (Figure 4-21).




Fig. 4-21

Tap to return to the previous screen.

4.9 Calculator



Tap calculator in the main menu to open the calculator interface (Figure 4-22).



Fig. 4-22



to return to the previous screen.

4.10 Volume




Tap volume in the main menu to open the volume setting interface (Figure 4-24).

Here you can adjust both speaker volume and screen tap sound.



Fig. 4-24



4.11 Backlight



Tap Backlight in the main menu to open the backlight setting interface (Figure 4-25).





Fig. 4-25



4.12 Date & Time



Tap Date Time in the main menu to open the date/time setting interface (Figure 4-26).


The date/time setting interface allows you to set the system date, time and time zone.

2010	01	30	08	57
2011	02	31	09	58
2012	03	01	10	59
2013	04	02	11	00
2014	05	03	12	01

4-26

Tap and drag year, month and day columns to select date.

Tap and drag hour and minute columns to select time.



Tap to return to previous screen.

4.13 Screen Calibration



Tap Calibration in the main menu to calibrate your device (Figure 4-28).



Fig. 4-28

To calibrate:

1. Tap YES. A target will appear on the screen (Figure 4-29).




Fig. 4-29

- 2. Carefully tap the center of the target.
- 3. Repeat as the target moves around the screen.
- 4. When calibration is complete, the target will disappear. The new calibration settings have been measured.

5. Tap the screen to save the new settings.

OR, Wait 30 seconds to cancel and keep the current settings.


4.14 FM Transmitter



in the main menu to open the FM setting interface (Figure 4-30).



Fig. 4-30



When set to ON, the FM transmitter will send out a signal to your vehicle's radio. Set your radio and your device to the same frequency (e.g., 76.0 MHz), and all the sounds of your device will come through your vehicle's speakers. (Note: When FM transmitter is ON, the device speaker is disabled.)

4.15 System Information



Tap System I... in the main menu to open the system information interface (Figure 4-31).

Here, you can view your firmware version, APP version and system ID.




Fig. 4-31

Tap to return to the previous screen.

4.16 Language



Tap Language in the main menu to open the language setting interface (Figure 4-32).



Fig. 4-32

Tap a language to select it.

Tap to return to the previous screen.

4.17 Navigation Path



Tap Navi Path in the main menu to open the navigation path setting interface (Figure 4-33).





Fig. 4-33



4.18 System Restore



Tap Restore ... in the main menu to restore your device to its default settings (Figure 4-34).



Fig. 4-34

Tap **YES** to restore the default settings or tap **NO** to exit.

4.19 GPS Information



Tap GpsInfo in the main menu to enter the GPS information interface (Figure 4-35).




Fig. 4-35

Tap to return to the previous screen.

4.20 Bluetooth

This chapter introduces how to use the Bluetooth function to connect with your mobile phone for hands-free calling.

Tap Bluetooth in the main menu or press the Bluetooth icon on SmartMirror to open the Bluetooth interface (Figure 4-36).



Fig. 4-36



Tap Pair/Connect to display the Bluetooth pairing interface (Figure 4-37).



Fig. 4-37

C	Tap to return to the previous screen
Unpaired	Not currently connected to your mobile
	device
Device name:	The default name is GPSSystem
PIN	The default password is 1234
Pairing hi	Tap to display the pairing/connection
	history (Figure 4-40)
Search	Tap to search for Bluetooth devices
	(Figure 4-41)
Modify the	Tap to modify the device PIN (Figure
	4-38)
- Connect -	Tap to connect/disconnect to the
	selected device
Modify the	Tap to modify the device name, as
	shown in Figure 4-39
	Tap to select/deselect auto-connect,
Auto-connect	which allows an automatic connection
	with your mobile device when you start
	your vehicle
Auto-answer	Tap to select/deselect auto-answer for
	incoming calls

Tap Modify the ... modify the device PIN (Figure 4-38).



Fig. 4-38



Enter your desired, tapping

to switch between numbers and letters, then tap



to save.

Tap Modify the ... to modify the device name (Figure 4-39).




Fig. 4-38

Enter the name, tapping to switch between letters and numbers, then tap to save.




Tap Pairing hi...

to display the pairing/connection history (Figure 4-40).




Fig. 4-40



Tap Search to search for available Bluetooth devices (Figure 4-41).



Fig. 4-41



To connect, tap a device in the list to select it, then tap

Connect

Enter the SmartMirror device PIN on your mobile phone to connect with the Bluetooth device safely. Then tap

to exit. The following screen (Figure 4-42) will display, confirming the connection.




Fig. 4-42

Tap to exit.

The Bluetooth interface icons will now appear in color to show there is an active connection (Fig. 4-43).



Fig. 4-43








ap Dialing to open the call interface (Figure 4-44).



Fig. 4-44

C	Tap to return to previous screen
	Displays the number being dialed



When there is an incoming call, the display will show the number of the caller on the screen (Figure 4-45).



Fig. 4-45

Tap Hang up to refuse the call or to answer the call. Once connected, the display will open the call interface.

The caller's voice will come through the SmartMirror speaker, and your voice will be picked up by the SmartMirror microphone. To manage the call through your connected mobile





Tap Phonebook to display the contact list of the connected device (Figure 4-46).




Fig. 4-46

C	Tap to return to previous screen
	Tap to scroll up
	Tap to scroll down
Synchronization	Tap to synchronize contact list with connected device
Dialing	Tap to dial selected contact



Tap Call history to display the call history (Figure 4-47).





Fig. 4-47





p A2DP to open the A2DP music interface (Figure 4-48).




Fig. 4-48

C	Tap to return to previous screen
4-	Tap to decrease volume
6	Current volume level
-4 +	Tap to increase volume
►II	Tap to pause; tap again to resume playing
	Tap to go to the previous song
M	Tap to go to the next song
	Tap to stop play



to open the text messaging interface (Figure 4-49).





Fig. 4-49





Tap DUN to open the DUN Internet interface (Figure 4-50).



Fig. 4-50

Tap to connect to the Internet. Once connected, SmartMirror will display the following screen (Figure 4-51). (**Note:** Some mobile phones cannot support the DUN Internet function.)



Fig. 4-51

Tap to return to previous screen.

Tap Browser to open the browser. SmartMirror will automatically open an Internet Explorer browser (Figure 4-52).



Welcome to Microsoft Pocket Internet Explorer



© 2004 Microsoft Corporation. All rights reserved. Terms of use.

Fig. 4-52

	Tap to go back
	Tap to go forward
(2)	Tap to refresh current page
-33	Tap to stop opening URL
****	Tap to open the browser keyboard (Figure 4-53)
\windows\default	Tap to display address bar
0	Tap to exit browser interface



Fig. 4-53

ESCORT Inc.

5440 West Chester Road West Chester, OH 45069

Sales/Service 800.543.1608 www.EscortRadar.com

©2012 ESCORT Inc. ESCORT® and SmartMirror™ are trademarks of ESCORT Inc.

Features, specifications, and prices subject to change without notice.