

**J2  
JOEY**

**LOW & MID-LEVEL  
ORDER PICKERS**



# J2-72

## LOW-LEVEL ORDER PICKER



Optional dash mounted travel and mast controls for easy on, easy off operation

Forward facing guardrail mounted controls for efficient picking of small items or quantities

Ergonomic mini-mast brings loads up to waist height, maximum fork elevation 72"

Single stage I-beam channel mast lifts the operators to 48"



## "J" IS FOR Joey

The Big Joe series of vehicles that helps companies access materials smarter, safer and faster.

**Expand your number of low level pick faces.** If the number of products you need to handle is continuing to grow, the best use of space in your facility is to go vertical. Just by elevating a worker a few feet, most companies can double the amount of items that can be selected close to the ground where efficiency is greatest. If your company is in retail, e-commerce, omnichannel distribution or has a need to rapidly pick small items or small quantities, the J2-72 may be the right tool for you to access more materials and get the job done.

**Exceptional versatility.** The J2-72 is designed for low level order picking, but drives like a compact 3 wheel forklift. With the use of the vehicle's mini-mast, the J2-72 can be used to pick orders to a pallet, skid, platform or tote and raise loads to waist level to reduce operator fatigue. Forward facing controls make it easy to stage and stack loads, to load take away conveyors in pick models, or to feed outbound conveyors in shipping areas. Simply put, the Big Joe J2-72 can do a lot for a small truck.

Load Capacity 1,500 lbs

Operator Capacity 300 lbs

Min. Turn Radius 57"



### DASH MOUNTED LCD DISPLAY

with travel speeds settings, battery discharge indicator, hour meter, drive wheel direction indicator and on board diagnostics.



### INDUSTRIAL BATTERY COMPARTMENT

with rollers is standard to support battery changes during peak periods or multi-shift operations. **OPTIONAL:** 224AH AGM battery pack with 110vac integral smart charger



### HIGH TORQUE AC DRIVE

The J2-72 is outfitted with a powerful AC powertrain that is both highly efficient and maintenance free making it a dependable and productive performer with travel speeds up to 4.5mph.

# J2-126 / J2-144

MID-LEVEL ORDER PICKER



Foot pedal activated pallet clamp to secure loads during operation.



Forks trailing travel control handle, maintains consistent steering characteristics when active.



Overhead guard with anchor, tether and harness included

Two stage I-beam channel mast lifts loads to 126" or 144" while operator is elevated an additional 6"

Forward facing guardrail mounted controls for efficient picking of small items or quantities



**J2 Mid-level Order Pickers feature dual controls for efficient forks first or forks trailing operation.** Forward facing controls allow operators to see pick locations ahead of them while keeping their heads fully within the confines of the vehicle during travel. When picking an order, operators can quickly grab items and continue on to the next storage location without need of constantly turning around or reorienting their body position. This is particularly beneficial for picking small order sizes or small items - as is often the case in e-commerce or manufacturing support roles. For traditional forks trailing operation a quick pivot of stance and grab of the secondary controls allows easy on the fly transition of travel direction while maintaining consistent steering.

Load Capacity 2,000 lbs

Operator Capacity 300 lbs

Min. Turn Radius 63"



**OVERHEAD GUARD MOUNTED LCD DISPLAY** with travel speeds settings, battery discharge indicator, hour meter, drive wheel direction indicator and on board diagnostics.



**INDUSTRIAL BATTERY COMPARTMENT** with rollers is standard to support battery changes during peak periods or multi-shift operations.



**HIGH TORQUE AC DRIVE**  
The J2-126 and J2-144 are outfitted with a powerful AC powertrain that is both highly efficient and maintenance free making them dependable and productive performers with travel speeds up to 4.5mph.



*ideas @ work*

Phone: 630-916-2600

Fax: 630-916-0657

E-mail: [sales@bigjoeforklifts.com](mailto:sales@bigjoeforklifts.com)

Web: [www.bigjoeforklifts.com](http://www.bigjoeforklifts.com)