




120VAC LED Strip Light



With the updated technology, this product is built for connecting directly to high voltage, which is 120V AC. No transformer/driver needed anymore. With the 4 inches cut point and waterproof design (IP65), this truly flexible lighting can be used for many applications such as backlighting, illuminating sign letters and complex shapes.

KEY FEATURES

- 120VAC operation (no power supply required)
- IP65 - Suitable for wet location
- ELV dimmer compatible
- Can span long run up to 50m/164ft
- High lumens output and high PF
- Viewing angle 120°
- Overvoltage protection
- Over temperature protection
- Customized product, all sizes available
- Fast and easy installation, saving labor costs greatly
- ETL, FCC certified
- Limited 5 years warranty



PRO-S

Standard Density

PRO-H

High Density

**Min section - 4 In
Max run - 100 Ft**

**Min section - 12 In
Max run - 164 Ft**

| | | | | |
|--|------------|-----------------|---------|-----------|
| | 2700K | Very Warm White | 85 LM/W | 382 LM/FT |
| | 3000K | Warm White | 80 LM/W | 391 LM/FT |
| | 4000K | Natural White | 92 LM/W | 414 LM/FT |
| | 465-470 NM | Blue | - | - |
| | 620-625 NM | Red | - | - |


| | | | | |
|--|------------|-----------------|---------|-----------|
| | 2700K | Very Warm White | 70 LM/W | 280 LM/FT |
| | 3000K | Warm White | 72 LM/W | 288 LM/FT |
| | 4000K | Natural White | 80 LM/W | 320 LM/FT |
| | 465-470 NM | Blue | - | - |
| | 620-625 NM | Red | - | - |

90+ CRI(RA)

95+ CRI(RA)



ACCERSORIES




MOUNTING CHANNEL & CLIP

JUMPER CABLE

PLUG-IN POWER CABLE

CORNER CONNECTER



MOUNTING ACCESSORIES





Mounting Channel (4ft)
GL-LV-MCH-4



Mounting Clip
GL-LV-MCL


COMPATIBLE ALUMINIUM CHANNEL




A 2525



ES 3535



ES 5035



ES 7535

MODELS

| Model No. | Color | Light Color | CRI(Ra) | Min Section | Power Consumption |
|------------------------------|-----------|-----------------|---------|-------------|-------------------|
| GL-LV-2835WWC-96H-120-2700K | 2700K | Very Warm White | 90+ | 4in | 4W/ft |
| GL-LV-2835WWC-96H-120-3000K | 3000K | Warm White | 90+ | 4in | 4W/ft |
| GL-LV-2835NWC-96H-120-4000K | 4000K | Natural White | 90+ | 4in | 4W/ft |
| GL-LV-2835B-96H-120 | 465-470NM | Blue | - | 4in | 4W/ft |
| GL-LV-2835R-96H-120 | 620-625NM | Red | - | 4in | 4W/ft |
| GL-LV-2835WWC-144H-120-2700K | 2700K | Very Warm White | 95+ | 12in | 4W/ft |
| GL-LV-2835WWC-144H-120-3000K | 3000K | Warm White | 95+ | 12in | 4W/ft |
| GL LV-2835NWC-144H-120-4000K | 4000K | Natural White | 95+ | 12in | 4W/ft |
| GL LV-2835B-144H-120 | 465-470NM | Blue | - | 12in | 4W/ft |
| GL LV-2835R-144H-120 | 620-625NM | Red | - | 12in | 4W/ft |

GL LED LLC

GL LED LLC offers more than 1000 different products that are certified by UL/ETL, helping our customers build, develop or select the latest and best performing LED lighting products from the start at unbeatable prices. Besides a vast variety of high quality LED lighting products, we also provides dedicated customer service and professional technical support.

Have questions about LED technology? Our engineering experts enjoy hearing from our customers. GL LED LLC values your business and looking forward to catering to all your LED lighting specifications.

Order Now!

🌐 WWW.GLLEDUS.COM

✉ ADMIN@GLLEDUS.COM

☎ 312.600.9363

📍 501 W 18TH ST, CHICAGO, IL 60616