



LED Wall Washer Strip Light Use Manual-Single Color

Before Installation

1. When purchasing low voltage LED strips, Please check all parts of the product are in well functional condition.




2. Before installation, always test the connection to ensure that the LED strip lights are operating correctly. If there is any issue with the LED strip lights before installation, please contact our customer services for returning and exchanging.




3. Always turn off the power at circuit breaker before any LED strip light installation.

4. Always make sure to have electrostatic ring or electrostatic gloves prepared for LED strip light installation.




Electrostatic Ring




Electrostatic Gloves

5. Installation and connection of LED strips should be performed by a qualified professional, and follow all the safety regulations.


Handle Products with Care




Unroll the LED strip light vertically.




DO NOT twist the LED strip light during installation.




DO NOT bend the LED strip light horizontally.




DO NOT cover the LED strip light with any material.



The bending radian must be wider than 5.9in.



DO NOT fold the LED strip light during installation.




DO NOT plug in to power directly.




DO NOT power the strip light while its still coiled.

Installation Instructions



1. Before cutting the LED strips, always measure and calculate the length and check the splitting lines on the strip which shows you where to cut on the LED strip light.




2. When cutting the LED strips, make sure to always cut into the splitting lines on the strip. The electrostatic ring is needed at this step.


Connecting Accessories




End Cap
GL-WW-EC-C



Power Lead
GL-WW-PL-S




Splice Connector
GL-WW-SC-S




Jumper Connector
GL-WW-JP-S


Connection Instructions




1. Take out the already cut wall washer strip light. Then use a screwdriver or other tools to leave a gap (A1) between FPC and PU tube.



2. Insert the PINs of any connector in connecting accessories listed above into the gap (A1) all the way in.




3. Fill the gap between the connector and the wall washer strip light with UV glue. Wipe out any excessive glue that is not in the gap.





4. Use UV lamp to light up around the connection joint, until the glue solidified. (It is recommended to wait over 10 seconds with industrial UV lamp).

Strip Light Mounting Directly



Method 1:


- Remove the protective film from 3M adhesive tape on the wall washer strip light.
- Press the strip light down gently onto the surface.



Mounting Clip
GL-WW-MCL


Method 2:

- Use screwdriver and screws to lock the mounting clip to chosen surface.
- Press down the wall washer strip light until it snaps into the clips.




Strip Light Mounting with Aluminum Channel

Step 1




Aluminum Channel 3021
with Inner Clip
GL-WW-AL3021

- Snap the Mounting Clips into aluminium channel and press it all the way in.
- Take out the strip light and press it into Mounting clips until they snap.




Step 2




Aluminum Channel 3021
End Cap
GL-WW-AL3021-EC

- Push the End caps into aluminum channel.
- Press down the PC cover gently.
- Peel off the protective film on top of PC cover.




Aluminum Channel Extension




Aluminum Channel 3021
Extend Connector
GL-WW-AL3021-EX

- Turn over the aluminum channel.
- Take out the two connection pieces and push them into the two slots in aluminium channel.




Aluminum Channel Mounting Methods



Aluminum Channel 3021
Mounting Clip
GL-WW-AL3021-MCL



Method 1:

- Use a screwdriver to install mounting clips to chosen surface.
- Snap the aluminum channel directly into the mounting channel clip and press it all the way in.
- Install the strip lights using the preferred method listed above into aluminum channel.



Method 2:

- Use screwdriver to install adjustable bracket.
- Fix aluminum channel into adjustable bracket. Then lock the bracket to the edge of aluminum channel with a hexagon screwdriver.
- Install the strip lights using the preferred method listed above into aluminum channel.



Aluminum Channel 3021
Adjustable Bracket
GL-WW-AL3021-AJB

