

SAFETY DATA SHEET TARGET

SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier	
Product name	TARGET
Product number	A039 EV
Internal identification	Special
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Identified uses	Alkaline Foam pressure washer cleaner for Food Industry.
1.3. Details of the supplier of	the safety data sheet
Supplier	
	Evans Vanodine International
	Brierley Road
	Walton Summit
	Preston. UK. PR5 8AH
	Tel: 01772 322 200 Fax: 01772 626 000
	qclab@evansvanodine.co.uk
1.4. Emergency telephone nu	
Emergency telephone	New Safety Data Sheets - 8.30am to 4.45pm - 01772 322 200 - Mon to Fri. (Also available 24/7 from our website www.evansvanodine.co.uk) Technical Advice - 8.30am to 4.45pm - 01772 318 818 - Mon to Fri
SECTION 2: Hazards identified	cation
2.1. Classification of the subs	stance or mixture
Classification (EC 1272/2008)
Physical hazards	Not Classified
Health hazards	Skin Corr. 1B - H314 Eye Dam. 1 - H318
Environmental hazards	Not Classified
2.2. Label elements	
Pictogram	
Signal word	Danger
Hazard statements	H314 Causes severe skin burns and eye damage.

Precautionary statements	 P102 Keep out of reach of children. P260 Do not breathe mist. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315 Get immediate medical advice/ attention. P501 Dispose of contents/ container in accordance with local regulations.
Contains	SODIUM METASILICATE, SODIUM HYDROXIDE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SODIUM DODECYL BENZENE SULPHONATE		3-5%
CAS number: 68411-30-3	EC number: 270-115-0	
Classification		
Acute Tox. 4 - H302		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Aquatic Chronic 3 - H412		
SODIUM METASILICATE		3-5%
CAS number: —		
Classification		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
2-BUTOXYETHANOL		3-5%
CAS number: 111-76-2	EC number: 203-905-0	
Classification		
Acute Tox. 4 - H302		
Acute Tox. 4 - H312		
Acute Tox. 4 - H332		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
SODIUM CUMENE SULPHONATE		3-5%
CAS number: 15763-76-5	EC number: 239-854-6	
Classification		
Eye Irrit. 2 - H319		

SODIUM HYDROXIDE

CAS number: 1310-73-2

EC number: 215-185-5

REACH registration number: 01-2119457892-27-xxxx

0.1-1%

Spec Conc Limits :- Skin Corr. 1A (H314) >= 5 %, Skin Corr. 1B (H314) >=2% <5 %, Skin Irrit. 2 (H315) >=0.5%<2%, Eye Irrit. 2 (H319) >=0.5% <2%

Classification

Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures Inhalation Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Ingestion Do not induce vomiting. Give plenty of water to drink. Get medical attention immediately. Skin contact Wash with plenty of water. Get medical attention promptly if symptoms occur after washing. Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Get medical attention immediately. Continue to rinse. 4.2. Most important symptoms and effects, both acute and delayed **General information** The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Inhalation Irritation of nose, throat and airway. Ingestion May cause chemical burns in mouth and throat. Skin contact Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin. Eye contact Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage. 4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. 5.2. Special hazards arising from the substance or mixture Specific hazards Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours. 5.3. Advice for firefighters Special protective equipment Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective for firefighters clothing.

SECTION 6: Accidental release measures	
6.1. Personal precautions, pro	ptective equipment and emergency procedures
Personal precautions	Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8.
6.2. Environmental precaution	
Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.
6.4. Reference to other sections	
Reference to other sections	For personal protection, see Section 8.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Usage precautions	Wear protective clothing, gloves, eye and face protection.
7.2. Conditions for safe storage, including any incompatibilities	
Storage precautions	Keep only in the original container in a cool, well-ventilated place. Store away from the following materials: Oxidising materials.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
Usage description	See Product Information Sheet & Label for detailed use of this product.
SECTION 8: Exposure Controls/personal protection	

8.1. Control parameters

Occupational exposure limits

2-BUTOXYETHANOL

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m³ Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m³ Sk

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³ WEL = Workplace Exposure Limit Sk = Can be absorbed through skin.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Not relevant.

Eye/face protection

The following protection should be worn: Chemical splash goggles or face shield.

Hand protection	Wear protective gloves. (Household rubber gloves.)	
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.	
Respiratory protection	Respiratory protection not required.	
SECTION 9: Physical and Che	emical Properties	
9.1. Information on basic physical and chemical properties		
Appearance	Liquid.	
Colour	Clear. Pale Straw.	
Odour	Faint Solvent.	
рН	pH (concentrated solution): 13.45	
Melting point	-2°C	
Initial boiling point and range	102°C @ 760 mm Hg	
Flash point	Boils without flashing.	
Relative density	1.084 @ 20°C	
Solubility(ies)	Soluble in water.	
9.2. Other information		
Other information	None.	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	Reactions with the following materials may generate heat: Strong acids.	
10.2. Chemical stability		
Stability	No particular stability concerns.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	See sections 10.1,10.4 & 10.5	
10.4. Conditions to avoid		
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.	
10.5. Incompatible materials		
Materials to avoid	Strong acids. Aluminium, Tin, Zinc and their alloys.	

10.6. Hazardous decomposition products

Hazardous decomposition No known hazardous decomposition products.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects

We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

Acute toxicity - oral

Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	14,391.36968639
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
ATE dermal (mg/kg)	27,312.71517356
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
ATE inhalation (vapours mg/l)	275.58284041
SECTION 12: Ecological Inform	mation
Ecotoxicity	Not regarded as dangerous for the environment.
12.1. Toxicity	
Toxicity	We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.
12.2. Persistence and degradability	
Persistence and degradability	Sequestrant is readily degraded during biological effluent treatment processes.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
12.4. Mobility in soil	
Mobility	Not known.
12.5. Results of PBT and vPvE	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	Not known.
SECTION 13: Disposal consid	erations
13.1. Waste treatment method	
Disposal methods	Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal by approved waste contractor. Rinse out empty container with water and consign to normal waste.
SECTION 14: Transport information	
14.1. UN number	
UN No. (ADR/RID)	3266
UN No. (IMDG)	3266
UN No. (ICAO)	3266
14.2. UN proper shipping nam	
Proper shipping name (ADR/RID)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate)

Proper shipping name (IMDG)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate)
Proper shipping name (ICAO)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate)
14.3. Transport hazard class(e	<u>s)</u>
ADR/RID class	Class 8: Corrosive substance.
ADR/RID label	8
IMDG class	Class 8: Corrosive substances.
ICAO class/division	Class 8: Corrosive substances.
Transport labels	
14.4. Packing group	
ADR/RID packing group	П
IMDG packing group	П
ICAO packing group	П
14.5. Environmental hazards	
Environmentally hazardous sul No.	ostance/marine pollutant
14.6. Special precautions for us	ser
EmS	F-A, S-B
Tunnel restriction code	(E)
14.7. Transport in bulk according	ng to Annex II of MARPOL and the IBC Code
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not relevant. for a packaged product.
SECTION 15: Regulatory inform	mation
15.1. Safety, health and enviro	nmental regulations/legislation specific for the substance or mixture
EU legislation	Safety Data Sheet prepared in accordance with REACH Commission Regulation (2015/830 (which amends Regulation (EC) No 453/2010 & 1907/2006).

Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 2015/830 (which amends Regulation (EC) No 453/2010 & 1907/2006). The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under GHS/CLP - Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	 PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative. ATE: Acute Toxicity Estimate. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. IMDG: International Maritime Dangerous Goods. ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. GHS: Globally Harmonized System. Spec Conc Limits = Specific Concentration Limits.
Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Aquatic Acute = Hazardous to the aquatic environment (acute) Aquatic Chronic = Hazardous to the aquatic environment (chronic) Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Met. Corr. = Corrosive to metals Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation
Key literature references and sources for data	Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labeling of hazardous substances. ECHA - C&L Inventory database.
Classification procedures according to Regulation (EC) 1272/2008	Calculation Method.
Revision comments	Safety Data Sheet amended in accordance with REACH Commission Regulation (EU) No 2015/830 amendment. (Changes to Sections 2,3,15&16)
Revision date	24/11/2017
Revision	8
SDS status	The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.
Hazard statements in full	 H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled.